PARTS CATALOG FOR TSIO-520 SERIES AIRCRAFT ENGINES

NOTICE

Part numbers appearing herein are trademarks of

TELEDYNE CONTINENTAL MOTORS
Aircraft Products Division

Courtesy of Bomar Flying Service www.bomar.biz

CURRENT STATUS OF PAGES AS OF ___

MARCH 1979

THE ORIGINAL DATE OF THIS PUBLICATION IS MAY 1, 1972 INSERT LATEST PAGES. DESTROY SUPERSEDED PAGES.

Model: TSIO-520-B, BB, C, D, DB, E, EB, G, H,

PARTS CATALOG FORM X-30043A

	J, JB, K, KB, L, LB, I	И, N, NB,	P, R		*	FOR	M X-30043A
PAGE	STATUS	PAGE	STATUS	PAGE	STATUS	PAGE	STATUS
i	MARCH 1979	2-31	NOVEMBER 1977	2-78	NOVEMBER 1977	7-6	MARCH 1979
ii	BLANK	2-32	NOVEMBER 1977	2-79	NOVEMBER 1977	7-7	MARCH 1979
iii	MARCH 1979	2-33	NOVEMBER 1977	2-80	NOVEMBER 1977	7-8	MARCH 1979
iv	BLANK	2-34	NOVEMBER 1977	2-81	NOVEMBER 1977	7-9	MARCH 1979
v	NOVEMBER 1977	2-35	NOVEMBER 1977	2-82	NOVEMBER 1977	7-10	MARCH 1979
vi	MARCH 1979	2-36	NOVEMBER 1977	2-83	NOVEMBER 1977	7-11	MARCH 1979
1-1	MARCH 1979	2-37	NOVEMBER 1977	2-84	NOVEMBER 1977	7-12	MARCH 1979
1-2	NOVEMBER 1977	2-38	MARCH 1979	2-85	NOVEMBER 1977	7-13	MARCH 1979
1-3	MAY 1972	2-39	NOVEMBER 1977	2-86	NOVEMBER 1977	7-14	MARCH 1979
1-4	MAY 1972	2-40	MARCH 1979	2-87	NOVEMBER 1977	7-15	MARCH 1979
1-5	MAY 1972	2-41	NOVEMBER 1977	2-88	NOVEMBER 1977	7-16	MARCH 1979
1-6	MAY 1972	2-42	NOVEMBER 1977			7-17	MARCH 1979
1-7	MAY 1972	2-43	NOVEMBER 1977	3-1	NOVEMBER 1977	7-18	MARCH 1979
1-8	MAY 1972	2-44	NOVEMBER 1977	3-2	NOVEMBER 1977	7-19	MARCH 1979
1-9	MAY 1972	2-45	NOVEMBER 1977	3-3	NOVEMBER 1977		
1-10	BLANK	2-46	NOVEMBER 1977	3-4	BLANK		
		2-47	NOVEMBER 1977				
2-1	NOVEMBER 1977	2-48	NOVEMBER 1977	4-1	MARCH 1979		
2-2	NOVEMBER 1977	2-49	NOVEMBER 1977	4-2	BLANK		
2-3	NOVEMBER 1977	2-50	NOVEMBER 1977				
2-4	NOVEMBER 1977	2-51	NOVEMBER 1977	5-1	NOVEMBER 1977		
2-5	NOVEMBER 1977	2-52	NOVEMBER 1977	5-2	NOVEMBER 1977		
2-6	NOVEMBER 1977	2-53	NOVEMBER 1977	5-3	NOVEMBER 1977		
2-7	NOVEMBER 1977	2-54	NOVEMBER 1977	5-4	NOVEMBER 1977		
2-8	NOVEMBER 1977	2-55	NOVEMBER 1977	5-5	NOVEMBER 1977		
2-9	NOVEMBER 1977	2-56	NOVEMBER 1977	5-6	NOVEMBER 1977		
2-10	NOVEMBER 1977	2.57	NOVĖMBER 1977	5-7	NOVEMBER 1977		
2-11	NOVEMBER 1977	2-58	NOVEMBER 1977	5-8	NOVEMBER 1977		
2-12	NOVEMBER 1977	2-59	NOVEMBER 1977	5-9	NOVEMBER 1977		
2-13	NOVEMBER 1977	2-60	NOVEMBER 1977	5-10	NOVEMBER 1977		
2-14	NOVEMBER 1977	2-61	NOVEMBER 1977	5-11	NOVEMBER 1977		
2-15	NOVEMBER 1977	2-62	NOVEMBER 1977	5-12	NOVEMBER 1977		
2-16	NOVEMBER 1977	2-63	NOVEMBER 1977	5-13	NOVEMBER 1977		
2-17	NOVEMBER 1977	2-64	NOVEMBER 1977	5-14	NOVEMBER 1977		
2-18	NOVEMBER 1977	2-65	NOVEMBER 1977	5-15	NOVEMBER 1977		
2-19	NOVEMBER 1977	2-66	NOVEMBER 1977	5-16	NOVEMBER 1977	İ	
2-20	NOVEMBER 1977	2-67	NOVEMBER 1977				
2-21	NOVEMBER 1977	2-68	NOVEMBER 1977	6-1	NOVEMBER 1977		
2-22	NOVEMBER 1977	2-69	NOVEMBER 1977	6-2	NOVEMBER 1977	:	
2-23	NOVEMBER 1977	2-70	NOVEMBER 1977	6-3	NOVEMBER 1977		
2-24	NOVEMBER 1977	2-71	NOVEMBER 1977	, 53	NOVENDEN 19//	ļ	
2-25	NOVEMBER 1977	2-72	NOVEMBER 1977				
2-26	NOVEMBER 1977	2-73	NOVEMBER 1977	7-1	MARCH 1979	1	
2-27	NOVEMBER 1977	2-74	NOVEMBER 1977	7-2	MARCH 1979		
2-28	NOVEMBER 1977	2-75	NOVEMBER 1977	7-3	MARCH 1979		
2-29	NOVEMBER 1977	2-76	NOVEMBER 1977	7-4	MARCH 1979		
2-30	NOVEMBER 1977	2-77	NOVEMBER 1977	7-5	MARCH 1979	ł	

TABLE OF CONTENTS

SECTION I	P
INTRODUCTION	
ABBREVIATIONS AND SYMBOLS	1
ACCESSORY MANUFACTURERS	
CUSTOMER SPECIFICATION TO SERIA	AL NUMBER CROSS REFERENCE 1
COSTOMER OF Earl Tolling	
SECTION II – GROUP ASSEMBLY PARTS L	IST
Figure 1 - Crankcase Studding Assembly,	, Permold Crankcase
Figure 2 - Crankcase Studding Assembly,	, Sandcast Crankcase
Figure 3 - Crankcase Attaching Parts, Per	mold Crankcase
Figure 4 - Crankcase Attaching Parts, Sar	ndcast Crankcase
Figure 5 - Crankcase Associated Parts, Pe	ermold Crankcase
Figure 6 - Crankcase Associated Parts, Sa	andcast Crankcase
Figure 7 - Crankshaft Group	
Figure 8 - Crankshaft Group	
Figure 9 - Camshaft Group	
Figure 10 - Camshaft Group	·
Figure 11 - Connecting Rod Assembly	
Figure 12 - Piston Rings and Pin Assembl	v
Figure 13 - Cylinder Assembly	´
Figure 14 - Oil Pump Assembly	2
Figure 15 - Oil Pump Assembly	2
Figure 16 - Starter and Starter Adapter As	ssembly
Figure 17 - Starter and Starter Adapter As	ssembly
Figure 19 Starter and Starter Adapter As	ssembly
Figure 10 - Starter and Starter Adapter A.	
Figure 20 Oil Cooler Assembly	2
Figure 21 Oil Cooler Assembly	2
Figure 22 Oil Cooler Assembly	2
Figure 22 - Oil Cooler Assembly	2
Figure 23 - Oil Sump	2
Figure 24 - On Sump	
Figure 25 - Oil Sump	
Figure 26 - Oil Sump	
Figure 27 - Induction System	
Figure 28 - Induction System	
Figure 29 - Induction System	
Figure 30 - Induction System	
Figure 31 - Induction System	
Figure 32 - Induction System	
Figure 33 - Exhaust System	
Figure 34 - Induction/Exhaust Related Pa	it es
Figure 35 - Fuel Injection System	
Figure 36 - Fuel Injection System	
Figure 37 - Fuel Injection System	
Figure 38 - Fuel Injection System	
Figure 39 - Fuel Injection System	2
Figure 40 - Fuel Injection System	
Figure 41 - Throttle and Control Assembl	ly
Figure 42 - Fuel Pump Assembly	í

SECTION II (Continued)	Page
Figure 43 - Fuel Pump Assembly	2-7
Figure 44 - Fuel Pump Assembly	2-7
Figure 45 - Fuel Pump Assembly	2-7
Figure 46 - Fuel Pump Assembly	2-7
Figure 47 - Fuel Injection Control Assembly	2-7
Figure 48 - Fuel Manifold Valve Assembly	2-7
Figure 49 - Fuel Manifold Valve Assembly	2-7
Figure 50 - Ignition System	2-8
Figure 51 - Ignition System	2-8
Figure 52 - Ignition System	2-8
Figure 53 - Ignition System	2-8
Figure 54 - Accessory Drive Assembly	2-8
Figure 55 - Freon Compressor Bracket Assembly	2-89
SECTION III OVERSIZE AND UNDERSIZE PARTS LIST	3-1
SECTION IV	
REPAIR PARTS SETS AND MATERIALS	4-1
SECTION V	
NUMERICAL PARTS LIST	5-1
SECTION VI – CUSTOMER SPECIFICATIONS	
TSIO-520-B Spec. 1,2,5,9,10 & 12	6-1
TSIO-520-C Spec.3	6-1
TSIO-520-D Spec. 2 & 3	6-1
TSIO-520-E Spec. 4,5,8,9 & 10	6-1
TSIO-520-J Spec.2	6-1
TSIO-520-J Spec.4	6-2 6-2
TSIO 520 M Spec 2	6-2
TSIO-520-M Spec.2	6-2
SECTION VII	
CDOUD ACCEMBLY DADTE LICT TOLO 520 BR DR FR IR KR LR NR	7-1

SECTION I

- 1-1. In line with the Teledyne Continental Motors program of product improvement, this parts catalog is presented in looseleaf form. Changes will be issued as they occur to those pages which are affected only. In this manner, the parts catalogs will be kept current at all times with manufacturing and service requirements. Changes to this parts catalog will be sent to the purchaser on receipt of the registration card from the front of the manual.
- 1-2. Page iii of this publication depicts the current status of pages as of the date listed. Each page in the catalog is also dated. To be current, the date on the page should match the date listed for that page on the Status Page. With each change to the catalog issued, a change to the current Status Page will necessarily be issued.
- 1-3. In this edition, currently available parts are listed for TSIO-520 Series Engines. If accessories or parts attached to any engine installed in an aircraft manufactured in the United States under a production model number do not appear in this catalog, determine whether they are available from the aircraft manufacturer before placing an order with a Teledyne Continental Authorized Distributor.
- 1-4. Section II contains 54 figures, in each of which one of the major assemblies or groups of the engine is illustrated in "exploded" form. Each figure has its own set of index numbers to indicate the sub-parts. The list of parts in the assembly or group appears on the same page with the illustration or on an adjacent page. The first column of each assembly group list contains the figure number (not repeated on all lines) and, following a dash, the index numbers of the sub-parts in numerical order. Do not order parts by index number. Use the part number, which appears in the second column. Use the name of the part which appears in the column under the title "DESCRIPTION".
- 1-5. Do not order any parts listed herein when "NO NUMBER" appears on the same line in that part number column or when "NOT SOLD" herein abbreviated as "NS" appears in the "QUANTITY PER ASSEMBLY" column, because these parts are not suitable for installation without factory equipment, or they are major parts of assemblies and are more economically supplied in the assembled condition, or they are assemblies which would have to be disassembled for installation. To replace any detail part "NOT SOLD" order the smallest assembly containing the part

(listed above, with name beginning one column to left). To replace any assembly "NOT SOLD", order whatever sub-assemblies and detail parts (listed below it, with names indented) that are in need of replacement.

- 1-6. Quantities of parts, as listed in Section II, are for specific application in one assembly. Total quantities of all parts are listed in Section V. Similar assemblies listed in Section II are combined, and quantities of sub-parts are for one assembly.
- 1-7. Oversize and undersize parts are listed in Section III. These parts must be ordered by the numbers listed herein, with correct descriptions, to avoid errors. Corresponding standard size part numbers in Section II are preceded by a symbol (†) to indicate the availability of the non-standard size. (Refer to list of abbreviations and symbols.)
- 1-8. Sets of parts listed in Section IV are usually wanted in such groups of overhaul work and should be ordered by set part numbers.
- 1-9. Section V contains a list of part numbers arranged in numerical order in the first column. If the number of any desired part is known, the name may be located by referring to the figure and index number in Section II, which is listed opposite the part number in Section V.
- 1-10. Section VI contains a parts listing of customer specifications of the basic engines of each model. Only the differences between the customer specification and the basic engine are shown. There is a Figure Index column which refers back to Section II for an illustrated view of the differences. To assist in identification, an engine specification number to serial number reference list has been added. The serial number appears on the engine nameplate.

NOTE

The aircraft manufacturer occasionally changes certain accessories per customer request.

1-11. Section VII contains the group assembly parts list for the modified crankshaft version of the TSIO-520 series. Modified crankshaft are identified by a second letter "B" in the engine part number (i.e. TSIO-520-EB). Only those group assemblies which are different than the standard engine are included in Section VII.

LIST OF ABBREVIATIONS AND SYMBOLS

SYMBOL	DEFINITION	SYMBOL	DEFINITION
AR	As Required	NS	Not Sold
dia.	Diameter	PD	Pitch Diameter (thread)
hd.	Head	NPT	National Pipe Tap (or thread)
hex.	Hexagon(al)	NPTF	National Pipe Taper Thread (dryseal)
ID	Inside Diameter	US	Undersize
in.	Inch(es)	No.	Number
lg.	Long	†	Oversize Parts Available
OD	Outside Diameter	+	Undersize Parts Available
OP	Optional	* * * *	* End of Group of Attaching Parts
OS	Oversize	\$	Parts Included in a Set
RF	Refer To	·	

ACCESSORY MANUFACTURERS

ACCESSORY	MANUFACTURER	ADDRESS
Starter	Delco-Remy	United Motors Service General Motors Building Detroit, Michigan
	Prestolite	The Prestolite Company Division of Eltra Corporation 511 Hamilton Street Toledo, Ohio 43601
Alternator	Delco-Remy	United Motors Service General Motors Building Detroit, Michigan
Magnetos	Scintilla	Scintilla Magneto Division Bendix Aviation Corporation Sidney, New York 13838
	Slick Electro, Inc.	Slick Electro, Inc. Rockford, Illinois 61100
Voltage Regulator	Delco-Remy	United Motors Service General Motors Building Detroit, Michigan

CUSTOMER SPECIFICATION TO SERIAL NUMBER CROSS REFERENCE

TSIO-520-B

145002, 145004, 145006 thru 145013, 145015, 145016, 145017, 145019, 145021, SPEC. 1 145023, 145025, 145027, 145029, 145031, 145033, 145035, 145037, 145040, 145042, 145043, 145044, 145046, 145048, 145050, 145052, 145054, 145056, 145058, 145060, 145062, 145064, 145066, 145068, 145069, 145070, 145072, 145074, 145076, 145078, 145080, 145082, 145084, 145086, 145088, 145090, 145092, 145094, 145096, 145098, 145100, 145102, 145104, 145106, 145108, 145112, 145114, 145116, 145118, 145120, 145122, 145124, 145126, 145127, 145129, 145131, 145133, 145135, 145137, 145138, 145139, 145141, 145142, 145144, 145146, 145148, 145150, 145152, 145156, 145157, 145159, 145162, 145164, 145166, 145168, 145170, 145174, 145176, 145177, 145179, 145181, 145183, 145185, 145187, 145189, 145193, 145195 thru 145198, 145201, 145203, 145205, 145207, 145208, 145211, 145213, 145215, 145216, 145217, 145220, 145222 thru 145236, 145238, 145239, 145242, 145244, 145246, 145248, 145257, 145259, 145261, 145263, 145264, 145267, 145269, 145271, 145275, 145277, 145279, 145281, 145283, 145284, 145285, 145287, 145288, 145289, 145291, 145292, 145293, 145295, 145296, 145297, 145299 thru 145302, 145311, 145313, 145315, 145317, 145318, 145321, 145323, 145325, 145326, 145328, 145330, 145333, 145334, 145338, 145339, 145340, 145342, 145344, 145346, 145349, 145351, 145354, 145356, 145359 thru 145362, 145366, 145368, 145371, 145373, 145375 thru 145381, 145385, 145386, 145389, 145391, 145393, 145395, 145397, 145401, 145403, 145404, 145405, 145407, 145409, 145411, 145413, 145415, 145417, 145419, 145420, 145422, 145424, 145426, 145428, 145430, 145432, 145434, 145436, 145439, 145441, 145442, 145443, 145445, 145449, 145453, 145455, 145457, 145459, 145461, 145463, 145465, 145467, 145469, 145471, 145473, 145475, 145477, 145479, 145480, 145482, 145484, 145486, 145487, 145493, 145495, 145496, 145498, 145500, 145501, 145505, 145508, 145509, 145513, 145515, 145519, 145520, 145521, 145524 thru 145539, 145547 thru 145553, 145555, 145557, 145559, 145563, 145565, 145567, 145569, 145571, 145573, 145575, 145577, 145578, 145580, 145583, 145585, 145586, 145589, 145591, 145594, 145596, 145597, 145598, 145600, 145603, 145604, 145606, 145609, 145611, 145613, 145615, 145617, 145700

145001, 145003, 145005, 145014, 145018, 145020, 145022, 145024, 145026, 145028, SPEC. 2 145030, 145032, 145034, 145036, 145038, 145039, 145041, 145045, 145047, 145049, 145051, 145053, 145055, 145057, 145059, 145061, 145063, 145065, 145067, 145071, 145073, 145075, 145077, 145079, 145081, 145083, 145085, 145087, 145089, 145091, 145093, 145095, 145097, 145099, 145101, 145103, 145105, 145107, 145109, 145110, 145111, 145113, 145115, 145117, 145119, 145121, 145123, 145125, 145128, 145130, 145132, 145134, 145136, 145140, 145143, 145145, 145147, 145149, 145151, 145153, 145154, 145155, 145158, 145160, 145161, 145163, 145165, 145167, 145169, 145171, 145172, 145173, 145175, 145178, 145180, 145182, 14518, 145186, 145188, 145190, 145191, 145192, 145194, 145199, 145200, 145202, 145204, 145206, 145209, 145210, 145212, 145214, 145218, 145219, 145221, 145237, 145240, 145241, 145243, 145245, 145247, 145249 thru 145256, 145258, 145260, 145262, 145265, 145266, 145268, 145270, 145272, 145273, 145274, 145276, 145278, 145280, 145282, 145286, 145290, 145294, 145298, 145303 thru 145310, 145312, 145314, 145316, 145319, 145320, 145322, 145324, 145327, 145329, 145331, 145332, 145335, 145336, 145337, 145341, 145343, 145345, 145347, 145348, 145350, 145352, 145355, 145357, 145358, 145363, 145364, 145365, 145367, 145369, 145370, 145372, 145374, 145382, 145383, 145384, 145387, 145388, 145390, 145392, 145394, 145396, 145398, 145399, 145400, 145402, 145406, 145408, 145410, 145412, 145414, 145416, 145418, 145421, 145423, 145425, 145427, 145429, 145431, 145433, 145435, 145437, 145438, 145440, 145444, 145446, 145447, 145448, 145450, 145451, 145452, 145454, 145456, 145458, 145460, 145462, 145464, 145466, 145468, 145470, 145472, 145474, 145476, 145481, 145485, 145488, 145489, 145490, 145492, 145494, 145497, 145499, 145502, 145503, 145504, 145506, 145507, 145510, 145511, 145512, 145514, 145516, 145517, 145518, 145522, 145523, 145540 thru 145546, 145554, 145558, 145560, 145561, 145562, 145564, 145566, 145568, 145570, 145572, 145574, 145576, 145579, 145581, 145582, 145584, 145587, 145588, 145590, 145592, 145593, 145595, 145599, 145601, 145602, 145605, 145607, 145608, 145610, 145612, 145614, 145616, 145618, 145620, 145701

SPEC. 9
145630, 145632, 145633, 145636, 145642, 145644, 145646, 145648, 145651, 145653, 145655, 145658, 145660, 145662, 145664, 145669, 145670, 145671, 145674, 145676 thru 145680, 145686, 145687, 145689, 145690, 145692, 145695, 145697, 145699, 145702, 145705, 145708, 145709, 145711, 145712, 145714, 145717, 145721, 145722, 145724, 145725, 145729, 145730, 145731, 145736, 145738, 145740, 145742, 145744, 145745, 145747, 145749, 145750, 145753, 145755, 145757, 145759, 145761, 145762, 145765, 145769, 145771, 145773, 145775, 145779, 145780, 145782, 145784, 145786, 145788, 145789, 145791, 145793, 145796, 145798, 145806, 145807, 145809 thru 145816, 145822, 145823, 145826, 145829, 145831, 145832, 145833, 145835, 145839, 145870, 145872, 142875, 145876, 145878, 145882, 145887, 145863, 145800, 145903, 145903, 145908, 145911, 145913, 145916, 145917

SPEC. 10

145625, 145631, 145634, 145637, 145638, 145639, 145643, 145645, 145647, 145649, 145650, 145652, 145654, 145657, 145659, 145661, 145663 thru 145668, 145672, 145673, 145675, 145681 thru 145685, 145688, 145691, 145693, 145694, 145696, 145698, 145703, 145704, 145706, 145707, 145710, 145713, 145715, 145716, 145718, 145719, 145720, 145723, 145726, 145732, 145733, 145735, 145737, 145739, 145741, 145743, 145766, 145767, 145771, 145752, 145754, 145756, 145758, 145760, 145763, 145787, 145790, 145792, 145794, 145795, 145797, 145799, 145800 thru 145805, 145808, 145817, 145818, 145820, 145821, 145824, 145825, 145830, 145834, 145836, 145862, 145864, 145867, 145869, 145871, 145873, 145877, 145879, 145899, 145890, 145891, 145904, 145905, 145909, 145912, 145918

- **SPEC. 11** 145619, 145621, 145623, 145626, 145628, 145640, 145641, 145777, 145819, 145853, 145858, 145874, 145880, 145883, 145884, 145886, 145891, 145898, 145914
- **SPEC. 12** 145622, 145624, 145627, 145727, 145728, 145785, 145827, 145828, 145857, 145881, 145889, 145894, 145897, 145907, 145910, 145915

TSIO-520-C

- SPEC. 1 140000 thru 140295, 140297 thru 140382, 140384, 140385, 140387, 140388, 140389, 140391 thru 140420, 140422 thru 140428, 140430 thru 140436, 140438, 140439, 140442, 140444 thru 140538, 140540 thru 140661, 140664 thru 140691, 140693 thru 140707, 140709 thru 140720, 140722 thru 140729, 140736, 140741, 140742, 140743, 140745
- **SPEC. 2** 140296, 140429, 140437, 140662, 140663, 140692, 140721, 140753, 140754, 140758, 140759, 140863, 140865, 140884
- SPEC. 3 140730 thru 140735, 140737 thru 140740, 140744, 140746 thru 140752, 140755, 140756, 140757, 140760 thru 140862, 140864, 140866 thru 140882, 140885 thru 140894

TSIO-520-D

SPEC. 1 156000 thru 156134

TSIO-520-E

SPEC. 1 165003, 165004, 165006, 165010, 165012, 165015, 165016, 165018, 165021, 165024, 165026, 165028, 165030, 165031, 165032, 165034, 165036, 165038, 165040, 165042, 165043, 165044, 165046, 165048, 165050, 165056, 165057, 165058, 165060, 165062, 165064, 165066, 165068, 165070, 165072, 165074, 165076, 165077, 165079, 165080, 165081, 165085, 165087, 165088, 165090, 165092, 165093, 165095, 165096, 165099, 165102, 165106 thru 165111, 165113, 165114, 165115, 165117, 165118, 165119, 165121, 165123, 165129, 165132, 165135, 165136, 165138 thru 165141, 165145, 165147, 165148, 165151, 165154, 165156, 165158, 165163, 165166, 165167, 165168, 165170, 165171, 165173 thru 165176, 165178, 165180, 165182, 165184, 165187, 165188, 165189, 165192, 165194, 165196 thru 165200, 165202, 165204, 165206, 165207, 165208, 165210, 165212, 165217, 165219, 165221, 165223, 165227, 165229, 165232, 165234, 165236, 165238, 165240, 165242, 165245, 165249, 165253, 165258, 165259, 165261, 165263, 165265, 165266, 165268, 165269, 165271, 165273, 165275, 165277, 165279, 165283, 165284, 165285, 165287, 165288, 165290, 165293, 165295, 165297, 165300, 165301, 165303, 165304, 165305, 165309 thru 165312, 165315, 165317, 165318, 165319, 165321, 165323, 165327, 165329, 165331, 165333, 165336, 165338, 165340, 165343, 165344, 165345, 165347, 165349, 165351, 165353, 165355, 165357, 165359, 165360, 165361, 165363, 165366, 165369, 165370, 165373, 165375, 165376, 165378, 165380, 165381, 165389, 165390, 165392, 165395, 165397, 165399, 165400, 165402, 165405, 165406, 165408, 165410, 165414, 165416, 165418 thru 165426, 165428, 165439, 165441, 165444, 165446, 165448, 165450, 165454, 165456, 165458, 165460, 165461, 165462, 165464, 165466, 165468, 165470, 165472, 165474, 165476, 165478, 165481, 165483, 165485, 165487, 165489, 165491, 165493, 165495, 165496, 165502 thru 165505, 165507, 165509, 165511, 165512, 165513, 165523 thru 165526, 165531, 165533, 165535, 165537, 165539, 165540, 165542, 165543, 165545, 165545, 165546, 165551, 165553 thru 165560, 165560, 165562, 165565, 165567, 165569, 165572, 165573, 165574, 165593, 165595 thru 165598, 165600, 165602, 165606, 165608, 165610, 165612, 165613, 165614, 165616, 165617, 165620, 165622, 165624, 165626, 165627, 165629, 165632, 165634, 165636, 165638, 165640, 165642, 165644, 165646, 165648, 165650, 165652, 165656, 165658, 165659, 165668, 165672, 165674, 165676, 165677, 165679, 165680, 165681, 165687, 165691, 165693, 165694, 165703, 165704, 165708, 165710, 165711, 165718, 165720, 165786

- 165001, 165002, 165005, 165007, 165008, 165009, 165011, 165013, 165014, 165017, SPEC. 2 165019, 165020, 165022, 165023, 165025, 165027, 165029, 165033, 165035, 165037, 165039, 165041, 165045, 165047, 165049, 165051 thru 165055, 165059, 165061, 165063, 165065, 165067, 165069, 165071, 165073, 165075, 165078, 165082, 165083, 165084, 165086, 165091, 165094, 165098, 165100, 165101, 165103, 165104, 165105, 165112, 165116, 165120, 165122, 165124 thru 165128, 165130, 165131, 165133, 165134, 165137, 165142, 165143, 165144, 165146, 165149, 165150, 165152, 165153, 165155, 165157, 165159 thru 165162, 165164, 165165, 165169, 165172, 165177, 165179, 165181, 165183, 165185, 165186, 165190, 165191, 165193, 165195, 165201, 165203, 165205, 165209, 165211, 165213 thru 165216, 165218, 165220, 165222, 165224, 165225, 165226, 165228, 165230, 165233, 165235, 165237, 165239, 165241, 165243, 165244, 165246, 165248, 165250, 165251, 165252, 165254 thru 165257, 165260, 165262, 165264, 165267, 165270, 165272, 165274, 165276, 165278, 165280, 165281, 165282, 165283, 165286, 165289, 165291, 165292, 165294, 165296, 165298, 165299, 165302, 165307, 165308, 165313, 165314, 165316, 165320, 165322, 165324, 165325, 165326, 165328, 165330, 165332, 165334, 165335, 165339, 165341, 165342, 165346, 165348, 165350, 165352, 165354, 165356, 165358, 165362, 165364, 165365, 165367, 165368, 165371, 165372, 165374, 165377, 165379, 165382 thru 165388, 165391, 165393, 165394, 165396, 165398, 165401, 165403, 165404, 165407, 165409, 165411, 165412, 165413, 165415, 165417, 165427, 165429 thru 165438, 165440, 165442, 165443, 165445, 165447, 165449, 165451, 165453, 165455, 165457, 165459, 165463, 165465, 165467, 165469, 165471, 165473, 165475, 165477, 165480, 165482, 165484, 165486, 165488, 165490, 165492, 165494, 165497 thru 165501, 165506, 165508, 165510, 165521, 165522, 165527, 165528, 165530, 165532, 165534, 165536, 165538, 165541, 165544, 165547 thru 165550, 165552, 165557, 165558, 165559, 165561, 165564, 165566, 165568, 165570, 165590, 165591, 165592, 165599, 165601, 165603, 165605, 165607, 165609, 165611, 165615, 165619, 165621, 165623, 165625, 165628, 165630, 165631, 165633, 165635, 165637, 165639, 165641, 165643, 165645, 165647, 165649, 165651, 165653, 165655, 165657, 165660, 165666, 165669, 165673, 165675, 165678, 165682 thru 165685, 165688, 165690, 165695, 165698 thru 165702, 165706, 165709, 165713, 165717, 165723, 165827
- SPEC. 3 165231, 165247, 165306, 165337, 165479, 165514 thru 165517, 165575, 165576, 165618, 165670, 165727, 165823, 165824, 165825, 165890, 165897, 166034, 166035, 166091, 166092, 206263, 206304, 206396, 206398, 206404, 206409, 206462, 206474, 206475, 206483
- **SPEC. 4** 165574, 165580, 165583, 165585, 165587, 165589, 165662, 165664, 165692, 166097, 206186, 206231, 206442, 206482, 206526

SPEC. 8

165697, 165707, 165715, 165716, 165719, 165721, 165722, 165724, 165726, 165729, 165738, 165739, 165741, 165744, 165746 thru 165749, 165753, 165754, 165756 thru 165759, 165761, 165763, 165765, 165767, 165769, 165771, 165773, 165775, 165777, 165778, 165780, 165782, 165784, 165787, 165789, 165791, 165793, 165795, 165797, 165801, 165803, 165805, 165807, 165809, 165811, 165813, 165815, 165817, 165819, 165821, 165822, 165831, 165835, 165836, 165837, 165840 thru 165844, 165846, 165848, 165850, 165852, 165854, 165856, 165858, 165860, 165862, 165864, 165866, 165868, 165870, 165872, 165874, 165876, 165878, 165880, 165882, 165884, 165886, 165888, 165892, 165894, 165898, 165900, 165902, 165904, 165906, 165908, 165910, 165912, 165914, 165916, 165918, 165920, 165922, 165924, 165926, 165928, 165930, 165932, 165934, 165936, 165938, 165942, 165944, 165945, 165946, 165948, 165950, 165952 thru 165955, 165957 thru 165961, 165963, 165964, 165966, 165967, 165969, 165975, 165976, 165984, 165986, 165988, 165990, 165991, 165992, 165994, 165997, 165999, 166001, 166003, 166005, 166010 thru 166013, 166015, 166017, 166019, 166023, 166025, 166027, 166029 thru 166032, 166037, 166039, 166043, 166045, 166047, 166049, 166053, 166055, 166057, 166059, 166061, 166063, 166065, 166067, 166069 thru 166073, 166075, 166077, 166079, 166081, 166085, 166086, 166093 thru 166096, 206001, 206003, 206005, 206007, 206008, 206009, 206011, 206013, 206015, 206017, 206019, 206021, 206023, 206024, 206025, 206027, 206029, 206031, 206033, 206035, 206036, 206038, 206040, 206042, 206044, 206046, 206048, 206050, 206051, 206053 thru 206059, 206069, 206071, 206073, 206076, 206077, 206079, 206080, 206082, 206084, 206086, 206088, 206089, 206090, 206093, 206096, 206097, 206102, 206104, 206106, 206114, 206116, 206121, 206123, 206125, 206127, 206130 thru 206134, 206136, 206138, 206140, 206141, 206143, 206144, 206151, 206152, 206154, 206156, 206157, 206161, 206163, 206165, 206167, 206168, 206169, 206171, 206172, 206174, 206176, 206178, 206180, 206185, 206192, 206195, 206196, 206202 thru 206215, 206217, 206219, 206221, 206223, 206226, 206228, 206229, 206232, 206234, 206235, 206237, 206239, 206244, 206246, 206247, 206248, 206250, 206252, 206254, 206260, 206261, 206268, 206273 thru 206277, 206279, 206280, 206282, 206284, 206286, 206288, 206289, 206290, 206292, 206294 thru 206297, 206299, 206300, 206301, 206305, 206309, 206312, 206315, 206318, 206322, 206323, 206324, 206328 thru 206331, 206334, 206336, 206338, 206342, 206348, 206351, 206352, 206353, 206355, 206356, 206357, 206359, 206360, 206361, 206365, 206367, 206369 thru 206372, 206374 thru 206377, 206380, 206382, 206384 thru 206387, 206397, 206400, 206402, 206411, 206413, 206415, 206416, 206419, 206420, 206423, 206425, 206426, 206428, 206430, 206432, 206438 thru 206441, 206443, 206444, 206446, 206448, 206450, 206452, 206454, 206457, 206459, 206460, 206463, 206464, 206473, 206477, 206479, 206482, 206485, 206486, 206487, 206489, 206490, 206492, 206497, 206499, 206500, 206502, 206504, 206507, 206508, 206509, 206512, 206515, 206518, 206521, 206522, 206523, 206527, 206528, 206531, 206534

SPEC. 9

165712, 165714, 165725, 165728, 165730 thru 165737, 165740, 165742, 165743, 165745, 165750, 165751, 165752, 165755, 165760, 165762, 165764, 165766, 165768, 165770, 165772, 165774, 165776, 165779, 165781, 165783, 165785, 165788, 165790, 165792, 165794, 165796, 165798, 165799, 165800, 165802, 165804, 165806, 165808, 165810, 165812, 165814, 165816, 165818, 165820, 165828, 165830, 165832, 165833, 165834, 165838, 165839, 165845, 165847, 165849, 165851, 165853, 165855, 165857, 165859, 165861, 165863, 165865, 165867, 165869, 165871, 165873, 165875, 165879, 165881, 165883, 165885, 165887, 165889, 165891, 165893, 165899, 165901, 165903, 165905, 165907, 165909, 165911, 165913, 165915, 165917, 165919, 165921, 165923, 165947, 165949, 165951, 165956, 165962, 165965, 165968, 165970 thru 165974, 165977 thru 165983, 165987, 165989, 165993, 165996, 165996, 165998, 166000, 166002, 166004, 166006 thru 166009, 166014, 166016, 166018, 166020, 166041, 166042, 166044, 166046, 166048, 166050, 166051, 166052, 166054, 166056, 166058, 166060,

166062, 166064, 166066, 166068, 166074, 166076, 166078, 166080, 166082, 166083, 166084, 166087 thru 166090, 166098, 166099, 166100, 206004, 206006, 206010, 206012, 206014, 206016, 206018, 206020, 206022, 206026, 206028, 206030, 206032, 206034, 206037, 206039, 206041, 206043, 206045, 206047, 206049, 206052, 206060 thru 206068, 206070, 206072, 206074, 206075, 206078, 206081, 206083, 206085, 206087, 206091, 206092, 206094, 206095, 206098, 206099, 206101, 206105, 206107 thru 206113, 206115, 206117 thru 206120, 206122, 206124, 206126, 206128, 206129, 206135, 206137, 206139, 206142, 206145 thru 206150 206153, 206155, 206158, 206159, 206162, 206164, 206166, 206170, 206173, 206775, 206177, 206179, 206182, 206183, 206184, 206187 thru 206191, 206193, 206194, 206197 thru 206201, 206216, 206218, 206220, 206222, 206227, 206230, 206233, 206236, 206238, 206240 thru 206243, 206245, 206249, 206251, 206253, 206255 thru 206259, 206262, 206264 thru 206267, 206269 thru 206272, 206278, 206281, 206283, 206285, 206287, 206291, 206293, 206298, 206302, 206303, 206306, 206307, 206310, 206311, 206313, 206314, 206316, 206317, 206319, 206320, 206321, 206325, 206326, 206327, 206332, 206333, 206335, 206337, 206339, 206340, 206341, 206343 thru 206347, 206349, 206350, 206358, 206362, 206363, 206364, 206366, 206368, 206378, 206379, 206381, 206383, 206388 thru 206395, 206399, 206401, 206403, 206407, 206408, 206410, 206414, 206417, 206418, 206421, 206422, 206424, 206427, 206429, 206431, 206433, 206435, 206436, 206437, 206445, 206447, 206449, 206451, 206453, 206455, 206456, 206461, 206465 thru 206469, 206472, 206478, 206480, 206481, 206488, 206491, 206493 thru 206496, 206498, 206501, 206503, 206505, 206506, 206510, 206511, 206513, 206514, 206516, 206517, 206519, 206520, 206524, 206529, 206530, 206535

SPEC. 10 165518, 165519, 165520, 165529, 165577, 165578, 165661, 165671, 165826, 165829, 165895, 165896, 165939, 165940, 206224, 206225, 206354, 206405, 206406, 206412, 206434, 206458, 206470, 206471, 206476, 206525

TSIO-520-G

SPEC. 1 196001 thru 196047, 196049 thru 196067

TSIO-520-H

- **SPEC. 1** 198501 thru 198650, 198652 thru 198672, 198676 thru 198685, 198691, 198693, 198697
- SPEC. 4 198686 thru 198690, 198692, 198694, 198695, 198696, 198698 thru 198720

TSIO-520-J

- SPEC. 1 208002 thru 208005, 208010, 208011, 208013, 208014, 208016, 208017, 208018, 208020 thru 208023, 208026, 208027, 208030, 208031, 208032, 208034, 208038, 208039, 208040, 208044, 208046, 208048, 208050, 208051, 208052, 208054, 208057, 208059, 208061, 208063, 208066, 208067, 208071, 208073, 208075, 208077, 208078, 208079, 208082, 208084, 208086, 208088, 208089, 208091, 208093 thru 208099, 208101, 208102, 208103, 208105, 208106, 208114, 208121, 208124, 208125, 208127, 208129 thru 208132, 208134, 208135, 208139 thru 208145, 208147, 208150, 208151, 208152, 208155, 208158 thru 208161, 208165, 208166, 208169, 208170, 208173 thru 208176, 208180, 208183, 208187 thru 208191, 208194, 208196, 208199, 208201, 208202, 208206, 208210 thru 208214, 208216, 208217 208222, 208223, 208226, 208230, 208232, 208233, 208234, 208236, 208237, 208240, 208241, 208242, 208245, 208249, 208251, 208253, 208255, 208257, 208258, 208259, 208261, 208262, 208265, 208267, 208270, 208271, 208273, 208275, 208278
- SPEC. 2

 208001, 208006 thru 208009, 208012, 208015, 208019, 208024, 208025, 208028, 208029, 208033, 208035, 208036, 208037, 208041, 208042, 208043, 208045, 208047, 208049, 208053, 208055, 208056, 208058, 208060, 208062, 208064, 208065, 208068, 208069, 208070, 208072, 208074, 208076, 208080, 208081, 208083, 208085, 208087, 208090, 208092, 208100, 208104, 208107 thru 208113, 208115 thru 208120, 208122, 208123, 208126, 208128, 208133, 208136, 208137, 208138, 208146, 208148 208149, 208153, 208154, 208156, 208157, 208162, 208163, 208164, 208167, 208168, 208171, 208172, 208177, 208178, 208179, 208181, 208182, 208184, 208185, 208186, 208192, 208193, 208197, 208198, 208200, 208203, 208204, 208205, 208207, 208208, 208209, 208215, 208218, 208219, 208220, 208224, 208225, 208227, 208228, 208229, 208231, 208235, 208243, 208264, 208266, 208268, 208269, 208272, 208274, 208276, 208277

TSIO-520-K

- SPEC. 1 217502, 217506, 217508, 217509, 217510, 217513, 217515, 217517, 217519, 217521, 217523, 217525, 217528, 217529, 217533, 217534, 217535, 217537, 217542, 217543, 217546 thru 217550, 217552, 217554, 217556, 217558, 217563, 217565, 217567, 217568, 217571, 217572, 217575, 217576, 217578, 217580, 217582, 217584, 217586
- **SPEC. 2** 217501, 217505, 217507, 217511, 217512, 217514, 217516, 217518, 217520, 217524, 217526, 217527, 217530, 217531, 217532, 217536, 217538 thru 217541, 217544, 217545, 217551, 217553, 217555, 217557, 217559, 217560, 217562, 217564, 217566, 217569, 217570, 217573, 217574, 217577, 217579, 217581, 217583, 217585

SECTION II GROUP ASSEMBLY PARTS LIST




FIGURE 1. STUDDING ASSEMBLY, PERMOLD CRANKCASE, TSIO-520-B,D,E,J,K,L,N.

FIG.	PART				Ql	JAN	ITI			ER O-5		SSE	ΞM	BL	Y	
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	Ε	G		—т			_	N	Р	R	_
		① Studding Assembly, Crankcase			-	1	_	-	1		귀	-	1	\dashv	7	_
1- 1	642094				1				١,	- 1						ļ
-1	642093	① Studding Assembly, Crankcase		1	ļ '		ļ			ŀ	1					l
-1	642096	Bearing, Roller		ŀ	1	1		İ	1	1	1		1			
-2	630899	Dowel, 3/16 x 1/2 Inch Long	1 .		1	1	ŀ	İ	1	1	1	ŀ	1	1		ĺ
-3	630873 MS122162	Insert, Thread	4		5	4	ŀ		4	4	4	ŀ	4	1		l
-4	MS122102 MS122122	Insert, Thread	i i	1		1		ł	1	1	1		1	l	ł	
-5 6	401804	† . Stud, 1/4 x 1-1/16 Inch Long	1	1	2	2		ł	2	2	2		2			ĺ
-6 •7	401804 401814	† . Stud, 5/16 x 1-7/8 Inch Long	1 -		4	1 I		į	4	4	4		4	ļ		ĺ
-8	401860	† . Stud, 3/8 x 1-9/16 Inch Long	1	1		2			2	2			2		ĺ	ĺ
-8	402127	† . Stud, 3/8 x 1-17/32 Inch Long	1		2											l
-8	401861	† . Stud, 3/8 x 1-3/4 Inch Long	1	ŀ							2			- 1		
-9	404584	† . Stud, 5/16 x 6-3/8 Inch Long					ļ				1					
-10	401975	† . Stud, 5/16 x 1-9/16 Inch Long			ŀ	2			2	2	2		2	1		
-10	401885	† . Stud, 5/16 x 1-5/16 Inch Long	1		2	}				İ						
-11	401885	† . Stud, 5/16 x 1-5/16 Inch Long		ı	111	11	Ì		11	11	11		11	İ		l
-12	401885	† . Stud, 5/16 x 1-5/16 Inch Long	•		1											
-12	402044	† . Stud, 5/16 x 1-3/8 Inch Long				1			1	1	1		1		-	
-13	401927	† . Stud, 3/8 x 3-1/2 Inch Long	1	1	3	1 1			3	3	3		3		- 1	
-14	401962	† . Stud, 1/4 x 2-4/16 Inch Long		1	1			1	1			1				
-15	401932	† . Stud, 5/16 x 4-1/8 Inch Long	1	1	1	1		1	1	1		1				
-16	402359	† . Stud, 5/16 x 4-23/32 Inch Long		,	1	1			1	1	1		1	ļ		
-17	401936	† . Stud, 1/4 x 3-7/8 Inch Long			4	4			4	4	4		4			
-18	401936	† . Stud, 1/4 x 3-7/8 Inch Long		Ì	ŀ	1			1	1	1		1			
-18	401968	† . Stud, 1/4 x 4-17/32 Inch Long			1								ŀ			
-19	401873	† . Stud, 3/8 x 3-7/8 Inch Long			ļ	7			7	7	7		7			
-20	401873	† . Stud, 3/8 x 3-7/8 Inch Long	1			1			1	1	1		1		1	1
-20	629518-1H	. Plug, Pipe, 1/8 - 27 NPTF			1											İ
-21	401965	† . Stud, 3/8 x 13/32 Inch Long	2		2	2			2	2			2			
-21	401945	† . Stud, 3/8 x 1-5/8 Inch Long									2					l
-22	401963	† . Stud, 1/4 x 1 Inch Long	2		2	2			2	2	2		2	,		
-23	401977	† . Stud, 3/8 x 2-3/32 Inch Long	4			4			4	4	4		4			
-24	402034	† . Stud, 5/16 x 6 Inch Long	1			1			1	1	1		1			
-25	402151	† . Stud, 5/16 x 1-1/4 Inch Long	2		2	2			2	2	2		2			
-26	401965	† . Stud, 3/8 x 1-13/32 Inch Long	2		2	2			2	2	2		2			
-27	639418-1	② . Stud, 5/16 x 2-1/16 Inch Long	36	3	36	36			36	36	36	:	36			
-28	629518-1H	. Plug, Pipe, 1/8 - 27 NPTF				1			1	1	1		1			
-29	401752	. Plug, Pipe, 1/8 - 27 NPTF	3		4	3			3	3	3		3			
-30	AN932C2	. Plug,Pipe, 1/8-27 NPTF		1	2	1		<u></u>	2	1	2		2		į	
-31	402941	. Plug, Pipe, 1/16 - 27 NPTF	4		4	4			4	4	4		4		ŀ	
-32	2025	. Plug, Pipe	1		1	1			1	1	1		1		İ	
-33	532432	. Plug, Machine Thread, 5/8-18		1	1	1			1	1	1		1			
-34	AN900-10	\$. Gasket, Copper			1	1			1	1	1		1			
-35	629847	Nozzle, Squirt		1	6	6			6	6	6		6		l	
-36	539374	. Washer, Plain			1	1			1	1	1		1			
-37	AN5-13A	. Bolt, 5/16 x 1-3/8 Inch Long		- 1	1	1			1	1	1		1			
-38	MS122163	. Insert, Thread	2		2	2			2	2	2		2			
оте ①	If replacing old Part Number E	er configuration crankcase, it will be necessary to purchase a kit, 26530.														
2	Service in acco	rdance with Service Bulletin M72-24.														




FIGURE 2. STUDDING ASSEMBLY, SANDCAST CRANKCASE, TSIO-520-C,G,H,M,P,R.

					Ql	JAI	ΝT				A A	SSE	ME	3L\	<u> </u>	
FIG.	PART	D TOO DIDTION	В	C	D	E	G	_	_			M N	4 6	PF	3	\Box
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	P		-	-	\vdash	_		-			+	+		+
2- 1	641198	Studding Assembly, Crankcase		1			1	1				1	ļ	1	1	
-1	642035	Studding Assembly, Crankcase		1			1	1					- 1	1	1	
-2	537721	. Bearing, Needle		2			2	2				2	- 1	1	2	
-3	531548	. Dowel, 5/16 x 11/16 Inch Long		4			4	4				4		i i	4	1 1
-4	MS122162	. Insert, Thread		1	1		1	1				1			1	
, -5	MS122122	Insert, Thread		5	t		5	5				5		5	5	
-6	401808	† . Stud, 1/4 x 1-5/16 Inch Long † . Stud, 5/16 x 1-7/8 Inch Long		4	1		4	4	i		'	4		4	4	
-7	401899	† . Stud, 5/16 x 1-7/6 McH Long		4	l		4	4				2		2	2	
-8	402151			14	4		14	14	H		}	14	1	14	- 1	} }
-9 10	402066	† . Stud, 3/8 x 1-7/8 Inch Long		2			2	2				2		- 1	2	
-10	402060 401870	† . Stud, 1/4 x 1-1/8 Inch Long		2			2		1			2			2	
, -11 -12	401885	t . Stud, 5/16 x 1-5/16 Inch Long	1	11	l		11	11	I			11		11	- 1	
-12	402044	† . Stud, 5/16 x 1-3/8 Inch Long	ļ	1			1	1				1		- 1	1	
-14	401893	† . Stud, 1/4 x 1-1/4 Inch Long		1	1		1	1	1			1		1	1	
-15	402129	† . Stud, 1/4 x 2-3/4 Inch Long		2		i	2	1				2		2	2	
-16	401965	† . Stud, 3/8 x 1-13/32 Inch Long	-	2			2					3		3	3	
-17	402157	† . Stud, 1/4 x 6-7/64 Inch Long		3	1		3	1	ŧ			2		2	2	
-18	402158	† . Stud, 1/4 x 4-13/32 Inch Long	1	2	1		2					2		2	2	
-19	402159	† . Stud, 1/4 x 4-7/64 Inch Long		1			1	1	1			1		1	1	
-20	531590	† . Stud, 5/16 x 1-1/8 Inch Long		1:			1 '	2 1:				12		12	12	
-21	639418-2	① . Stud, 7/16 x 1-19/32 Inch Long		2	7			124	ı			24		24	24	
-22	639418-1	① . Stud, 7/16 x 2-1/16 Inch Long		2	ı		2	1				2	-	2	2	
-23	629518-1H	. Plug, Pipe, 1/8 - 27 NPTF		4			4					4		4	4	
-24	2025	Plug, Pipe, 3/8 - 18 NPTF		1	1		1	1				1		1	1	
-25	632788	. Tee, Fitting	1	1	- 1		1	1				1		1	1	Ì
-26	630063	Plug, Pipe, 3/8 - 18 NPTF		1	- 1	Ì	1	1				1		1	1	
-27	629518-3H	Plug, Machine Thread, 5/8 - 18		1			1	1				1		1	1	
-28	532432	\$. Gasket, Copper		1	ı		1	1	ı	İ		1		1	1	
-29	AN900-10	Housing, Oil Gauge Rod		1	1		1	1	1			1		1	1	
-30	631927 537505	Breather Assembly, Crankcase	.	1	1		1	1	1			1		1 '	1	
-31	629847	. Nozzle, Squirt	.	1	3		16	5 6	3			6		6	6	
-32 -33	2473	. Washer, Flat	.	1	1		1	1	1			1		1		
-34	AN5-12A	. Bolt	.	'	1		1	۱ ا	1			1		1	1	
0.	, ((10)															
				ŀ												
-																
															ł	
					1					1		-				
			-													
			}	1				}		}						
											-	1				

NOTE ① Service in accordance with Service Bulletin M72-24.




FIGURE 3. ATTACHING PARTS, PERMOLD CRANKCASE, TSIO-520-B,D,E,J,K,L,N.

[1						(ענ	TNA					SSEN	ИВI	LY	
	FIG.	PART		-	ļ			_ T				O-5			T_	1	-
ļ	NDEX	NUMBER	12345	DESCRIPTION	V	В	<u>C</u>) E	G	Н		K		M N	P	R	-
	3- 1	538944-5.31			ch Long	1	- 1	1 1	۱		1	1	1	1			
	.2	538944-6.19	Bolt, Thru, 7/16	- 20 x 6-3/16 Inc	ch Long	1		1	1			1	1	1			
	-3	20202	Washer, Plain			4	- 1	1	1		4	4	4	4			
	-4	531001	Nut, Flanged			4	- 1	· i	1		4		4	4			-
	-5	641931-10.75	Bolt, Thru, 1/2 -	20 x 10-3/4 Inch	Long	8	- 1	- 1	3		8	8 16	8	8 16	1		
	-6	MS29513-010	O-Ring			16	- 1	6 1	j				4	4	1		
<u></u>	-7	632120	Washer, Plain			4		- 1	1		4	4	4	4			
	-8	634511	Nut, Flanged			4	- 1	٠,	1		1	1	4	1		'	
	-9	630693-10.44	Bolt, Thru, 3/8 -	24 x 10-7/16 Inc	ch Long	1	- }	'	'		'		1	'			
	-9	630693-11.67			nch Long	2		2	2		2	2	2	2			
	-10	AN123862	O-Ring			2	- 1		2		2	1 1	2	2	1		
	-11	24239	Washer, Plain			-		2	2		_	-	_	-			
$\overline{}$	-11	401507	Washer, Plain			2		Ł	2		2	2	2	2			
	-12	2441	Nut, Plain, Hex			4	- 1	- 1	4		4	4	4	4	l l		
	-13	MS20073-05-2	Bolt, 5/16 - 24 x	2-21/32 Inch Lo	ong	8		٠,	8	}	8	1 1	8	8			
	-14	2473				4	- 1	- 1	4		4	4	4	4	1		
	-15	632443-6	Nut, Marsden, L	0CK 1 21/22 Inch I or		5			5		5	5	5	5			
	-16	24878	BOIT, 1/4 - 28 X	1-21/32 INCH LOI	ng	10		12				10			- 1		
	-17	20522	Washer, Plain			ŧ	1 1		5		5	1	5	5			
	-18	632443-4	Washer, Plain			2		- 1	2		2	1	2	2	2		
	-19	2473			ng	1		1	1		1	1	1	1			
	-20	537750			ng	1		- 1	1		1	1	1	1			
	-21	539003				3		3	3	İ	3	3	3	3	3		
	-22	2473	Pol+ 5/16 19 v	A Inch I ong				1	3		3	3	3	3	3		
	-23	630966-4.00	Boit, 5/10 - 10 x	4 men Long		9			9		9	9	9	9)		
	-24	AN5-13A (Macher Plain			19		19	19		19	19	19	119	9		
	-25	539374 (2439	Nut Plain Hey			12		12	12		12	12	12	11:	2		
	-26 -27	No Number	Nut, Flam, Nex	'alve		rf		rf	rf		rf	rf	rf	r	f		
	-21	No Number) I del Mallifold V		HING PARTS	1]
						1		1	1		1	1	1	1			
	-28	AN5-14A	Bolt			3	'	3	3		3	1 '	3				
	-29	2473				1		- 1	1		1	1		1 1	ı		
	-30	2439	Nut, Plain, nex		* * *	'											
								1	1		1	1	1	,	1		
	-31	538650) Eye, Engine Lif	ting		1'		'	1		'	'	1		•		
	-32	641407	Eye, Engine, Lit	fting									'				
					HINC PARTS						_	_	_	.			
	-33	AN5-15A					1	1)	2		2	- 1	ļ	1 1	2		
	-34	2473	Washer, Plain			1		1	1		1	١.	1	1 1	1		1 1
	-35	538949	Washer, Plain			1		1	1		1	1.	1.	1 1	1		
	-36	539374						1	1		1		1	1 1	1		
	-37	2439	Nut, Plain, Hex			2		2	2		2	2	2		2		
	- -																
	•																
) }	}	}			1	}		1
	JOLE (1)	One bolt and wa	er supplied with cra	nkcase studding ass	embly.												
	(2)	On the TSIO520	this lifting eye is loc	cated at the 4th and	5th holes from nose.												
	_																
	3	See Figure 48 an	49 for Part Number	•	•	I	ı	I	, 1	ı	ı	'	i	1 1	- 1	'	' '




FIGURE 4. ATTACHING PARTS, SANDCAST CRANKCASE, TSIO-520-C,G,H,M,P,R.

	FIG.	PART	•			Q	UA	NT				₹ A 520	SSE	МВ	LY	
İ	INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	Ε	G	Н	J	K	L	мΙ	N P	R	
-	4- 1	538944-8.88	Bolt, 7/16 - 20 x 8-7/8 Inch Long		2			2	2				2	2	2	
	-2	538944-10.50	Bolt, 7/16 - 20 x 10-1/2 Inch Long		4			4	4				4	4	1	
	-3	25171	Spacer		12			12	12			-	12	12	2 12	<u> </u>
	-4	531001	Nut, Flanged		12			12	12				12	12	2 12	
	-5	641931-10.75	Bolt, Thru, Cylinder-to-CC		7			7	7				7	7	7	
,	-6	641930-9.81	Bolt, Thru, Cylinder No. 6 Upper Boss		1			1	1				1	1	1	
	-7	MS29513-010	O-Ring		16			16	16				16	- 1	16	
	-8	538989	Washer		4			4	4				4	4	1	
	-9	634511	Nut, Plain		3			3	3	- }	}		3	3	1	} }
	-9	634505	Nut, Flanged, Generator Mount Bracket		1			1	1				1	1	1	
	-10	AN5-12A	Bolt, 5/16 - 24 x 1-11/32 Inch Long		9			9	9				9	9		
,	-11	2473	Washer, Plain		10				10			- 1	10		10	1 1
	-12 12	2439	Nut, Plain, Hex		11			11			ĺ		1		11	1 I
	-13	No Number (1) Fuel Manifold Valve		rf			rf	rf			[rf	rf	rf	
			ATTACHING PARTS													
	-14	AN5-12A	Bolt, 5/16 - 24 x 1-11/32 Inch Long		1			1	1	İ			1	1	1	
	-15	2473	Washer, Plain		1			1	1				1	1	1	
	-16	2439	Nut, Plain, Hex		1			1	1				1	1	1	
			* * *. *													
	-17	538650	Eye, Engine Lifting		1			1	1				1	1	1	
			ATTACHING PARTS													
	-18	AN5-14A	Bolt, 5/16 - 24 x 1-19/32 Inch Long		2			2	2	-			2	2	2	
	-19	2473	Washer, Plain		3			3	3				3	3	3	
	-20	538949	Washer, 1/8 Inch Thick		1			1	1			L	1	1	1	
/	-21	2439	Nut, Plain, Hex		2			2	2			- 1	2	2	2	
			* * * *								1	'		-	-	
	-22	630693-10.44	Pol+	l												
	-23		Bolt	1	1 2			1	1				1	1	1	
	-23 -24	24239	Washer, Plain		2			2	2		ı	- 1	2	2 2	2	
	-25	2441	Nut, Plain, Hex		1			1	1				1	1	1	
	-26	627433	Screw, 5/16 - 18 x 5-1/4 Inch Long		5			- I	5				5	5	1	
	-27	25328 \$	O-Ring		1			1	1	}		1	í	1	1	
	-28	539374	Washer, Plain		1			1	1					1	1	
	-29	2473	Washer, Plain	1	4			4	4			1	4	4	4	
					- [ŀ								
					- }		1									ļ
				l				ı		ı		-	-	İ		
				1			-	ł								
								ĺ			Ì					
						-										
											-					
,																
40	TE ①	O- Pr	Land B. All J.													
٠.	TE ①	See Figure 48 a	nd 49 for Part Number.	ı	I	ı	I	1	1	ı	ļ	I	I		-	ŀ




FIGURE 5. ASSOCIATED PARTS, PERMOLD CRANKCASE, TSIO-520-B,D,E,J,K,L,N.

FIG.	PART			1 h 10 T					Qι	JAI	VTI	-			A A		EM	BL'	Y		
INDEX	NUMBER	12345	DESC	CRIPTION	J		В	С	D	Ε	G	Н	J	Κ	L	М	N	Р	R		
5- 1	631154	Bracket, Er	ngine Mount				2			2			2	2			2				
-2	631152	Bracket, Er	igine Mount				2			2			2	2		-	2	- 1			
-2	640782	Bracket, Er	ngine Mount												4			- 1			1
				ATTACH	IING PART	S															
-3	2474	Washer, Pla	in				12			12			12	12	12		12			ŀ	
-4	2441		Hex							12			12	12	12		12	ŀ	ł		
				*	* * *				Ì							ľ	İ				
-5	MS9021-210	\$ O-Ring					1		1	1			1	1	1		1				ì
-6	630892	\$ Gasket					1		1	1			. 1	1	1		1				
-7	632964-1	Breather As	ssembly, Oil	Filler			1			1			1	1	1		1				
-7	632964-2	Breather As	ssembly, Oil	Filler					1	,	} }					. }		1		-	
				ATTACH	HNG PART	S													-		1
-8	2473	Washer, Pla	in				2		2	2			2	2			2				1
-9	MS35338-45		ck						2	2			2	2	1 1		2				'n
-10	539605	Bolt, 5/16 -	· 18 x 2-3/8 I	nch Long			2		2	2			2	2	2		2				
				*	* * *		1											- 1			

INDEX NUMBER 1 2 3 4 5 DESCRIPTION B C D E G H J K L M N 5 -11 641651			
-12 639997 Cover, Governor Pad			
-12 639997 Cover, Governor Pad			Ì
ATTACHING PARTS -13 22535 Washer		İ	
-13 22535 Washer ★ 8 <			
-14 2473 Washer, Plain 4	1 1 1		
-15 MS35338-45 Washer, Lock	1 1 1		
-16 2439 Nut, Plain, Hex	1 1 1		
	1 1 1		
-17 629202 \$ Gasket, Cam Hole Cover			1
-17 629202 \$ Gasket, Cam Hole Cover	111		
ATTACHING PARTS			İ
-19 20522 Washer, Plain			
-20 MS35338-44 Washer, Lock			
-21 2437 Nut, Plain, Hex			
-22 630871 Bushing, Idler Pin			
-23 534740 \$ Gasket, Idler Pin			1
-24 630870 Bushing, Flanged, Idler Gear			
ATTACHING PARTS			
-25 MS35338-44 Washer, Lock			-
-26 2437 Nut, Plain, Hex			١
* * * *			ł
-27 No Number 1 Plate, Identification			
ATTACHING PARTS			İ
-28 24764 Screw, Drive			
25 247.57 SGICW, BING			
-29 633233-29 Rod and Cap Assembly, Oil Gauge			
-29 633233-29 Rod and Cap Assembly, Oil Gauge		i	
-29 633233-6 Rod and Cap Assembly, Oil Gauge, Right Hand	1	ŀ	
-29 633233-7 Rod and Cap Assembly, Oil Gauge, Left Hand			
-30 641361 Plate, Seal			
ATTACHING PARTS			
-31 AN960-10L Washer, Plain			
929299,790 95			
NOTE (Î) See Service Bulletin M75-5.			
		1	




FIGURE 6. ASSOCIATED PARTS, SANDCAST CRANKCASE, TSIO-520-C,G,H,M,P,R.

FIG.	PART				Ql	UA	NT				3 A		EM	IBL	Υ.	'
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G	Н	J	Κ	L	М	N	Р	R	
6- 1	642250 ①	Clip, Oil Transfer		1			1	1				1		1	1	
-2	AN500A10-4	ATTACHING PARTS Screw****		2			2	2				2		2	2	
-3	539518	Bracket, Engine Mounting	1	3	1		3	3				3		3		
-3	628257	Bracket, Engine Mounting, Cylinder No. 2		3			3	3				3		3	3	
-4 -5 -6	632357 539058 2441	ATTACHING PARTS Spacer, Engine Mount, Cylinder No. 2 Washer, Plain		1 16 16			1	1 16 16	1			1 16 16	!		1 16 16	

FIG.	PART	•			Q	UA	NT		Y F Tsi				EMI	BL 	Y
NDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G	Н	J	K	L	М	N	Р	R
			ĺ										Ì		
6 -7		Gasket, Governor Pad Cover		1		Ì	1	1				1 1		1	1
-8	639997	Cover, Governor Pad		1		į	1	1				1		1	1
		ATTACHING PARTS				İ									
-9	22535	Washer		8			8	8				8		8	8
-10	2473	Washer, Plain		4	į		4	4				4		4	4
-11	MS35338-45	Washer, Lock		4		ļ	4	4				4	- 1	4	4
-12	2439	Nut, Plain, Hex		4			4	4	ŀ		1	4		4	4
		* * * *	ł	}			}	}			}	} }	1	}	}
-13	534740 \$	Gasket, Idler Pin		1			1	1	ł	l	ļ	1		1	1
-14	534728	Pin Idler Gear Support		1			1	1				1		1	1
	0020	ATTACHING PARTS													
4.5	M005000 44			_			1	,	Ì					2	2
-15	MS35338-44	Washer, Lock		2			2	2				2 2			2 2
-16	2437	Nut, Plain, Hex					1	2						4	4
		* * *													
-17		O-Ring		1			1	1	-			1	- 1	1	1
-18	•	Gasket		1			1	1				1	- 1	1	1
-19	626334	Plug, Special		1			1	1				1		1	1
-20		Gasket, Oil Filler Neck		1			1	1				1		1	1
-21	538801	Neck Assembly, Oil Filler		1			1	1				1		1	1
		ATTACHING PARTS												-	1
-22	MS35338-44	Washer, Lock		3		1	3	3				3		3	3
-23	AN500A416-8	Screw, Fillister Head		3		ĺ	3	3				3		3	3
		* * *													
-24	640620-8	Cap Assembly, Oil Filler		1			1		ļ			1			
-24	640620-5	Cap Assembly Oil Filler		'		1	١.	1			İ	1.1		1	1
-25	635124 53583	Cap Assembly, Oil Filler		1		}	1	1				1		1	1
-25 -26	631928 \$	a		1		ł	1	1	İ			1	- 1	1	1
-20 -27	631915	Housing, Extension		1		ł	1	1				1	- 1	1	1
-27 -28	36151R	Clamp	l	2		}	2	2			ļ	2	- 1	2	2
-26 -29	631266-1	Clamp		1			1	1				1		1	1
-30	631275-2	Bracket, No. 2 Cylinder Int. Flange		1			1					$ \frac{1}{1} $	ľ	1	1
-30	031273-2			'			'	ļ ·							1
		ATTACHING PARTS													
-31	MS35266-61	Screw		1			1	1				1		ı	1
-32	2471	Washer, Plain		1			1	1				1	- 1	1	1
-33	MS35338-43	Washer, Lock		1				1	1	}		1		1	1
-34	13XX1896	Nut, Hex, No. 10-32		1	-		1	1				1		1	1
		* * *													
-35	537299	Ring, Oil Gauge Lock		1			1	1				1		1	1
-36	25328 \$	O-Ring		1			1	1				1		1	1
-37	632062-2A1	Rod Assembly, Oil Gauge		1			1					1			
-37	632062-16A1	Rod, Assembly, Oil Gauge						1						1	1
-38	No Number 2	Plate, Identification		rf			rf	rf				rf		rf	rf
		ATTACHING PARTS													
-39	24764	Screw, Drive		6			6	6				6		6	6
IOTE (1)	Early crankcase de	sign uses P/N 626990 (See Service Bulletin M70-18).													
IOTE (2)	See Service Bulleti	n M75-5.						1							
			1			1		İ	1	1	I				




FIGURE 7. CRANKSHAFT GROUP, TSIO-520-B,D,E,J,K,L,N.

	FIG.	PART	,			Q	UΑ	NT				R A	ASSE	M	BL	Υ]
,	INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G	Н	J	ĸ	L	M	u l	Р	R		1
_	7- 1	633620	Crankshaft and Damper Assembly	1	┢	1	_	<u> </u>	T	1	1	1	1	-	7		+	1
	-2	350998	† . Bushing, Crankshaft Damper			8	8			8	8	8	8	3			ļ	1
	-3	639196	. Counterweight Assembly, 4th Order	1		1	1			1	1	1		- 1				ı
	-4	639193	Bushing, Crankshaft Counterweight	4		4	4		}	4	4	4						ł
	-5	639196	. Counterweight Assembly, 5th Order	1		$\frac{1}{1}$				1	1	1	-	ŀ				l
	-6	639193	Bushing, Crankshaft Counterweight	4		4	4			4	4	4						
-	-7	639195	. Counterweight Assembly, 6th Order	2		2	2			2	2	2	1	2		ł		
	-8	639193	Bushing, Crankshaft Counterweight	4		4	4			4	4	4		- 1	1			
	-9	630261-38		2		2	2			2	2	2		2		[
	-10	630261-37	. Pin, Damper Counterweight, 5th Order	2		2	2			2	2	2		2				
	-11	630261-35	. Pin, Damper Counterweight, 6th Order	4		4	4	ļ		4	4	4		1				١
			ATTACHING PARTS			ļ			İ			İ						ı
-	-12	635623	. Plate, Counterweight Pin Retaining	16		16	16			16	16	16	1	6				
	-13	629104		16			16			1	I.	16	1 1	6				İ
			* * * *															l
	-14	635439	\$† Bearing, Crankshaft Main	10		10	10			10	10	10	1	0		-		1
	-15	637579	\$ Washer, Thrust			4	4			4	1	4	2	1			ı	l
	-16	536563	† Dowel, Crankshaft-to-Crankgear			1	1			1	1	1	1	ı		i		l
	-17	632893	Gear, Crankshaft, Large			1	1	1		1	1	1	1	ı		ı		l
	-18	632892	Gear, Crankshaft, Small			1	1	ľ		1	1	1	1	ı				
			ATTACHING PARTS		i										-	1		
	-19	536379	Screw, Drilled Head, 5/16 x 7/8 Inch Long	6		6	6			6	6	6	6	;				I
	-20	632018	Gear, Face, Alternator Drive	1		1	1	ĺ		1		1						
	-20	032010		ľ		ľ	-		ļ	ļ -	`	'						ļ
-1	. 01	624000	ATTACHING PARTS	4		4	4			4	4	4		,				
	-21	634080	Screw, 5/16 - 24 x 13/32 Inch Long			2				2	2	2				ı		
	-22	641909	Plate, Tab Lock			2	2			2	-	4	'	-				1
			* * *															
	-23	629680	† Collar Assembly, Governor Oil Transfer			1	1			1		1	1					1
	-24	626889	. Dowel, 1/8 x 7/16 Inch Long			2				2	2		2	- 1				ļ
	-25	401893	† . Stud, 1/4 x 1-1/4 Inch Long	2		2	1	l		2	2	2	2	- 1				Į
	-26	632443-4	. Nut, Marsden Lock, 1/4 - 28	2		2	2	,		2	2	2	2	2				1
	-27	641250	Seal Assembly, Nose	1	İ	1	1	ŀ		1	1	ŀ	1					ŀ
	-28	641306	. Spring		i		1			1	1	1						l
	-29	AN123962	\$ O-Ring, Crankcase-to-Collar	1		1	1			1	1	1	1	Ш		-		١
	-30	629360	Gear, Idler	1		1	1			1	1	1						
-																	ŀ	١
															1			I
													†	ł				١
																		ļ
																		-
1																		1
																		1
					}	1			}		1				1		}	1
																		1
-																		
																		l




FIGURE 8. CRANKSHAFT GROUP, TS10-520-C,G,H,M,P,R.

FIG.	PART				Q	UA	NT			PEI IO-			EM	BL	Υ.	
NDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G	Н	J	K	L	М	N	Р	R	\prod
8- 1	631716	Crankshaft and Damper Assembly		1			1	1		Г		1		1	1	
-2	350998	† . Bushing, Crankshaft Damper		8			8	8			İ	8		8	8	İ
-3	639196	. Counterweight Assembly, 4th Order		1			1	1				1		1	1	
-4	639193	Bushing, Crankshaft Counterweight		4			4	4				4		4	4	
-5	639196	. Counterweight Assembly, 5th Order		1			1	1				1	- 1	1	1	
-6	639193	Bushing, Crankshaft Counterweight	ı	4		İ	4	4			ļ	4		4	4	
-7	639195	. Counterweight Assembly, 6th Order		2			2	2				2		2	2	
-8	639193 630261-38	Bushing, Crankshaft Counterweight		4		İ	4	4				4	- 1	4	4	
-9 10		Pin, Damper Counterweight, 4th Order	1	2			2	2 2				2		2	2	
-10 -11	630261-37 630261-35	Pin, Camper Counterweight, 5th Order Pin, Damper Counterweight, 6th Order		4			2	4				2		2	2 4	
-11	030201-35			4		İ	4	4				4		4	4	
-12	635623	ATTACHING PARTS . Plate, Counterweight Pin Retaining		16			16	16				16	1	16	16	
-12	629104	Ring, Retaining		16	1		ſ	16				16	1	16	- 1	
13	020107	* * * *		'0			10	'"				'	[٠٠)	,	
-14	630464	†\$ Bearing, Crankshaft Main		10			10	10				10	1	10	10	
-15	637579	\$ Washer, Thrust		4			4	-				4		4	4	
-16	536563	† Dowel, Crankshaft-to-Gear		1		Ì	1	1				1		1	1	
-17	536421	Gear, Crankshaft		1			1	1				1		1	1	
		ATTACHING PARTS											- 1	İ		
-18	536379	Screw, Drilled Head, 5/16 x 7/8 Inch Long		6			6	6				6	-	6	6	
-10	330373	* * * *						ľ						٦	١,	j
-19	626739	† Collar Assembly, Governor Oil Transfer		1			1	1			İ	1		1	1	
-20	626889	Dowel, 1/8 x 7/16 Inch Long		2			2	2				2			2	
-21	401893	† . Stud, 1/4 x 1-1/4 Inch Long		2		l	2	2				2		2	2	1
-22	MS21042-4	. Nut, Marsden Lock, 1/4 - 28		1		ŀ	1	1				1	- 1	1	1	
-23	641250	Seal Assembly, Crankcshaft Oil		1		ŀ	1	1				1	-	1	1	
-24	641306	. Spring		1			1	1				1		1	1	Ì
-25	MS9021-011	\$ O-Ring, Crankcase-to-Collar		2			2	2				2		2	2	İ
-26	642249	Sleeve, Oil Transfer		1			1	1				1	- [1	1	
-27	534757	Gear Assembly, Idler		1			1	1				1		1	1	
-28	534741	. Bushing, Idler Gear		1			1	1				1	-	1	1	
						-				i	İ	1		ı		
								1							1	
								İ						Ì	l	
						1										
						l	l	1	1	1	1	1	- 1	- 1	1	
							l	1	l		ļ		- 1	- 1		- 1




FIGURE 9. CAMSHAFT GROUP, TSIO-520-B,D,E,J,K,L,N.

FIG.	PART						QL	JΑi	NTI		' P		-		EM	BL	Υ.	
INDEX	NUMBER	12345	DESCRIPTION		В	С	D	Ε	G	Н	J	Κ	L	М	N	Р	R	_
9- 1	629726A3	† Camshaft Asse	embly		1		1	1			1	1	1		1			
-2	631845	Gear, Camshat	ft		1		1	1			1	1	1		1			
			ATTACHING PAR	-s	ĺ													
-3	63109944	Bolt, 5/16 - 24	1 x 7/16 Inch Long		4		4	4			4	4	4		4			
			* * * *											i				
-4	MS35756-8	• •	uff				1	1			1	1	1		1			
-5	629748		overnor Drive				1	1			1	1	1		1			
-6	629747		overnor Driven				1	1			1	1	1		1			
-7 `	628488		ly, Hydraulic Valve				12	12			12	12	12		12			
-8	641862	① . Ring, Retain	ing		1		1	1			1	1	1		1			
ЮТЕ ①	ring P/N 6418 with the older tween the old from the center ring (641862)	362 (red in color). He configuration of the and new lifter is in the rearly to the O.D. shoulders roughly he	38 hydraulic lifter incorporates this owever, snap ring P/N 628491 must lifter. The most discernible differe ball socket. The old design sock The newer design that must use the alf-way between the center and Care 1/16" for the old design and 1	st be used erence be- et tapered new snap b.D. The														•




FIGURE 10. CAMSHAFT GROUP, TSIO-520-C,G,H,M,P,R.

	FIG.	PART						QL	JAN	ΙΤΙ			ER 0-52		EΝ	/BL	Υ	
IN	NDEX	NUMBER	12345	DESCRIPTION		В	С	D	Е	G	н .	J	ΚL	М	N	P	R	
	10- 1	535661	† Camshaft				1			1	1			1		1	1	
	-2	631845	Gear, Camsha	aft			1		ļ	1	1			1		1	1	ŀ
	-3	535662	Gear, Cam Cl	luster			1			1	1			1		1	1	
				ATTACHING PA	RTS					ĺ								
	-4	535666	Screw, 5/16 -	- 24 x 25/32 Inch Long			4			4	4			4		4	4	
			•	* * * *														
	-5	MS35756-8	Key, Woodru	uff		1	1			1	1			1		1	1	
	-6	534655	Gear, Bevel, (Governor Drive			1			1	1			1		1	1	
_	-7	538076	Gear, Bevel, (Governor Driven			1			1	1			1	Ì	1	1	
	-8	628488	Lifter Assem	bly, Hydraulic Valve			12			12	12			12	1	12	12	
	-9	641862	① . Ring, Retai	ining			1			1	1			1		1	1	
NC	оте ①	snap ring P/N used with the between the o tapered from t new snap ring	641862 (red in color older configuration o old and new lifter is the center nearly to the (641862) shoulders et oil hole diameter o	8488 hydraulic lifter incorporated by. However, snap ring P/N 62849 by. However, snap ring P/N 62849 by. However, snap ring P/N 62849 by. However, the old design that must roughly half-way between the old differences are 1/16" for the old of	1 must be difference gn socket st use the enter and													




FIGURE 11. CONNECTING ROD ASSEMBLY

FIG.	PART				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1													
INDEX	NUMBER	12345	DESCRIPTION		В	С	D	Ε	G F	ı J	K	L	М	N	Р	R		
11- 1 -2 -3 -4 -5 -6	633403 530658 629340 628109 AN381-25-10 630826	. Bushing, F . Bolt, Con . Nut, Slott Pin, Cotter	Rod Assembly, Complete Piston Pin		1 2 2 12	1 2 2 12	1 2 2 12	1 2 2 12	1 2 2 12 12	1 1 2 2 2 2 2 1	1 1 2 2 2 2 2 1:	1 2 2 2 12	1 2 2 12	1 2 2 12	1 2 2 12	1 2 2 12		
				and file														




FIGURE 12. PISTON, RINGS AND PIN ASSEMBLY.

FIG.	PART				•	Ql	JAI	ΝTΙ		/ F			ASS)	EN	1BL	Υ.	
INDEX	NUMBER	12345	DESCRIPTION	В	С	D	E	G	Н	J	Κ	L	М	N	Р	R	
12- 1	632585	† Piston, 7.5 to	1 Compression Ratio	 6	6	6	6	6	6	6	6	6	6	6	6	6	
-2	640625		Comp. Top Groove		6	6	6	6	6	6	6	6	6	6	6	6	
-2	640230 ①		Comp. Top Groove			6	6	6	6	6	6	6	6	6	6	6	
-3	640626	†\$ Ring, Piston,	Comp. 2nd Groove	 6	6	6	6	6	6	6	6	6	6	6	6	6	
-3			Comp. 2nd Groove			6			6	į i	6	6	i	6	6	6	
-4	641302 ②	t\$ Ring Assemb	ly, 3rd Groove	 6	1	6	i	f	6	f	6	ĺ	6	6	6	6	
-4	636144 ①③		ly, 3rd Groove			6	i í			('	6	(6	6	i -	6	
-5	629401	†\$ Ring, Piston,	Scraper, 4th Groove	 6	t	6	1 1	l i	1	ı	6	i		6	6	6	ì
-6	630046	† Pin and Plug	Assembly, Piston	 6	6	6	6	6	6	6	6	6	6	6	6	6	
, NO	TE: ① For use with a	chrome cylinders															
	(2) This include	es the 64062 8 Riv	ng,which is not serviced separately.														
	_		ng, which is not service separately														
	J	sets are listed in															




FIGURE 13. CYLINDER ASSEMBLY

FIG.	PART				QL	JAI	ΝTΙ				3 A		ΕN	1BL	Υ.		7
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G		_			_	N	Р	R		
13- 1	641066	\$ O-Ring Packing, Cylinder Base	6	6	6	6	6	6	6	6	6	6	6	6	6		
	639272A1	Cylinder and Valve Assembly					6	6			1	6		6	6		
	639274A1	Cylinder and Valve Assembly	1						6	6	6		6				
	635448CP-A1	① Cylinder and Valve Assembly	opt	ppt	opt	opt	opt	opt				opt		opt	opt		
	636122CP-A1	① Cylinder and Valve Assembly	1						opt	opt	opt		opt				
		ATTACHING PARTS															İ
-2	531001	Nut, Flanged, 7/16 - 20	36	36	36	36	36	36	36	36	36	36	36	36	36	ı	
-3	634505	Nut, Flanged, 1/2 - 20	12	12	12	12	12	12	12	12	12	12	12	12	12		
		* * *		İ													1
-4	639272	. Cylinder Assembly	1	1	1	1	1	1				1		1	1		. ·
-4	639274	. Cylinder Assembly							1	1	1		1				ļ
-4	635448CP	① . Cylinder Assembly	opt	opt	opt	opt	opt	opt				opt		opt	opt		
-4	636122CP	To Cylinder Assembly			}	,	, }			'	opt	1	opt			-	}
-5	520112-3	Insert, Spark Plug Thread		1										2	2	- 1	-
-6	631496	† Guide, Valve, Intake	1	1	1 1	-	1	- 1		1 -	1		1	1	1		
-7	636242	† Guide, Valve, Exhaust			1	-	1	-	1	1	1	1	1	1	1	İ	.
-8	401893	† Stud, 1/4 x 1-1/4 Inch Long		4	4	4	4	4				4		4	4		
-8	638125	Stud, Ring Locked . L X. S. T							4	4	4		4			1	1

	T						Qι	JAN	ITI						EM	BL	Υ	i	
	FIG.	PART		•						1	SI	0-5	20						
İ	NDEX	NUMBER		12345 DESCRIPTION	В	С	D	E	G	н	J	Κ	L	М	N	Р	R	1	
			Ь	Insert, Intake Pipe Flange	4	4	4	4	4	4	4	4	4	4	4	4	4		-
	13 -9	MS122121		Insert, Intake Valve Seat						i	1	1	1	1	1	1	1		
	-10					1	1		- 1	1	1	1	1	1	1	1	1	İ	1
	-11		†	Insert, Exhaust Valve Seat		1	1	10		1	1	1	1	1	1	1	1		
	-12	539988		. Valve, Intake		1	1	1	1	1	1	1	1	1	1	1	1		
	-13	637781		. Valve, Exhaust	2	2	1 -	! I	- 1	I	- 1		2	2	2	2	2		
	-14	631521		. Spring, Valve Inner	2							2				2	2	ı	
	-15	631520		Spring, Valve Outter	12	2	2	l ~l				2		2	- 1	2	2		
	-16	625393		. Retainer, Valve Spring Inner	4	2	2			1			1	1	1	1	1		
	-17	35971		. Retainer, Valve Spring Outer, Intake	} `	1	١.	2.3	A 1			1	1	1	'		1	- {	}
	-18	629117		. Roto-Coil Assembly, Exhaust VAIve		1			*	1	1		4	4	4	4	4	ļ	1
	-19	24802		. Key, Valve Spring Retainer		4			- 1	4		ı			6	٠ ا	6	1	
	-20	539742		Rocker Assembly, Intake Valve	6	6	6	1 1				6		6	l 1	i	_	-	
	2 = 21	639629 1.67	\$	Rushing Valve Rocker	2	2	12	2		2			2	2	2	2	2		
٠, ,	2° -22	21007		Screw. Drive	1	1	1						ı	1	1	1	1		
	-23	641682		Rocker Assembly, Exhaust Valve	р	O	סן	ן ס				6		6	6	6	6		1
	-24	639629		Buching Valve Rocker	12	2	2	2	2	2		1			2		2		1
	-25	04007		Caracte Drive	11	1 1	11		1	1		1	1		1	1	1		1
	ZCA-26	639573	11	Weshon Thrust	124	-124	124	124	24	24	24	24	24	24	24	24	24		İ
į	1011-20 10007 4	→ 539740 7.			12	12	12	12	12	12	12	12	12	12	12	12	12		
	10021		-	ATTACHING PARTS	1	1	!	1	!	l	ŀ	ŀ	i i				1 1	Ì	1
	-28	2473		Washer, Plain	12	12	12	12	12	12	12	12	12	12	12	12	12		1
		537019		Screw, Hex Head, 5/16 - 24 x 16/32 Inch Long	12	2 12	2 12	12	12	12	12	12	12	12	12	12	12	İ	
	-29	537019		* * * *	i i	-		1	i	1	1		1		İ	1		ļ	
	00	F040E7	ታ	Gasket, Valve Rocker Cover	6	6	6	6	6	6	6	6	6	6	6	6	6		Ì
	-30	534857	Ф	Cover, Valve Rocker	6	6	6	6	6	6	6	6	6	6	6	6	6		ı
	-31	625615		A25:		-								1	l	ļ			
$\overline{}$				ATTACHING PARTS	١.,		ا	ما	40	40	40	140	10	10	10	JΩ	18		
	-32	20522		Washer, Plain	48	348	3148	148	48	48	40	140	40	40	40	40	40		
	-33	MS35338-44		Military I make	142	314C	314C	5140	140	140	HC) #+C	140	100	1	ГTU	70	1 1	-
	-34	535118		Screw, Fillister Head, 1/4 x 3/4 Inch Long	48	3 48	3 48	348	48	48	48	148	48	48	40	40	40		
	•			* * * *	1	-	1	1	1	1	í	ı	1	1	1	1			
	-35	628260	\$	Gasket, Assembly, Exhaust Flange	6	6	6	6	6	6	6	6	6	6	6	Ь	פן		
				ATTACHING PARTS		Ì	ļ		L.						۰				
	-36	536038		Nut, Hex Head, 1/4 - 28	2	4 24	1 24	1 24	24	24	24	1 24	124	124	24	24	24	1 1	
				v. v. v. v.	1	- 1	1	1	1	1	ı	ı		ı		1	1	1 1	
	37	537296		Housing, Push Rod	1:	2 12	2 12	2 12	2 12	2 12	2 12	2 12	2 12	2112	212	112	12	1 1	
	-38	534609		Washer, Push Rod Housing	148	8/4₹	344	3146	14C)HC	140) () P+C	יייןי	ידוי	ידיי	יקי	i i	
	-39	534610	\$	Packing, Push Rod Housing	2	4 24	4 2	4 24	124	+ 24	ŧ۱Z٬	4 2 4	+ 2°	+ 2-	1/4-	727	ባራፕ	1 1	
	-40	626147	Ψ	Spring, Push Rod Housing	1			2 12											
	41- ر	538304		Push Rod Assembly		2 1:	2 1:	2 12	2 12	2 12	2 12	2 1:	2 12	2 12	2 12	2 12	12		
	J -41	33030-7		Tusi(Trout Issuer)		1				ŀ			ĺ		ļ	ļ			ı
									Ì				1	-					
									ļ			ļ	ļ.			1		1 1	
						-	1	-				Ì			-	}	1	-	
						1			Ì					-		İ		1 1	
									1					1	1	1		1	1
$\overline{}$					١			-					1		ł			1 1	
																			-1
					١	-			1	}		1	1	-	-	-		} }	
												1					1		-
	`				1														
	٠.																		
_																			
	NOTE ①	Chrome Plate.												}					-
					- 1	- 1	- 1	1	1	-	- 1	1	- 1	- 1	- 1	- 1	- I	1 1	- 1




FIGURE 14. OIL PUMP ASSEMBLY, TSIO-520-B,D,E,J,K,L,N,.

FIG.	PART										QI	UAI	NTI		PE SIC		AS 20	SEN	/IBL	_Y		
INDEX	NUMBER		12345	DI	ESCRI	PTIO	N .		E	C	D	E	G	н	J	<	L M	N	Р	R	Ţ	
14- 1	631034	\$	Gasket, Pump	Housir	ng-to-C	rankc	ase		 T		1	1			1	1	1	1				
	632970		Housing Assen	nbly, O	il Pum	np Con	nplete		 •			1		-	1 .	1	1	1				
	632977A1		Housing Assem	nbly, O	il Pum	p Con	nplete		 		1		1					Ì	•			
								PARTS						ŀ	ł	i					1	
-2	20522		Washer, Plain .						 ٠. ا		1	1	į		1 .	1	1	1				4
-3	MS35338-44		Washer, Lock						 ′		1	1	ĺ		1 .	1	1	1				•
-4	2437		Nut, Hex, Plair	n					 '		1	1		-	1 1	1	1	1				
						*	* * *	+				. ,	1									
-5	632977		. Housing & SI								1	1		-	1 1	ı	1	1			}	
-6	401801	†	Stud, 1/4 x							•	2	2		:	2 2	2	2	2				
-7	631016		. Gear & Bush							1	1	1		i			1	1			1	
-8	23024		Bushing, O	il Pum	p Gear	• : .		<i></i> .	 2	!	2	2		:	2 2	2	2	2				
-9	631618		. Plunger, Oil I								1	1	- 1	'			1	1				
<u>_10</u>	634150		. Spring, Oil Pi							1	1	1					1	1			İ	
-11	631653		. Seat, Spring								1	1		- 1	. 1 .	. 1	1	1				
-12	632761	_	Screw, Adjus								1	1		1	1	1	1	1		H		
-13	AN900-18	\$	Gasket, Annu								1	1	- 1		1	' I	1	1				
-14	642224		. Housing, Oil								1	1		l l			1	1			ŀ	
-15	X1473		. Washer, Copp								1	1	ł		1		1	1		1		
-16	632762		. Nut, Stop, 5/								1	1	1		1		1	1		}	ł	
-17	631075		. Shaftgear Ass									1		1	1		1	1				
-17	631014		. Shaftgear Ass						- 1		1		Ì		1.					1	İ	
-18 -19	535634 535900		Pin, Dowel								1	1			- 1 '	- 1	1	1				
- 19 -19	535900		. Gear, Bevel, ¹ . Gear, Bevel, ¹									1		1	1		1	1				
-20	631056A1		. Cover, Assy.,								1	1		1	1			1	ì			
-21	631390		. Cover, Assy.,								1	. '		'	'		'	'				
- '	001000		. Oover Assy.,	rtigite /				PARTS	.		'					ŀ						
-22	20522		. Washer, Plain					_	17		6	7	1	7	7	.	7	7		}	}	
-23	MS35338-44		. Washer, Lock								6	7				- 1	7	7				_
-24	2437		. Nut, Plain, H								6	7		7			7	7				
			,				· · · · · ·		 ` ′					'	'			'				`*
																				- 1	- 1	

FIG.	PART	•			Ql	JA	NTI				7 A 520	ASSE)	ME	3L\	1
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	R	C	ח	F	G	н	.1	к	1	M	ı P) F	2
L			4	۲	-	₩-		•••	$\overline{}$	4		4	-	+	+
14 -26		† Stud, 1/4 x 1-1/4 Inch Long	١.			4					1	'			
-27		† Stud, 1/4 x 7/8 Inch Long	1		ĺ	1			1	1		1	ı		
-28	535908	. Shaftgear Assy., Bevel, Tach Drive				1			1	1	1	1			1
-29	535885	\$. Gasket, Cover-to-Cover	1			1			1	1	1 '	1	ı		Ī
-30	535887	. Cover, Tach Gear Box 🏇	1			1			1	1	1	1			
		ATTACHING PARTS													
-31	2471	. Washer, Plain	4			4			4	4	4	4			
-32	22910	. Washer, Lock	4		ļ	4			4	4	4	4			
-33	20655	. Screw, Rd. Hd., No. 10-24 x 1 Inch Long	4			4			4	4	4	4			-
		* * *	1		}	1					1	1 1	}		
-34	MS9134-01	Gasket, Tach Drive Pad	1		ļ	1			1	1	1	1	ŀ	1	1
-35	640380	Cover, Tach Drive Pad				1			1	1	1	1		-	1
00	5.0000	ATTACHING PARTS	ĺ						Ė		['			
-36	2472	. Washer, Plain	4			4			4	4	4	4			
	MS35338-44	. Washer, Lock				4			i	4	4	4			
-37						4			4		i	4			
-38	2437	Nut, Plain, Hex	4			4			4	4	4	4		-	
	0046-5	* * * *										} }			1
-39	631650	. Shaft Assembly, Tach Drive			1										
-40	21208A1	. Housing, Tach Drive Assembly			1										-
-41		S Seal, Oil Tach Housing			1									İ	-
-42	AN900-22	Gasket Annular	1	1	1	1			1			1			
-43	632266 ① S	Gasket, Oil Filter-to-Pump Housing	1		1	1			1	1	1	1		-	
-44	641639	Adapter Assembly, Oil Filter	1		1	1			1	1	1	1	1		İ
-45	641583	Filter Assembly, Oil	1			1			1	1	1	1			
-45	641584	Filter Assembly, Oil	1		1						l		ŀ	i	
		ATTACHING PARTS	1												1
-46	2274	Washer, Plain	3		3	3			3	3	3	l la			
-47	MS35338-46	Washer, Lock	3		3	3			3	3		3	t		
	2441	Nut, Plain, Hex, 3/8 - 24	3		3	1			3	3		3	- 1	-	
-48	2441		3		ာ	ာ			ာ	٦	3		'		1
	N N	* * * *												1	
40	~	Filter Assembly, Oil			ns	1	l 1		l	i	ns	1 1		1	
-49		Adapter, Oil Filter			ns						ns		- 1		
-50) . Housing, Oil Filter			1					l	1	11.			
-51	_) Element, Oil Filter (Includes Gasket)	1		1	1			1	1	1				
-52	_) Nut, Nylon Lock	1		1	1			1	1	1	1			
-53	631783 (Stud Assembly, Center	1		1	1			1	1	1	1			
-54	631784 () Gasket, Copper	1	1	1	1			1	1	1	1			
-55	24239	Spacer, Bracket-to-Crankcase	2		2	2			2	2	2	2			
-56	_	Spacer, Bracket-to-Oil Filter	1		1	1			1	1	1	1			
-57	_) Bracket, Oil Filter-to-Crankcase	1		1	1			1	1	1	1			
= -		ATTACHING PARTS													
-58	537539 ①	Washer, Plain	1		1	1			1	1	1	1			
-59	_) Washer, Lock	1		1	1			1	1	1	1	- 1		
-60	_) Bolt, 5/16 - 24	1	}	1	1			1	1	1	1	-		
	_) Washer, Plain	rf		rf	l					rf	r	. 1		
-61	_		rf		rf	1			rf		1	r	. 1		
-62	_	•			ļ	1					1	1 1	.		
-63	2439 ①	Nut, Plain, Hex	rf		rf	rī			rf	rT	rT	r			
оте 🕦	element (51) may	were used on early models. If adapter (49) is serviceable, new be ordered. Ref. Service Bulletin M71-19 for replacement if old ds replacing. Item 43, Gasket 632266 replaces 632655 for													




FIGURE 15. OIL PUMP ASSEMBLY, TSIO-520-C,G,H,M,P,R.

FIG.	PART				Ql	JA	NT		-	PEF			ΕN	181	Υ		
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G		1	κ	_		N	Р	R		
15- 1	538185 632856	\$ Gasket, Oil Pump-to-Crankcase		1 1			1	1				1		1	1		
-2	20522	Washer, Plain		10			10	10				10		10	10		
-3	MS35338-44	Washer, Lock		11			11	11				11		11	11		
-4	2437	Nut, Plain, Hex 1/4 - 28		11			11	11				11		11	11		
		* * *				1											-
-5	632770	. Housing and Shaft Assembly, Oil Pump		1			1	1			1	1		1	1		
-6	401800	† Stud, 1/4 x 1-1/16 Inch Long		1			1	1			ł	1	1	1	1		
-7	401832	† Stud, 1/4 x 2-13/16 Inch Long		1			1	1				1		1	1		-
-8	629518-1H	Plug, Square Head, 1/8 - 27		1			1	1				1		1	1		1
-9	629218	. Gear Assembly, Oil Pump Driven		1		}	1	1		}		1	}	1	1		- 1
-10	539523	, . Bushing, Oil Pump Gear		2			2	2				2		2	2		
-11	631618	. Plunger, Oil Pressure Relief Valve		1		ĺ	1	1				1		1	1		
-12	634150	. Spring, Oil Pressure Relief Valve		1			1	1				1		1	1		
-13	631653	. Seat, Spring Guide	1 1	1			1	1				1		1	1		
-14	632761	Screw, Adjusting		1			1	1				1		1	1		

		·			QU	ΑN	ITI.	TY T	P SI	ER 0-52	AS:	SEN	1BL	Y	
FIG.	PART		-	С		E	G	н	1	KL	М	N	Р	R	
NDEX	NUMBER	12345 DESCRIPTION	+	+	1	+	-	1	-	+	1	- I	1	1	—
	`1	\$. Gasket, Annular		1			.	1			1		1	1	
15 -15	,	Housing Oil Pressure Relief Valve	1	1			1	1	1		1		1	1	
-16		Washer Copper	-	1			1	1			1		1	1	
-17		5/16 - 24	١.	1	'		1	1			1		1	1	
-18		Valve Oil Filter By-Pass	1	1			1	1			1	- 1	1	1	
-19	004470	Spring Oil Filter By-Pass Valve	- 1				1	1			1	- 1	1	1	
-20		A Cooleat Appular	- 1	1			1	1			1	- 1	1	1	
-21		Diva & Pin Assy Oil Pump By-Pass	1	1			1	1				i i	1	1	
-22		Shaftgear Assembly, Tach Drive	.	1			1	1			- 1	- 1	- 1	1	
-23		Pin, Dowel	.	1		1	1	1			- 1	!	1	1	
-24		. Key, Woodruff	.	1			1	1		1		1	1	1	
-25		Body Assembly, Scavenge Pump	.	1	1	1	1	1				1	1	1	
-26	629084	ATTACHING PARTS	-							1					
			.	1	1		1	1				1	1	1	
-27		. Washer, Plain	.	1			1	1			1 1	1	1	1	
-28	8 MS35338-44	Washer, Lock	.	1			1	1				1	1	1	
-29		Nut, Plain, Hex, 1/4 - 28		1											
			.	1	ı		1	1				1	1	-	
-30	0 401963	† Stud, 1/4 x 1 Inch Long	.	1	ι		1	1				1	1		
-3		Gear, Scavenge Pump Driver		-	1		1	1				1	1	- 1	
-3		. Gear Assy., Scavenge Pump, Driven	.	- 1	1		1	1				1	1	1	
-3		. Bushing, Driven Gear	.	- 1	1	1	1	1				1	1	1	
-3		. Gear, Bevel, Tach Drive	.	- 1	1		1	1				1	1	1	
-3		Cover Scavenge Pump & Right Angle Lach	٠ ا		.								-		
- 3	.0	ATTACHING PARTS			1		1	1				1	1	1	
. 7	36 20522	. Washer, Plain	• • '		1		1		1			1		l 1	
	37 MS35338-44	. Washer, Lock	• •		1		1	1	- 1			1		1 1	1
	38 2437	Nut, Plain, Hex, 1/4 - 28	• •		.									1	
	50 2.0.	* * * *			1	- 1	1.	ı ₁	ıl	-		1		1 1	
	39 631650	Shaft Assembly, Tach Drive	• •		1	ŀ		- 1.	1			1		1 1	
	40 632085	Cocket Tach Drive Housing			1			- 1	1	١.		1		1 1	
	41 21208A1	Libraring Assembly Tach Drive	• •	1	1	-	- 1	- 1	1			1		1 1	
	42 640087	s Seal, Oil Tach Housing	• •				1	1	1		-	1		1 1	
	43 629518-4H	Plug, Savenge Pump Inlet	• •	1				.	.						
	45 025510 11	·										Ì			
		* * * *													
				1				Ì					l		
				1											
											1		1		
						ł				1 1	- 1			\ \	
_				ì						1 1					
					1			'				-			
				1		1				} }		١			
				1											
				1											
_															
_															
				}	}						\ \				
														-	
									1			1			
_															
					-	- 1	ı	1		- 1	1 1	1	- 1	1	1 1




FIGURE 16. STARTER & STARTER ADAPTER ASSEMBLY, TSIO-520-B,D,E,J,K.N.

FIG.	PART				QI	JA	NTI				ASS 520	SEN	ΊΒΙ	_Y			
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	Ε	G	Н	J	ĸ	L M	N	Р	R			
16- 1	630916 642085A2	\$ Gasket	1		1	1			1	1		1					
•	0.470	ATTACHING PARTS			4	4			4	4		4					<u> </u>
-2 -3	2473 MS35338-45	Washer, Plain			4	1		- 1	-	4		4					
-4	2439	Nut, Plain, Hex	4		4	4			4	4		4					
-5	642085	. Adapter Assembly			1	1			1	1		1					
-6	401814	† Stud, 5/16 x 1-7/8 Inch Long			1	1	1 1		- 1	1		1				1	_
-7	401881	† Stud, 5/16 x 1-1/8 Inch Long			2 2	2		- 1	_ []	2		2					
-8 . 9	402127 401814	† Stud, 3/8 x 1-17/32 Inch Long			1	1			1	1		1				ł	
-10	401971	† Stud, 5/16 x 1-5/8 Inch Long	1		1	1			1	1		1				J	
-11	641368	. Bearing, Needle			1	1			1	1		1				1	
-12	539805	. Gear, Starter Worm			1	1		-	1	1		1			.	-	_
-13	536552	. Spring, Starter Worm Gear			1	1		-	1	1		1				-	
-14	631252	. Shaft, Worm Drive	1		1	1			1	1		1				-	

5.5	DADT	•			Ql	JAI	NT			ER O-5		SSE	MB	BLY	
FIG.	PART				5	_	_		$\overline{}$		_	M N			Т
INDEX	NUMBER		-	-			G	П	<u>.</u>	~	늬		\neg	In	╀
16 -15	MS35756-8	. Key, Woodruff	1	}	1	1			1	1		1			
-16	X13041	. Bearing, Ball	1		1	1			1	1		1		1	
-17	502287	. Ring, Retaining	1		1	1	İ		1	1		1			
-18	639406	. Shaftgear Assembly, Starter	1		1	1			1	1		1	۱	ŀ	
-19		† . Spring, Clutch	1		1	1			1	1		1		-	1
-20	630681	. Gear Assembly Starter			1	1			1	1		1		İ	
-20	030001	ATTACHING PARTS	ŀ			}									
-21	501867	. Washer, Tab	1		1	1			1	1		1	ı		
-21 -22	633845	Screw, Special, 1/4 - 20 x 13/32 Inch Long	1		1	1			1	1		. 1	١		
-22	033040	* * * *			•										
00	620600	. Bearing, Roller	1		1	1			1	1			ı		
-23	630680	Bearing, Ball	1		1	1			1	1			ı		
·24	534685	Dia - Detaining			1	1			1	1		1 1	1		
-25	521649	Ring, Retaining	1		1	1	ĺ		1	1					
-26	AN123902	\$. O-Ring			1	1			1	1			<u> </u>		
-27	639405	① . Cover Assembly	۱'						'	['		
		ATTACHING PARTS	_			_			٦	اءا			,		
-28	2473	. Washer, Plain	3		3	3			3	3			3		
-29	MS35338-45	. Washer, Lock	3		3	3		1	3	3		l i	3		
-30	2439	. Nut, Plain, Hex	3		3	3			3	3		;	3		
		* * * *		1									İ		
-31	401813	† Stud, 5/16 x 1-11/16 Inch Long			4	4			4	4		4	4		
-32	AN932-2	Plug, Pipe, 1/8 - 27	1	ļ	1	1			1	1		'	1		1
-33	639388	. Gear, Scavenge Pump, Driver	1	ļ	1	1			1	1		'	1		
-34	635334		1		1	1		ļ	1	1		'	1		
-35	632595	Bushing	1		1	1			1	1		'	1		
-36		① . Body Assembly, Scavenge Pump	1		1	1		ŀ	1	1		'	1		
50	000 107	ATTACHING PARTS			ļ		1						-		
-37	2473	. Washer, Plain	4		4	4			4	4		4	4	1	
-38	MS35338-45				4	4	İ		4	4		4	4		
-39	2439	. Nut, Plain, Hex			4	4			4	4			4	ĺ	
-39	2400	* * * *	1										Į		
-40	629518-4H	Plug, Square Head, 1/2 - 14 NPTF	1		1	1			1	1		-	1		
-40 -41	628437	. Elbow, 90 Degree			1				1	1		-	1		
-41 -42	MS9021.038	\$ O-Ring			1	1			1	1			1		
		Starter, 24 Volt				1				1			1		
-43	637847	Starter, 12 Volt	Ι΄		1										
-43	634592	ATTACHING PARTS		1	'										
	404507		2		2	2			2	2			2		
-44	401507	Washer, Plain	2		2			}		2		1 1	2		
-45	2441	Nut, Plain, Hex	1-		-	-	ŀ		-					-	-
													ł		
			1		ŀ		1					} }			
					İ		1								
_															
									}		}			ļ	
				1											
NOTE ①	See Service Bu	lletin M72-8 for rework of old pump.	ļ												-
NOTE ①	See Service Bu	lletin M72-8 tor rework ot old pump.	1	1	1	1	ı	I	1	ı	ı	1 1	1	ı	1




FIGURE 17. STARTER & STARTER ADAPTER ASSEMBLY, TSIO-520-L

FIG.	PART				Ql	JA	NT		PEF		 SEN	1BI	LY	
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	Ε	G	 	1		N	Р	R	
17- 1	630916 642087A2	\$ Gasket								1				
-2	2473	Washer, Plain	ĺ							4				
-3	MS35338-45	Washer, Lock							}	4	ŀ			-
-4	2439	Nut, Plain, Hex								4				١
		* * * *		ŀ					İ					ı
-5	642087	. Adapter Assembly						ŀ		1	1			
-6	352655	† Stud, 5/16 x 2-11/16 Inch Long	Ì							1				1
-7	401881	† Stud, 5/16 x 1-1/8 Inch Long	l							2				
-8	402127	† Stud, 3/8 x 1-17/32 Inch Long								2				
-9	401814	† Stud, 5/16 x 1-7/8 Inch Long	1							1				1
-10	401971	† Stud, 5/16 x 1-5/8 Inch Long	Ì						İ	1				1
-11	641368	. Bearing, Needle							1	1				1

FIG.	PART				Qι	JA	NT				R /		SEN	ИBI	LY	
INDEX	NUMBER	12345 DESCRIPTION	В	С	D	Ε	G	н	J	K	L	М	N	P	R	
			+					Ė	Ť	Ť	1	T	Ť		+	
17 -12	539805	. Gear, Starter Worm									1					
-13	536552	. Spring, Starter Worm Gear												ĺ		1
-14	631252	. Shaft, Worm Drive	1 1			l					1					1
-15	MS35756-8	. Key, Woodruff								1	1		1			
-16	X13041	.Bearing, Ball	i 1								1					
-17	502287	. Ring, Retaining									1		ľ			
-18	640803	. Shaftgear Assembly, Starter									1		İ			
-19	539800	† . Spring, Clutch									1					
-20	630681	. Gear Assembly, Starter	}							1	1					
		ATTACHING PARTS] [
-21	501867	. Washer, Tab									1		l			ļ
-22	633845	. Screw, Special, 1/4 - 20 x 13/32 Inch Long									1			,		
		* * *					1									
-23	630680	Bearing, Roller	.								1					
-24	640731	. Bearing, Ball					ŀ				1			,		1
-25	502293	. Ring, Retaining									1		ĺ		-	
-26	AN123902	\$. O-Ring									1				1	
-27	640749	. Cover Assembly	1 1							}	1					
		ATTACHING PARTS						ŀ								
-28	2473	. Washer, Plain						İ		ŀ	3					
-29	2439	. Nut, Plain, Hex									3	1				
		* * *														
-30	401813	† Stud, 5/16 x 1-11/16 Inch Long	1 [2					
-31	401899	† Stud, 5/16 x 2 Inch Long									1	•				
-32	352655	† Stud, 5/16 x 2-5/8 Inch Long				ł					1					
-33	AN932-2	Plug, Pipe 1/8 - 27									1					
-34	640808	. Gear, Scavenge Pump Driver									1					
-35	640746	. Gear Assy., Scavenge Pump Driven			ļ						1	1				
-36	632595	Bushing			ŀ	Ì			}	ŀ	1	ļ				
-37	640766A1	. Body Assembly, Scavenge Pump							ł		1					
•	0.07007	ATTACHING PARTS														
-38	2473	. Washer, Plain	.				İ				4					
-39	2439	. Nut, Plain, Hex	.				1				4					
		* * *										1				
-40	401752	Plug, Pipe 1/8 - 27 NPTF	.								1					
-41	AN912-4	Bushing, Reducer	1 1								1					
-42	MS20822-8	Elbow, 90 Degree									1					
-43	637817	. Bearing, Ball	1 1								1					
-43 -44	502020	. Ring, Retaining	1 1								1					
-45	640730	Seal, Oil	1 1								1					
	640733	Sleeve, Starter Shaft]					2					
-46			1 1								1					
-47 40	640801	Sheave, Driver	1 1								1					
-48	MS9358-15	Nut, Castle	1 1								1	1				
-49 50	MS9245-62	Pin, Cotter	1 1								1					
-50	MS9021-038	\$ O-Ring	- 1										ľ			
-51	637847	Starter, 24 Volt	1								1					
EO	401507	ATTACHING PARTS	1 1								2					
-52 -52	401507	Washer, Plain							Ì		2	1				
-53	2441	Nut, Plain, Hex									12					




FIGURE 18. STARTER & STARTER ADAPTER ASSEMBLY, TSIO-520-C,G,H,M,P,R.

FIG.	PART	T										QU	ΑN	ITIT	-	PEI			E۱	1BL	Υ.		
INDEX	NUMBER		12345	D	ESCRI	PTION		<u></u>		В	С	D	E	G F	J	K	L	М	N	Р	R	_	
18- 1	537745 63505 0A4	\$	Gasket, Ada Adapter, As	•	Starter		ete				1			1 1 1				1		1	1	<u> </u> 	
-2	2473		Washer, Plai	n							3			3 3			İ	3		3	3		
-3	MS35338-45		Washer, Loc	k							3			3 3	3			3		3	3	ı	
-4	537742		Screw, Hex	Head, 5/	16 - 18	x 2-13/	/16 Ind	ch long	<i>.</i> .		1		ļ	1 1				1		1	1	-	
-5	2439		Nut, Plain H	łex							2			2 2	2			2		2	2	İ	
					_	* *	* *					•	İ	, ,				1		1	1	ì	
-6	635050A1		. Adapter A	Assembly,	, Starte	r							ı			1		'		'	,	ı	_
-7	402127	t	Stud, 3/								2			2 2	<u>' </u>			2	-	2	2	[
-8	641368		. Bearing, N							ŀ	1		- [1 1				1		1	1		
-9	539805		. Gear, Star	ter Worn	n						1			1 '		Ì		1		1	1		
-10	536552		. Spring, Sta	arter Wo	rm Gea	r					1		- 1	1 1				1		1	1	J	Į
-11	631252		. Shaft, Wo	rm Drive							1			1 '				1		1	1		
-12	MS35756-8		. Key, Woo	druff							1		ļ	1				1		1	1	Ì	~
-13	X13041		. Bearing, B								1		İ	1				1	-	1	1		ı
-14	502287		. Ring, Reta								1		ļ	1				1		1	1		i

39785 01867 33845 37749 \$ 37738A1 473 \$35338-45 37750 38999 34685 34715 34938 \$	1 2345 DESCRIPTION Shaftgear, Starter Spring, Clutch Gear, Starter ATTACHING PARTS Washer, Tab Screw, Special, 1/4 - 20 x 13/32 Inch Long ***** Gasket, Cover-to-Adapter Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long **** Bearing, Ball Ring, Retaining		C 1 1 1 1 1 1 1 3 3 1 2 1	DE	1 1 1 1 1 1 3 3	H 1 1 1 1 1 3 3	J		1 1 1 1 1 1 1 1 3 3 3	N P 1 1 1 1 1 1 1 1 1 1 3 3 3 3	1 1 1 1 1 1 1 3
39800 1 39785 31867 33845 37749 \$ 37738A1 473 \$35338-45 87750 88999 84685 84715 84938 \$	Shaftgear, Starter Spring, Clutch ATTACHING PARTS Washer, Tab Screw, Special, 1/4 - 20 x 13/32 Inch Long * * * * Gasket, Cover-to-Adapter Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		1 1 1 1 1 1 3 3 1		1 1 1 1 1 3 3	1 1 1 1 3 3			1 1 1 1 1 1 1 3	1 1 1 1 1 3	1 1 1 1 1 1 1 3
39800 1 39785 31867 33845 37749 \$ 37738A1 473 \$35338-45 87750 88999 84685 84715 84938 \$	ATTACHING PARTS Washer, Tab Screw, Special, 1/4 - 20 x 13/32 Inch Long **** Gasket, Cover-to-Adapter Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long **** Bearing, Ball		1 1 1 1 1 3 3		1 1 1 1 3 3	1 1 1 1 3 3			1 1 1 3	1 1 1 3	1 1 3
39785 01867 33845 37749 37738A1 473 \$35338-45 37750 38999 34685 34715	ATTACHING PARTS Washer, Tab Screw, Special, 1/4 - 20 x 13/32 Inch Long * * * * G. Gasket, Cover-to-Adapter Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		1 1 1 1 3 3		1 1 3 3	1 1 1 1 3 3			1 1 1 3	1 1 1 3	1 1 3
01867 33845 37749 \$ 37738A1 473 \$35338-45 37750 38999 34685 34715	ATTACHING PARTS Washer, Tab Screw, Special, 1/4 - 20 x 13/32 Inch Long * * * * Gasket, Cover-to-Adapter Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		1 1 1 3 3 1		1 1 3 3	1 1 1 3 3			1 1 1 3	1 1 1 3	1 1 3
33845 37749 \$ 37738A1 473 \$35338-45 87750 88999 84685 84715	Washer, Tab Screw, Special, 1/4 - 20 x 13/32 Inch Long * * * * Gasket, Cover-to-Adapter Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		1 1 3 3		1 1 3 3	1 1 3 3			1 1 1 3	1 1 1 3	1 1 3
33845 37749 \$ 37738A1 473 \$35338-45 87750 88999 84685 84715	Screw, Special, 1/4 - 20 x 13/32 Inch Long * * * * G. Gasket, Cover-to-Adapter Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		1 1 3 3		1 1 3 3	1 1 3 3			1 1 1 3	1 1 1 3	1 1 3
37749 \$ 37738A1 173 \$35338-45 87750 88999 84685 84715	* * * * G. Gasket, Cover-to-Adapter Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		1 1 3 3		1 1 3 3	1 1 3 3			1 1 3	1 1 3	1 1 3
37738A1 373 \$35338-45 37750 88999 84685 84715	Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		1 3 3 1		3 3	1 3 3			3	3	3
37738A1 373 \$35338-45 37750 88999 84685 84715	Cover Assembly, Starter Adapter ATTACHING PARTS Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		1 3 3 1		3 3	1 3 3			3	3	3
173 S35338-45 87750 88999 84685 84715 84938 \$	ATTACHING PARTS . Washer, Plain . Washer, Lock . Screw, 5/16 - 18 x 1-1/8 Inch Long . Bolt, 5/16 - 18 x 3-5/8 Inch Long . * * * * . Bearing, Ball		3 3 1		3	3			3	3	3
S35338-45 37750 88999 84685 84715 84938 \$	Washer, Plain Washer, Lock Screw, 5/16 - 18 x 1-1/8 Inch Long Bolt, 5/16 - 18 x 3-5/8 Inch Long * * * * Bearing, Ball		3		3	3			1 1		
S35338-45 37750 88999 84685 84715 84938 \$. Washer, Lock		3		3	3			1 1		
37750 38999 34685 34715 34938 \$	Screw, 5/16 - 18 x 1-1/8 Inch Long		1						3	3	12
88999 84685 84715 84938 \$	Screw, 5/16 - 18 x 1-1/8 Inch Long		- 1		1	۱,				ı	0
34685 34715 34938 \$. Bolt, 5/16 - 18 x 3-5/8 Inch Long		2			1			1	1	1
34685 34715 34938 \$	* * * * Bearing, Ball		_		2	2			2	2	1 1
34715 34938 \$	<u>.</u>	1			-					-	
34715 34938 \$	<u>.</u>		1		1	1			11	1	1
34938 \$			1		1	1			11	1	1
	S Seal, Oil		1		1	1			$\begin{vmatrix} 1 \\ 1 \end{vmatrix}$	1	1
N123862 \$	6 . O-Ring	ΙÌ	1		1	1			₁ $ $		
34980	Sleeve		1		1	1			$\begin{vmatrix} 1 \\ 1 \end{vmatrix}$	1	1
S35756-8	Key, Woodruff		1		1	1			$ _1 $	1	11
			- 1		1 1	1 - 1			1 1		$\left \frac{1}{1} \right $
16700			'		('	' '			'	'	
11000					,	1					1
			- 1		l l	-				- 1	111
	- I		- 1		1 1	1					1
			· 1	İ		١.١				- 1	1
8999			1		1	1 :			1	1	1
	" " " " · · · · · · · · · · · · · · · ·										
4775	Sheave, Generator Drive		1		1	1			1	1	1
	ATTACHING PARTS			Ì					1 1		
N960C916	Washer, Plain		1		1	1			1	1	1
XX299	Washer, Lock		1		1	1			1	1	1
N316-9R	Nut, Check		1		1	1			1	1	1
	* * * *										
59021-038 \$	O-Ring		1		1	1			1	1	1
4592	Starter		1		1	1			11	1	1
0050					_					_	
			- 1		1 1	l I			1 1		1 1
41	Nut, Plain, Hex		2		2	2			2	2	2
	8760 1868 7750 335338-45 8999 4775 1960C916 XX299 J316-9R	### ATTACHING PARTS Indicator, Engine Timing ATTACHING PARTS ###################################	### ATTACHING PARTS Indicator, Engine Timing ATTACHING PARTS ###################################	1	1	8760 Indicator, Engine Timing 1 1 ATTACHING PARTS 1 1 1868 Washer, Tab 1 1 7750 Screw, 5/16 - 18 x 1-1/8 Inch Long 1 1 635338-45 Washer, Lock 1 1 8999 Bolt, 5/16 - 18 x 3-5/8 Inch Long 1 1 4775 Sheave, Generator Drive 1 1 4775 Sheave, Generator Drive 1 1 4776 Washer, Plain 1 1 4775 Washer, Plain 1 1 4776 Washer, Plain 1 1 4777 Washer, Plain 1 1 4778 Washer, Plain 1 1 4779 Washer, Plain 1 1 4779 Washer, Plain 1 1 4779 Washer, Plain 1 1 4779 Washer, Plain 1 1 4779 Washer, Plain 1 1 4779 Washer, Plain 1 1 4779 W	1 1 1 1 1 1 1 1 1 1	8760 Indicator, Engine Timing 1	8760 Indicator, Engine Timing 1	1	1




FIGURE 19. ALTERNATOR ASSEMBLY, TSIO-520-B,D,E,J,K,L,N.

FIG.	PART			-			QU	ΑΙ	NT		/ F				ΕN	1BL	Υ		
INDEX	NUMBER	12345	DESCRIPTION		В	С	D	E	G	Н	J	Κ	L	М	N	Р	R		
19- 1	629436	\$ Gasket, Alterna	ator		1		1	1											
-2	632590 (① Alternator, 24	Volt, 40 AMP		1	ŀ		1			1								
-2	631547 (n Alternator, 12	Volt, 70 AMP		İ		1												
			ATTACHING PART	S	ĺ														
-3	2473	Washer, Plain .			4	ŀ	4	4								,	ļ		
-4	MS35338-45				4		4	4		į				1					
-5	2439	Nut, Hex, 5/16	i - 24		4	ŀ	4	4			ŀ			1					
			* * * *													•			
-6	632437	. Key, Woodru	ff		1		1	1											
-7	632436	. Nut, Slotted,	Hex		1		1	1											ı
-8	640934		ernator Gear Driven				1	1			1	1	1		1			ļ	
-9	630655	. Spring, Clutcl	h		1		1	1			1	1	1		1			ļ	
-10	640932		ly, Alternator Driven			l	1	1		ļ	1	1	1		1				
-11	629638	Bushing, Al	Iternator Driven		1	1	1	1			1	1	1		1			İ	
-12	630691	•	st				1	1		•	1		1		1			ł	
-13	MS24665-302						1	1			1	1	1		1				ļ
-14	640056		bly, Baffle				1						1					1	
	631656	Regulator, 24 \	Volt (Not Illustrated)		1			1											
																			İ
					١				} !									}	}
						ļ												İ	
																			7
_					İ														
NOTE ①	Alternator and br by customer.	rackets for models C,	, G. H, J, K, L, M, P & R are to be	urnished															




FIGURE 20. OIL COOLER ASSEMBLY, TSIO-520-B,D,E,J,K,N.

FI	G.	PART	-						QU	A۱	JTI	TY TS		R /		ΕN	1BL	Υ.	
IND	EX	NUMBER	12345	DESCRIP	TION		В	ပ	D	E	G	H J	K	L	М	N	Р	R	
20-	. 1	630849	\$ Gasket, Oil Coole	er-to-C/C, To	р		2			2	ŀ	2	2	2		2			
	-1	632706	Washer, Plain, Oil	Cooler-to-C	C/C, Top				2										
	-2	631059	\$ Gasket, Crankcase						1	1		1	1			1			
		633287	Oil Cooler and Ba	affle Assemb	oly		1		1				1						
		637132	Oil Cooler and Ba	affle Assemb	oly					1		1				1			-
				ATT	ACHING PAF	RTS												ı	
/	-3	2474	Washer, Plain				4		4	4		4	. 4	ı		4			
	-4	MS35338-46	Washer, Lock						4	4		4	4	.		4			
	-5	2441	Nut, Plain, Hex, 3						4	4		4	4	.		4	•		-
	_		, , , ,		* * * *														- 1
	-6	635996	. Cooler, Oil				1		1				1						
	-6	636900	. Cooler, Oil							1		1				1			
	-7	629518-1H	. Plug, 1/8 - 27 N	IPTF			1		1	1		1	1			1			
	-8	632224	. Baffle, Oil Cool						1	1		1	1			1			
	-9	2024	Plug, Pressure Por	rt, 1/8 - 27 I	NPTF		1			1		1	1			1			1
	-9	634628	Elbow, 90 Degree	e, 1/8 NPTF	-to-1/8 Tube			Ì	1										
	-10	629518-3H	Plug, Oil Outlet, 3	3/8 - 18 NP	TF		1	!	1	1	İ	1	1			1			
	-11	639305	Oil Temperature	Control Val	ve		1		1	1		1	1			1			
∕ .	-12	627496	. Gasket, Oil Tem	nperature C	ontrol Valve .		1		1	1		1	1			1			
	-13	632126	Support Assembly	y, Baffle					1										
										1									




FIGURE 21. OIL COOLER ASSEMBLY, TSIO-520-L

FIG.	PART																																						Q	U	A	N.	TI					R -5:			SE	N	1B	Ľ١	Y				`~
INDEX	NUMBER	1	1	1 2	23	3	4	١5	5						DE	ES	CI	RI	P	ΓI	01	N				_										В	C	;	D	l	E	G	<u>;</u>	Н		Ţ	Κ	ı	•	M	ı	V	P	F	3				
21- 1	AN123862	\$ C	0	0-	R	ir	ηį	g																											.		i												2										
-2	640321	Е	В	Br	ac	ck	<e< td=""><td>et</td><td>., -</td><td>Γu</td><td>rt</td><td>00</td><td>) .</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>ĺ</td><td></td><td></td><td>ł</td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td></e<>	et	., -	Γu	rt	00) .																	-										ĺ			ł						1								-		
																	,	ΑŢ	ΤТ	Ā	C	Н	IN	ıc	ì	Ρ	2	۱F	₹7	ΓS	3				ı																								
-3	640826	S	S	Sp	ac	с€	er	r.																											.														1					-					
-4	24239	٧	W	Wa	asl	h	er	r,	P	lai	in																								.														2				i				١		
-5	2441	Ν	Ν	Nι	ιt													٠.																	.					ŀ									2							i	Ì		
																					*	*		*		*														ł												Ì					١		l
-6	630849	\$ G	G	Ga	ask	kε	et	t.																											۱.		Ì	1					l					- 1	2								1		
-7	631059	\$		Ga																															- 1					1									2								1		
-8	640342			Sp																															- 1														1										}
	637132	C	0	Oi	1 (C	00	o	le	r A	₹s	se	em:	ıbl	ly	٠.								•	•		•					٠	•		٠								-			İ			1								1		`
																	1	А٦	ГТ	Α	CI	Н	IN	G	9	Ρ	Δ	١F	7	S	5				ł			ŀ					1									ŀ							ł
-9	2474	٧	W	Wa	asł	he	er	r,	Р	lai	in											. ,													.		ļ			l			l		ŀ				4			1							l
-10	MS35338-46	V	W	Wa	asł	he	er	r,	L	.00	٠k																								.											1		1	4			-							
-11	2441	٨	N	Νι	ιt					٠.								٠.						•											.								1		ĺ	İ			4		Ì								
																					*	*		*	÷	×																				ļ						١							,
-12	636900			. (1			İ							`
-13	629518-1H			. F																															- 1			1				,							1										ŀ
-14	632224			. E																															ı								}		ļ	- }			1					ļ			-		
-15 -16	639305 627496			Oil																															- 1					l								ı	1										
-16 -17	627496 AN912-2			. K Bu																															- 1					l						-			1										ļ
-17	MS20823-6B			Ell				-																											- 1														1									,	۱~
-19	AN816-4B			Ni																															- 1														1										
-20	632126			Su	٠.																														- 1														1										




FIGURE 22. OIL COOLER ASSEMBLY, TSIO-520-C,G,H,M,P,R.

F	FIG.	PART					QU	AN	TI	TY TS		R /		ΕN	1BL	Υ	
	IDEX	NUMBER	12345 DESCRIPTION		В	С	D	E (3 1	НJ	K	L	М	N	Р	R	\sqcup
2	22- 1	626341 ①\$				1 2		- 1	1 2	1			1		1 2	1	
	-2	626332	Plate Oil Cooler Adapter		ı	_			-	2			_			_	
			ATTACHING PA		ŀ	اء	ł	İ	_	_			_		_	_	
	-3	20522	Washer, Plain			5	Ì		-	5			5		5	5	
	-4	MS35338-44	Washer, Lock	1		5	ŀ		-	5			5		5	5	
-	-5	2437	Nut, Plain, Hex			5			5	5			5		5	5	
			* * *														
	-6	639305	Oil Temperature Control Valve			1		1	1				1		1	1	
	-7	627496	. Gasket, Oil Temperature Control Valve			1			1	1			1		1	1	
	-8	2026	Plug, Pipe, 1/4 - 18			1		- 1	1	1			1		1	1	
	-9	626342 ①\$	Gasket, Oil Cooler-to-Adapter		ŀ	1	ļ		1	1	ļ.		1	ļ	1	1	
_	-10	639171	Cooler Assembly, Oil		,	1	- }	ı	1	1			1		1	1	
			ATTACHING PA	RTS			i	ŀ	ļ					i			
	-11	20522	Washer, Plain			12	}	1	2	12			12		12	12	
	-12	MS35338-44	Washer, Lock		1	12		1	12	12		Ì	12		12	12	1
	-13	535668	Screw, 1/4 - 20 x 3/8 Inch Long			12			12	12			12		12	12	
/ NO	оте ①		using a 626189 oil cooler will require the cets, respectively.	use of 6 25303													




FIGURE 23. OIL SUMP, TSIO-520-B,E,J,K,L,N.

FIG.	PART									QU	Α	NT			PEF			ΕN	1BI	Υ.Υ	
INDEX	NUMBER		12345	DESCR	IPTION			В	С	D	Ε	G	Н	J	κ	L	М	N	Ρ	R	
23- 1	632946		Tube Assemi	oly, Suction C	il Pump .			1			1			1	1	1		1			
				Д	TTACHIN	IG PARTS															
-2	631367		Washer, Spec	ial				1			1			1	1	1		1			
-3	AN4-17A		Bolt					1			1			1	1	1		1			
-4	20522		Washer					1			1			1	1	1		1			
-5	632443-4		Nut, 5/16 - 2	4, Marsden .				1			1			1	1	1		1			
					* *	* *		Ì													
-6	AN900-12	\$	Gasket, Annu	ular				1			1			1	1	1	1	1			
-7	MS35769-12	\$	Gasket, Anni	ular				1			1			1	1	1		1			
-8	2265		Plug					1			1			1	1	1		1			
-9	534743	\$	Gasket, Oil S	ump				1			1			1	1	1		1			
-10	632876		Sump Assem	bly, Oil				1			1			1	1			1			
-10	537650		Sump Assem	bly, Oil												1					
				А	TTACHIN	IG PARTS		ł		}											
-11	2473		Washer, Plair	1				30			30			30	30	28	3	30			
-12	13XX202B			< <i></i>					1		30			30	30	28		30			
-13	530346		Screw, 15/16	5 - 18 x 7/8 In	ch Long .			30			30			30	30	28	}	30			
					* *	* *					_										
-14	AN900-10		Gasket, Annu								1			1	1	Ι.	1	1		'	
-15	532432	(1)	Plug, Oil Dra	in, 5/8 - 18 .				1			1			1	1	1	ł	1			
NOTE	E: (1) The magneti	c dr	ain plug, part	number 636	376 may t	pe used as a	n option.														




FIGURE 24. OIL SUMP, TSIO-520-C,G,M.

FIG.	PART				QI	UA	NT	-			R .		ΕN	1BI	Υ.Υ	
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G	Н	J	К	L	М	N	Р	R	
24- 1 -2	534940 \$ 625207	Gasket, Suction Tube Assembly	1	1			1					1 1				
-3	20522	Washer, Plain		2			2					2				
-4	MS20074-04-04	Bolt, 1/4 - 20	1	2			2					2				
-5	MS20074-04-03	Screw, Cap, 1/4 - 28		2			2	i				2				
-6	534743 \$	Gasket, Oil Sump-to-Crankcase		1	ŀ		1		1			1				
-7	633412	Sump Assembly, Oil		1			1					1				
		ATTACHING PARTS														
-8	2473	Washer, Plain		30			30				ł	30				
-9	13XX202B	Washer, Lock		32	İ		32		1			32				
-10	530346	Screw, Hex Head, 5/16 - 18 x 7/8 Inch Long		32			32					32				
-11	AN900-10 \$	Gasket, Annular		1			1					1				
-12	532432 ①	Plug, Oil Drain, 5/8 - 18		1			1					1				
NOTE	_	ain plug, part number 636376 may be used as an option.														




FIGURE 25. OIL SUMP, TSIO-520-D

FIG.	PART					Ql	JA	NT			PE F			SEN	ИBI	LY		
INDEX	NUMBER		12345 DESCRIPTION	В	С	D	E	G	Н	J	K	L	М	N	Р	R		
25- 1	631008		Tube Assembly, Suction, Oil Pump			1												
			ATTACHING PARTS															
-2	63096656		Bolt, 5/16 - 18 x 9/16 Inch Long			2												
-3	AN900-12	\$	Gasket, Annular			1												
-4	MS35769-12	\$	Gasket, Annular			1												
-5	2265		Plug, Oil Drain			1						ŀ	ĺ	1	ł		ŀ	1
-6	534743	\$	Gasket, Oil Sump-to-Crankcase			1					ľ		ľ	ŀ	Ì			
-7	628372A2		Sump Assembly, Oil,			1												ľ
			ATTACHING PARTS															
-8	2473		Washer, Plain			27												`
-9	AN960-516		Washer, Plain			3						ļ						
-10	13XX202B		Washer, Lock		ļ	30					ł					i		l
-11	537750		Bolt, 5/16 - 18 x 1-1/8 Inch Long			29		ļ						•	İ			
-12	539003		Bolt, 5/16 - 18 x 1-3/8 Inch Long			1			ĺ					ĺ				Ì
			* * *															_
-13	401860	†	Stud, 3/8 x 1-3/16 Inch Long			12						i				}		
-14	632663		Bracket, Engine Mount			4		}										
			ATTACHING PARTS						ł							}	ļ	-
-15	AN960-616L		Washer, Plain			12										1	1	
-16	2441		Nut, Plain, Hex			12												1 —
-17	AN900-10	¢	* * * * * * Gasket, Annular			1												1~
-17	2265	Ψ	Plug, Oil Drain			1												
	2200				l	١.		1				l			1			




FIGURE 26. OIL SUMP, TSIO-520-H,P,R.

FIG.	PART				Q	UA	NT			PEI			SEN	/BL	Υ.	
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G	Н	J	K	L	М	N	Р	R	
26- 1	534940	Gasket, Suction Tube Assembly						1						1	1	
-2	635640	Tube Assembly, Oil Pump Suction		İ				1		i				1	1	
		ATTACHING PARTS	İ													
-3	20522	Washer, Plain						2						2	2	
-4	MS20074-04-04	Bolt, 1/4 - 20 x 19/32 Inch Long	.	1				2						2	2	
-5	MS20074-04-03	Bolt, 1/4 - 28 x 15/32 Inch Long	•					2			į			2	2	
-6	534743	Gasket, Oil Sump-to-Crankcase				İ		1			l			1	1	
-7	635616	Sump Assembly, Oil	.					1						1	1	
		ATTACHING PARTS														
-8	2473	Washer, Plain	.					30		-	-			30	30	
-9	13XX202B	Washer, Lock				İ		30			l			30		
-10	530346	Screw, 5/16 - 18 x 7/8 Inch Long	•					30						30	30	
-11	AN900-10 \$	Gasket, Annular	.					1				}		1	1	
-12	532432	Plug, Oil Drain						1						1	1	
, NO		drain plug, part number 636376 may be used as an option														




FIGURE 27. INDUCTION SYSTEM, TSIO-520-B,E

FIG.	PART				QU	JA	NT			PEF			SEN	ИB	LY			
INDEX	NUMBER	12345 DESCRIPTION	В	С	D	Ε	G	Н	J	К	L	М	N	Р	R		$oxed{\Box}$	
27- 1	536413	\$ Gasket, Intake Manifold	6			6												
-2	630055	Tube Assy., Intake Manifold, Cylinder No. 1	1			1												
-3	630060	Tube Assy, Intake Manifold, Cylinder No. 2				1			ŀ									
-4	629138	Elbow, Intake Manifold, Cyl. 3-4-5	3			3							ļ					
-5	629325	Elbow, Intake Manifold, Cylinder No. 6	1			1						İ			ŀ		1	`
		ATTACHING PARTS																
-6	20522	Washer, Plain	24	ŀ		24												
-7	MS35338-44	Washer, Lock	24	H		24	-	1										
-8	24835	Screw, 1/4 - 20 x 7/8 Inch Long				24	-											
		* * * *	,			8												-
-9	639660-11	\$ Hose, Intake Manifold	0			8		1						1				
-10	36151L	Clamp, Hose	10			4	1										1	
-11	631972	Clamp, Hose	13			3		1									Ì	
-12	539487	Clamp, Assembly, Hose				1												ļ
-13	632871	Bracket, Balance Tube								1			1					
-14	634209	Clamp, Balance Tube-to-Bracket																`
-15	637632	Tube Assembly, Balance	1															
		ATTACHING PARTS	l			ļ				1				l	İ	1	1	ı

	FIG.	PART	T			•				1 2.		-				Q	UA	NT			PEI			EN	181	_Y	
	INDEX	NUMBER		12345		DI	ESCR	RIPTI	ION					В	С	D	E	G	Н	J	K	L	М	N	Р	R	
/	L													1													
	27 -16	MS35338-45		Washer, Loc												İ	2										
	-17	537961		Screw, 5/16	- 18	хп	Inch	Long	g					2			2									•	
	10	007004		Riser Assem		امغما	M.	. m : f a	* * .i.d	* *			.54				1										
	-18 -19	637634 632809		Tube Assem													1										
	-20	632810		Tube Assem													'						}				
	-20 -20	633704		Tube Assem													1										
	-21	633958-5		. Seal, Comp			Joide							1	1		1										
	-22	641888-4		Junction Bo			oly .							1			1		1	}			1	[]		}	
	-22	641888-1		Junction Bo													1										
	-23	633283		Tube Assem	bly,	Junc	tion l	Box-	to-F/	Έ.				1			1		1								
_	-24	633958-3		. Seal, Comp	pressi	ion								1]1										
	-25	630965		Sleeve Assen	nbly,	, Inje	ector	Nozz	zle .					6			6		i								
	-26	633958-3		. Seal, Com	•												1										
	-26 -27	640612	\$	Washer, Rub													6				İ						
	-28	628556		Washer, Plair	n									6			6						1			i	
	-29	630817	\$	Convoluted										Ι.			1			İ		İ		ł			
	-30	630881		Sleeve										- 1			2										
	-31	AN737W98		Clamp											}		2										
	-32	632855-1A2		Air Throttle	and	Cont	troi A		-					11			1										
									ee Fig	_										i							
	-33	632767		Sleeve, Coup	_									1			1		ļ								
	-34	632766		Coupling, Cl										- 1			1										
	-35		_	Turbocharge										7			1										
ر	-36	628555-1	\$	Hose, 1/2 ID				-									1										
	-37	53638875		Clamp, Hose										1			2		1								
	-38	636465		Gasket, Exh													1										
	-39	628572	\$	Gasket, Turk													1										
	-40	640793		Adapter													1										
	-41	632710	Э	Gasket, Turk	50 Q	II Ou								'			'										
									CHI																		
	-42	401507		Washer, Plai										i .			4		İ					İ			
	-43	MS35338-46		Washer, Loc											ŀ	l	4										
	-44	629275		Screw, 3/8 -	16 x	: 1 In	nc L	ong .					• • • • •	4	ŀ		4		ŀ								
							3			* *				1.													
	-45	AN844-8		Elbow, 45 D	egre)	e, 3/	8 NP	TF-to	o-1/2	! Hos	e		• • • • •	1			1										
																			ļ						}		
ر																											
																	'										
														-													
														ı									ļ		•		
																							ł				
_																											
														1											}		
_																											
ı	NOTE ①	See Identificatio	n P	late for applica	able c	lash r	numbe	er. F	or de	tail pa	arts. s	see tu	ırbo-														
•		charger overhaul							_		-, -	,	•							ļ							
														•		•		•	*		•						




FIGURE 28. INDUCTION SYSTEM, TS10-520-C,G,H,M,P,R.

	FIG.	PART					Ql	JAI	NT			PER IO-5		ASSI)	EME	3L	Υ
١,	INDEX	NUMBER		1 2 3 4 5 DESCRIPTION	В	С	D	E	G	_		$\overline{}$	_	М	NF	5	R
لر			ᢩ		ŕ	6	 	-	6	6	Ť		_	6	+	+	6
	28- 1	536413	Ф	Gasket, Intake Manifold		5			5	5				5	- 1	- 1	5
	-2	629138		Tube, Elbow, Intake Manifold, 1-2-3-4 Cyl		1			ł	1				1		1	- 1
	-3	629325		Tube, Elbow, Intake Manifold, Cyl. No. 6		'			1	'	ļ					'	1
				ATTACHING PARTS 🌲													
	-4	20522		Washer, Plain		24	1		24		1	}		24		4:	
1	-5	MS35338-44		Washer, Lock		24	1		24	ı	1			24	- 1		24
	-6	24835		Screw, 1/4 - 20 x 7/8 Inch Long		24			24	24				24	2	4:	24
				* * *		ļ.						1 1				l	
	-7	639660-11	\$	Hose, Intake Manifold		6											
	-7	639660-13	\$	Hose, Intake Manifold				i	6	6				6	- 1	1	6
	-8	639660-12	\$	Hose, Intake Manifold, Rear		4		i	4	4				4		. 1	4
•	-9	36151L		Clamp, Hose		8		ĺ	8	8				8		H	8
	-10	631972		Clamp, Hose		4			4	4	}			4		1	4
	-11	539487		Clamp, Assembly, Hose		4			4	4				4	[١.	4
	-12	633132		Elbow Assy., Intake, 1-3-5 Side, Rear		1			1	1	1			1	- 1	1	1
	-13	633333		Elbow Assy., Intake, 2-4-6 Side, Rear		1			1	1				1		1	1
	-14	635645		Tube Assembly, Balance		1			1	1				1			1
	-14	642491		Tube Assembly, Balance											- 1	1	
	-15	629518-1H		Plug, 1/8 - 27 NPTF		4			4	4				4		٠,	4
	-16	637129		Bracket, Balance Tube		1			1	1				1	- 1	1	1
	-17	637255-4		Clamp, Balance Tube-to-Bracket		1			1	1				1		1	1
				ATTACHING PARTS								1					
	-18	13XX202B		Washer, Lock		2			2	2				2	:	2	2
	-19	530346		Screw, 5/16 - 18 x 7/8 Inch Long		2	1		2	2				2		2	2
	-13	550540		* * * *					-]	
	-20	641888-5		Junction Box Assembly		1			1	1				1		1	1
	-21	401752		Plug, Pipe, 1/8 - 27		1			1	1				1		1	1
	-22	630963		Tube Assy., Air Fuel Nozzle, 1-3-5 Side		1			1	1				1		1	1
	-23	633958-5		. Seal, Compression	1	1			1	1				1	- }	1	1
	-24	630964		Tube Assy., Air Fuel Nozzle, 2-4-6 Side		1			1	1				1		1	1
	-25	633958-5		Seal, Compression		1			1	1				1		1	1
	-26	642004	①	Tube Assy., Fuel Pump-to-Air Manifold		1			1	1				1		1	1
	-27	633958-3	•	Seal, Compression		2			2	2				2		2	2
	-28	630965		Sleeve Assembly, Injector Nozzle		6			6	6	1			6		6	6
	-29	633958-3		. Seal, Compression	1	1			1	1				1		1	1
	-30	640612	Φ	Washer, Rubber	1	6			6	6				6	1,	6	6
			Φ		l	6			6	6				6	1	6	6
	-31	628556		Washer, Plain		rf	1		1	rf						٦	١
	-32	632774-1A2		Throttle Assy., Air (See Fig. 36)		''			''	[''				rf	1.	rf	rf
	-32	632774-1A3		Throttle Assy., Air (See Fig. 36)		2			2	2				2			2
	-33	629353		Bushing, Air Valve Support		2			2	2				1	- 1	2	_
	-34	629354		Sleeve, Air Valve Support		1			1	1				1 1		1	1
	-35	630474		Bracket Assembly, Air Throttle Support		1			1	1				1		1	'
				ATTACHING PARTS													
	-36	537728		Screw, 1/4 - 28 x 1-25/32 Inch Long		1			1	1				1	- 1	1	1
	-37	22661		Nut, Elastic, Stop		1			1	1				1		1	1
				* * *													
	-38	632750		Bracket, Air Throttle Support		1		}	1	1				1	ļ	1	1
				ATTACHING PARTS								1					
	-39	2437		Nut, Plain, Hex, 1/4 - 28		2			2	2	-	1		2		2	2
_	-38	2737		* * * *		-			-	-							-
_	-40	630350		Gasket, Air Throttle Body		1			1	1				1		1	1
	- 4 U	000000		Gustot, All Throttle Dody		1'			Ι'	Ι.				1		.	•




FIGURE 29. INDUCTION SYSTEM, TSIO-520-D

FIG.	PART						Ql	JAI	ΝTΙ		-	PEF O-!			EN	1BL	Υ	
INDEX	NUMBER	12345	DESCRIPTI	ON	В	С	D	Ε	G	Н	J	κ	L	М	N	Р	R	
29- 1	536413	\$ Gasket, Intake	Manifold				6											
-2	629138	Elbow, Intake N	Manifold, Cyl. 1	2-3-4-5		1	5										•	ŀ
-3	629325	Elbow, Intake N	Manifold, Cylind	ler No. 6	l		1											ľ
			ATTA	CHING PARTS														
-4	20522	Washer, Plain					24											-
-5	MS35338-44						24											
-6	24835	Screw, 1/4 - 20	x 7/8 Inch Lon	g			24										ł	
				* * * *						į								1
-7	639660-11	\$ Hose, Intake Ma	anifold		İ	!	8										ł	İ
-8	36151L	Clamp, Hose			1	Ì	8					Ì					Ì	Ì
-9	539487	Clamp Assembl	y, Hose			ļ	4					1						
-10	633291	Bracket, Balanc	e Tube				1											
-11	632444-2	Clamp, Balance	Tube Bracket .				1											
-12	626527	Tube Assembly	, Balance				1							-				
			ATTA	CHING PARTS														

FIG.	PART					C	2U/	Αľ	N I				: K)-52		SSE	EM	BL	Υ	
INDEX	NUMBER		1 2 3 4 5 DESCRIPTION	В	С	C) E		G	_	_	_	<u> </u>		VI I	N	Р	R	Ļ
29 -13	22535		Washer, Plain				2	ŀ					ļ						
-14	13XX202B		Washer, Lock			2	- 1	4									1		
-15	539003		Screw, 5/16 - 18 x 1-3/8 Inch Long			2	2				ĺ		-						l
			* * * *											-					
-16	633207		Riser Assembly, Intake Manifold			1	ı												l
-17	401843	t	. Stud, 1/4 x 1-9/16 Inch Long	l		1	1	1											
-18	629518-1H		Plug, 1/8 - 27 NPTF	ļ		1	ı												
-19	634488		Bracket Assembly, Manifold Riser Support			1	ı												
			ATTACHING PARTS														Ì		
-20	631836		Bushing, Support Bracket		ĺ	l.	1								[ĺ
-21	631837		Sleeve, Support Bracket	ļ		2	2						1						1
-22	538100		Washer, Plain			4	1												
-23	25164		Washer, Special			1	1												
-24	2437		Nut, Plain, Hex			1	1												
			* * *																
-25	633397		Tube Assembly, Air Manifold		İ	- 1	2							1	1				
-26	633719		Tube Assembly, Air			1	1												ĺ
-27	633958-5		. Seal, Compression				2												
-28	633720-1		Tee, Fitting			- i	1	1	1				İ						
-29	633718		Tube Assembly, Air Manifold			- 1	1												
-30	633958-5		. Seal, Compression			1	2									İ			
-31	633721		Coupling	1		1	1										1		
-32	633787		Bracket			1	1												
-33	MS35489-11S		Grommet			ı	1								İ				
-34	630965		Sleeve Assembly, Injector Nozzle			1	3						-						
-35	633958-3		. Seal, Compression				1												ŀ
-36	640612	\$	Washer, Rubber			- i	3						ł	ŀ					
-37	628556		Washer, Plain		1	- 1	3	į						l		1			
-38	640564-1A1		Throttle and Control Assembly (See Figure 37)			R	F												
-39	633281	¢	Hose			-	1						Ì						ŀ
-40	629163-1	Ψ	Clamp Assembly				1							ı	1	1			
-41	628555-1	\$	Hose			1.	1						1	-	1				
-42	53638875	Ψ.	Clamp, Hose			12	2												
-43	633282		Elbow				1				İ				j				
-44	639660-6	¢	Hose			1	1												
-45	629163	Ψ	Clamp Assembly				1												ŀ
-46		1	Turbocharger				1												
-40 -47	632767	U	Sleeve, Coupling				1												
-47	632766		Coupling, Channel Band			- 1	1								ĺ	Í			
-49	636465		Gasket, Exhaust Inlet				1												
-50	628572	\$	Gasket, Turbo Oil Inlet				1												
-50 -51	632710		Gasket, Turbo Oil Outlet				1												
-52	640793		Adapter, Turbo Oil Inlet				1												
J _			ATTACHING PARTS																
-53	401507		Washer, Plain				1												
-54	MS35338-44		Washer, Lock		}		1									ì			
-55	629275		Screw, 3/8 - 16 x 1 Inch Long			ļ	1												
				1		1	- 1		1			- [- 1				

NOTE ① See Identification Plate for applicable dash number. For detail parts, see turbocharger overhaul manual and parts catalog, Form X-30055.




FIGURE 30. INDUCTION SYSTEM, TSIO-520-J,N.

ŀ	FIG.	PART						lU/	AN'	TIT		PER 10-5	AS:	SEM	BL'	Y	
•	NDEX	NUMBER		1 2 3 4 5 DESCRIPTION	В	С	C	E	: 0	3 1	4 J	K	L M	N	Р	R	
_	30- 1	536413	\$	Gasket, Intake Manifold	Г	T	T	T		7	6		\top	6		T	
	-2	629138	Ψ	Elbow, Intake Manifold, Cyl. 1-2-3-4-5						İ	5	1 1		5			
											1	1 i		1 1			
	-3	629325		Elbow, Intake Manifold, Cylinder No. 6							'			1		1	
				ATTACHING PARTS 🌋									1				
	-4	20522		Washer, Plain							24			24	ł		
	-5	MS35338-44		Washer, Lock							24	 		24	- }		
	-6	24835		Screw, 1/4 – 20 x 7/8 Inch Long					1		24	<u>ا</u>		24			
				* * * *						ŀ					1		
	-7	639660-11	\$	Hose Intake Manifold			1		1	Ì	6	1 1	}	6	1	Ì	
	-8	36151L		Clamp, Hose					ì		8	1		8			
	-9	631972		Clamp, Hose							4	1		4			
_	-10	539487		Clamp Assembly, Hose							2			2			
_	-11	632871		Bracket, Balance Tube						İ	1	1 (1			
	-12	634209		Clamp, Balance Tube-to-Bracket							1			11	- [- [
	-13	637632		Tube Assembly, Balance							1					1	
	-13	642523		Tube Assembly, Balance				1		ľ				1			
	.0	3.2320					-								1		
				ATTACHING PARTS			!										
	-14	MS35338-45		Washer, Lock			1		ĺ		2			2			
	-15	537961		Screw, 15/16 - 18 x 1 Inch Long							2			2			
				* * *											l		
	-16	636355		Box Assembly, Junction		ı					1			1			
	-17	636353		Tube Assembly, 1-3-5 Side							1			1			
	-18	636380		Tube Assembly, 2-4-6 Side							1			1		١	
	-19	628555-4		Hose, Tube-to-Junction Box							2			2			
	-20	53638862		Clamp							4			4			
	-21	53638875		Clamp							2			2			
	-22	628555-5		Hose, Junction Box-to-Fuel Pump							1			1			
	-23	630965		Sleeve Assembly, Injector Nozzle							6	1		6	ı	ļ	
				Seal, Compression		}					1			1			
	-24	633958-3	¢	·							6			1 1		İ	
	·25	640612	Ф	Washer, Rubber				-						6	- }		
	-26	628556		Washer, Plain							6			6			
	-27	636143A3		Air Throttle and Control Assembly					1		rf				- }		
				(See Figure 38)													
	-27	636143A2		Air Throttle and Control Assembly					1					rf		İ	
				(See Figure 38)											-		
	-28	628555-3		Hose, Junction Box-to-Throttle Body							1			1	1		
	-29	53638875		Clamp, Hose		İ					2			2		١	
_	-30	635630		Turbocharger							1	1		1		1	
	-31	636465		Gasket, Exhaust Inlet							1			1			
	-32	628572	\$	Gasket, Turbo Oil Inlet							1			1			
	-33	640793		Adapter, Turbo Oil Inlet							1			1			
	-34	637244	\$	Gasket, Turbo Oil Outlet							1			1			
				ATTACHING PARTS													
	-35	24767		Washer, Plain							4			4			
	-36	MS35338-44		Washer, Lock							4			4			
	-36 -37	629275		Screw, 3/8 - 16 x 1 Inch Long							4			4			
	-3/	028273		* * * *							•		-			-	
	20	625021									1			1			
	-38	635921		Intercooler Assembly		}					1			1 1			
	-39	635930		Elbow, Flexible		1					2			2			
	-40	MS9021-150					- 1		1	- 1	1			1			




FIGURE 31. INDUCTION SYSTEM, TSIO-520-K

	FIG.	PART		•			Q	UA	AN 7	ΓI1			ER 0-5			ΕM	BL	Y	
'	NDEX	NUMBER		1 2 3 4 5 DESCRIPTION	В	С	D	E	G	ŀ	ı J	1	ΚĮ		М	N	Р	R	
	31- 1	536413	\$	Gasket, Intake Manifold									6					ŀ	
	-2	630055		Tube Assy., Intake Manifold, Cyl. No. 1						ł	ĺ		1	-	1				
	-3	630060		Tube Assy., Intake Manifold, Cyl No. 2									1						
	-4	629138		Elbow, Intake Manifold, Cyl. 3-4-5	ı								3					ı	
	-5	629325		Elbow, Intake Manifold, Cyl. No. 6									1		- }				
	,			ATTACHING PARTS		İ													
	-6	20522		Washer, Plain									24						
	-7	MS35338-44		Washer, Lock					1	İ		- 1	24	İ	ŀ			ļ	
	-8	24835		Screw, 1/4 - 20 x 7/8 Inch Long				Ì					24	1	Ì	Ì	Ì		
	J	21000		* * *															
	-9	639660-11	\$	Hose, Intake Manifold									6						
	-10	36151L		Clamp, Hose					}				8			ļ			
	-11	539487		Clamp Assembly, Hose				ł	1				2	Ì			İ		
	-12	632871		Bracket, Balance Tube					ł				1						
	-13	634209		Clamp. Balance Tube-To-Bracket		1							1						11
	-14	637632		Tube Assembly, Balance									1						
				ATTACHING PARTS															
	-15	MS35338-45		Washer, Lock									2		1				
	-16	537961		Screw, 5/I6-18 x 1 Inch Long				İ					2		i				
				* * *					1						i				} }
	-17	636355		Box Assembly, Junction							1		1	i				ı	
	-18	636353		Tube Assembly 1-3-5 Side						İ			1			i	İ		
	-19	636380		Tube Assembly, 2-4-6 Side									1						
	-20	628555-4		Hose, Tube AssyTo-Junction Box							1		2						
	-21	53638862		Clamp					ĺ				4						
	-22	628555-5		Hose, Junction Box-To-Fuel Pump									1						
	-23	53638875		Clamp									2						
	-24	630965		Sleeve Assembly, Injector Nozzle	ļ			Ì					6						
	-25	633958-3		. Seal, Compression					1		ŀ	1	1						
	-26	640612	\$	Washer, Rubber			İ		ļ			İ	6						
	-27	628556		Washer, Plain					-		ļ		6						
	-28	637735A3		Air Throttle & Cont. Assy. (See Figure 39)						ŀ			RF		1				
	-29	637356		Riser, Air Manifold	l					1	Ì		1						
	-30	629518-1H		Plug, 1/8 - 27 NPTF	Ì				1		ŀ		1	- [
	-31	639660-11	\$	Hose, Intake Tube-To-Riser						1		1	2		1				- 1
	-32	631486		Clamp Assembly								- [2						
	-33	637357		Elbow, Air Intake									1						
	-34	636062		Plug									1					}	
	-35	630817-1		Convoluted Bellows									1						
	-36	AN737TW114		Clamp			ŀ						2						
	-37	628555-3		Hose, Junction Box-To-Throttle Body						1		İ	1		İ				
	-38	53638875		Clamp	1								2						
	-39	635630		Turbocharger									1						
	-40	636465		Gasket, Exhaust Inlet		1							1						
	-41		\$	Gasket, Turbo Oil Inlet									1						
	-42	640793	_	Adapter, Turbo Oil Inlet									1						
	· 4 3	6372 44	Ф	Gasket, Turbo Oil Outlet	1								1						
				ATTACHING PARTS															
	-44	24767		Washer, Plain									4						
—	-45 46	MS35338-44		Washer, Lock									4						
	-46	629275		Screw, 3/8 - 16 x 1 Inch Long									7						




FIGURE 32. INDUCTION SYSTEM, TSIO-520-L

FIG.	PART				C	QU,	AN 7	TIT	-		R)-5		SSE	M	BL'	Y	
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	E	3 () [E	G	ì	IJ	1	ΚĮ	L I	ИΙ	N	PΙ	₹	
32- 1	536413	\$ Gasket, Intake Manifold	.								1	6					
-2	629138	Elbow, Intake Manifold, Cyl. 2-4-5	.				1				j.	3					`
-3	629325	Elbow, Intake Manifold, Cyl. 1, 6	. [2					ŀ
-4	641204	Elbow, Intake Manifold, Cyl. 3	. [1					
		ATTACHING PARTS									ŀ						
-5	20522	Washer, Plain			}				1		2	24		ı	1		
-6	MS35338-44	Washer, Lock		ŀ	ł						2	24		1	1		
-7	24835	Screw, 1/4 - 20 x 7/8 Inch Long	.		1						2	24					
		* * *	- [[ļ					[
-8	639660-13	Hose	.		-		}				1	1	-	1	-		
-9	36151L	Clamp										8		ŀ		-	
-10	631486	Clamp										5			- }		1.
-11	642324	Bracket, Induction Tube Support										1		-	1		~
-12	631972	Clamp, Induction Tube Bracket										2			ł		
-13	632871	Bracket, Balance Tube	.									1	1				

						QI	UA	NT				R /		EN	ИВL	Υ.		
	FIG.	PART		0		<u></u>	E	G			_	_	_	N	Р	R	\neg	1
	INDEX	NUMBER	12345 DESCRIPTION	B	٢	10	-	9	П	۲,	+	╄	100	-	۲	'		\dashv
$\overline{}$	32 -14	634209	Clamp, Balance Tube Bracket									1					ļ	
	-15	640795	Balance Tube Assembly									1						
																		-
			ATTACHING PARTS					•				2						-
	-16	2473	Washer, Plain								1	2						
	-17	13XX202B	Washer, Lock		Ì							2					Į	- [
	-18	501868	Washer, Tab									4	ĺ					- -
	-19	537961	Screw, 5/16 - 18 x 1 inch long									'					Ì	
	20	640642	Riser, Intake Manifold									1		Ì			}	
	-20	640761	Elbow, Intake Manifold, 1-3-5 Side									1					İ	1
	-21 -22	640764	Elbow, Intake Manifold, 2-4-6 Side									1						-
\smile	-22 -23	640657	Tube, Induction						İ	ı		1			Ì			-
	-23 -24	633397	Tube Assembly, Air Manifold									2	}		İ			ł
	-2 4 -25	630965	Sleeve Assembly									6						-
	-25 -26	633958-3	Seal, Compression	1								1						
	-27		Washer, Rubber									6						
	-28	628556	Washer, Metal									6						
	-29	640765	Tube Assembly, Air Manifold					1				1						
	-30	633958-5	. Seal, Compression									2						
	-31	633719	Tube, Assy., Air Manifold-To-Tee									1						
	-32	633958-5	. Seal, Compression	l			1					2				ŀ		
	-33	633720-1	Tee, Fitting				ļ					1						
	-34	633721	Coupling, Barbed	1			ı	1				1						
	-35	MS35489-11S	Grommet, Split									1						
	-36	633787	Bracket, Air Manifold Tube Support	l			1					- 1 "			Ì	İ		
	-37	628555-13	Hose, Air Throttle-To-Air Manifold									1 2	- 1					.
	-38	53638875	Clamp, Hose		1							1	- 1					
	-39	640701	Intercooler									2	- 1					
	-40	629518-1H	Plug				Ì	ŀ										
								1	ı				}					
																-		}
															1			
																		1
															Ì			
										1				ļ				Ì
																-		
							İ									1		
							-				ŀ				Ì	i		
							-	ļ	Ì	Ì						1		
												}		}				!
								ļ						-				
	,																	
-																		
					ļ	İ	Í	İ	1			ļ	ļ	١	-		1	




FIGURE 33. EXHAUST SYSTEM, TSIO-520-L

FIG.	PART				Q	UA	NT				R <i>A</i>		EN	1BL	.Y		
INDEX	NUMBER	12345 DESCRIPTION	В	С	D	Ε	G	Н	J	K	L	М	N	Р	R		l
33-	642082	Exhaust System	Τ			Γ					1						1
-1	640707	. Elbow, Cylinder No. 6									1						
-2	640677	Elbow, Cylinder No. 4	- 1				İ		İ		1		il				ł
-3	640706	. Elbow, Cylinder No. 2	•						İ		1						l
-4	640705	. Elbow, Cylinder No. 5									1						İ
-5	640704	. Elbow, Cylinder No. 1 & 3									2						
-6	642067) . Elbow, 2-4-6 Side				-					1					-	
-7	642066	Exhaust Flange				ł					1					-	
-8	640710	. Elbow, 1-3-5 Side	1								1					- }	1
-9	640711	. Connector	1								1						ļ
-10	640712	. Turbo Adapter							Ì		1						
-11	641284	. Coupling									2						
-12	640877	Gasket, Turbo				1		ļ			RF						l
-13	640327-1	Turbocharger									"						1
		ATTACHING PARTS					,	İ									١
-14	NAS1587-6	Washer, Plain									8						1
-15	639332	Nut, Lock									4						l
-16	NAS1006-10A	Bolt									4				, 1		
NOT	1) This elbow h	nas replaced both the 640708 elbow, and the 640709 be, which are no longer available.															
				-													
																	1
			1			ļ											-
						ŀ											1
																	l
									ŀ								
																	-
																	1
											Ì						ĺ
		•															
			1														




FIGURE 34. INDUCTION/EXHAUST RELATED PARTS, TSIO-520-L

FIG.	PART				Q	UΑ	N7	TIT	TS		ER)-52		SSI	EM	BL	Υ	
NDEX	NUMBER	12345 DESCRIPTION	R	C	n	F	G	T.	i J	$\overline{}$	\neg	_	и	N	Р	R	Γ
			1-	۳	۲	┝	+	+	+	+	+	+	+	-	•	•••	۲
34- 1	640327-1	Turbocharger									1	1					ĺ
-2	635381-2	. Wastegate Valve	1			1					1	1		İ	- 1		i
		ATTACHING PARTS	l						İ			-					ĺ
-3	477290) . Clamp, Plate					ĺ				12			- 1	İ		
-4) . Lock, Plate			1		ŀ					- 1	1				
-5) . Bolt, 5/16 - 18 x 1/2 Inch Long									2	- 1	١				
Ŭ	.000.00	* * *							ĺ	İ	ļ						
-6	AN924-4	Nut, Wastegate Oil Inlet										ı					
-7	MS28778-4	O-Ring			İ						1		-				į
-8	AN921-4	Elbow	ì						Ì	}	- 1			- 1			
			}	ļ	ļ							!			İ		į
-9		O Hose Assembly, Oil Cooler-To-Wastegate					1					!			-		į
-10	AN815-6	Fitting, Straight, Wastegate Oil Outlet	İ												-		į
-11	MS28778-6	O-Ring	ļ		ļ						1	1					
-12		OHose Assy., Wastegate-To-Controller	1								1		}				
-13	628572	Gasket]								1		-		1		
-14	640793	Adapter, Turbo Oil Inlet	ŀ								1						
		ATTACHING PARTS				-					-						
-15	401507	Washer, Plain									2	,					
-16	MS35338-46	Washer, Lock	1								- 1	- 1					
											2	- 1					
-17	629275	Screw				ĺ					2	<u>'</u>			- 1		
		* * *				İ											
-18	AN911-2	Nipple			İ				1		1		-	- 1	j		
-19	AN910-2	Coupling									1			-	-	ı	
-20	632616	Elbow									1		-				
-21	641100S6S10.0	0 Hose Assy, Turbo Inlet-To-Check Valve						ŀ			1		1			j	
-22	641218	Check Valve									1				- 1		
-23	641100S6S6.00								1		1		İ		i		
-24	637459	Elbow, Controller						ļ			2	,					
-25		5Hose Assy., Controller-To-Engine									1				ı		
-26	MS20823-6B	Elbow, 45 Degree					İ	}			1		1		ı	- }	
-27	AN912-2	Reducer, Bushing									1			İ	ŀ		
-28	640095	Gasket, Sonic Venturi					ł	1			1	þ					
												ł			- 1		
-29	640094-4	Sonic Venturi				İ			ĺ	ł	'						
		ATTACHING PARTS															
-30	AN960-10L	Washer, Plain									3						
-31	MS35338-43	Washer, Lock									3						
-32	2436	Nut, Plain, Hex									3	- 1					
		* * *												1			
-33	640641	Induction Tube									1						
-34	628672	Sleeve							1		1						
-34 -35	628670	i i									2	- 1					
		Coupling									2	- 1		-			
-36	640971A2	Throttle & Control Assy., (see Fig. 41)									1						
TE ①	AiResearch part nu	mbers.															
		l													-	- [
				Ì					1								
		}		1													
																-	
													+				
			İ	٠ ا			1		1							ĺ	




FIGURE 35. FUEL INJECTION SYSTEM, TSIO-520-B,E

FIG.	PART		-				•			(QUA	NT		/ PI ΓS10				EM	IBL	Υ.		
INDEX	NUMBER		12345		DESCRIPT	ION		В	C		D E	G	Н	J	κ	L	М	N	Р	R	\perp	_
35- 1	630763	\$	Gasket, Fuel	l Pump)			1		İ	1				- 1							-
-2	631263		Coupling, Cr	ranksha	aft Gear-To	-F/P		1			1	1										
	634794A2		Fuel Injection	on Assy	y., Complet	e] 1	ı						-							
	634798A2		Fuel Injection	on Assy	y., Complet	e					1					ĺ						
	632818-1A1	0	. Fuel Pump	p Assen	mbly			1													1	Į
	632818-2A1	Ō	. Fuel Pump	o Assen	mbly						1											ı
	632855-1A2		. Throttle ar	nd Con	ntrol Assem	bly		1			1						į					`~
-3	632853A1		Throttle	Assem	nbly, Air			1			1				1							
-4	630455		Bushin	ng				2	2		2					1					- [
-5	625238		Collar					1	1		1					1				}		
-6	626813		Pin					2	2		2	1										
-7	625327-1		Washer	r, Wave				1			1											-
-8	625457		Washer	r, Plain	١			2	2		2)_
-9	630124		Shaft,	Thrott	tle			. , 1	-		1											
-10	625601		Plate, `	īhrottl	le			1			1				- 1							

			QU	JAI	V I						EN	ıĸı	LY		
		_		_				_	-	_	B.	<u> </u>	Б	П	٦
ON	В	C	D	Ė	G	Н	J	K	<u>L</u>	IVI	IN	P	R	┼┼	-
CHING PARTS															
	2			2											
* * *															-
	1	e.		1											- [
		ř									ı	1			
				٠. I										1	
	١. ١								1		ł		}	! !	-
e Figure 47)	1			1 !											
CHING PARTS			}											} }	-
	1					l		1							ı
g	3			3								l			
* * *															
				1											
														1 1	- 1
				1	ŀ								1		
				1										1	- 1
	ı							İ				İ			
	ı														
															ļ
				1]
	1		ļ	1						1					İ
	1			ł	,			ŀ				ŀ		} }	- 1
	'			1	Ì				1						Ì
								ł							١
				1											-
				1									İ	1 1	
	3			3		ŀ									ı
* * *	_	1												1 1	ļ
	2			2											1
nbly-				1											1
nlet	12	ŀ		12											ĺ
p. (See Figure 47)	1'		1	1	1										
p. (See Figure 47)	- On			1	1		ļ		1						- 1
	12	Ì	1	1		-	1				ĺ				ĺ
				١.								ì			
ion	6	l		6											
vl 1 & 6	2	1									1				
vi 186				2											
vl. 2 & 5	2														
yl., 2 & 5				2	2					İ					
yl., 3 & 4	2	2													
yl., 3 & 4				2	2							ł		}	
	6	3		6	3										
Manual and Parts Catalog,															
1.00 inch).															
	# * * * Thing Parts Thing Par	# * * * * * * * * * * * * * * * * * * *	CHING PARTS . * * *	CHING PARTS * * * * 1	CHING PARTS	CHING PARTS	DN B C D E G H CHING PARTS 2	DN B C D E G H J CHING PARTS 2 2 2 * * * * 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 CHING PARTS 3 3 3 3 * * * * 1 1 1 1 CHING PARTS 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	DN B C D E G H J K CHING PARTS	DN B C D E G H J K L CHING PARTS	CHING PARTS 2 2 2	DN B C D E G H J K L M N CHING PARTS 2	DN B C D E G H J K L M N P CHING PARTS 2	DN B C D E G H J K L M N P R CHING PARTS 2	DN B C D E G H J K L M N P R CHING PARTS 2




FIGURE 36. FUEL INJECTION SYSTEM, TSIO-520-C,G,H,M,P,R.

FIG.	PART																	Q	UA	NΤ			PEF			EN	/IBL	.Y			
INDEX	NUMBER		1:	2 3 4	4 5			DE	ESCF	RIP	тю	N				В	С	C	E	G	Н	J	K	L	М	N	Р	R			1
36 -1	631684 ①	D (Ge	ar L		—— mbly		uel	Pum	n .							1			1	1				1		1	1			
-2	001001	_ `															1			1	1				1		1	1			
-3	631685 ① \$															 	1	Ì	Ì	1	1				1	1	1	1			1
-3	635456A3	-															1														i
	637750A3																			1											
	637749A4															 - 1					1			ļ							
	637749A2				-											 									1		1	1			
																	1			1	1						Ì		ì	}	'
																									1		1	1		İ	\sim
•	637774-1A2																1			1	1		1					ŀ			
	637774-2A2																		İ						1	•	1	1			
-4	632840A1																1			1	1		1		1		1	1			1
-5	630455																2			2	2				2		2	2			
-6																	2			2	2				2		2	2			,
-7	631819																1			1	1				1	İ	1	1			_
-8	625601																1			1	1				1		1	1			
									,	ΑТ	TAC	HIN.	IG 1	PAR	TS			ŀ	ŀ												1
-9	539942				Scre	۸۸/										 .	2	}	1	2	2				2		2	2			Ì
-9	555542		•		00.0							* * :				ŀ		ŀ													
-10	625457-1			'	Was	her.	Pla	in .									1			1	1	1			1		1	1			
-11	629329																1			1	1				1		1	1			
-12	626813																2			2	2				2		2	2			
-13	625457															 	a	r¦		a	ra	r			a	r	ar	a	r		

FIG.	PART				QI	JAI	NT			PER 10-5		SSE	МВІ	Υ	
INDEX	NUMBER	12345 DESCRIPTION	В	С	D	E	G	Н	J	ΚI	LN	M N	P	R	
36-14	625327-1	Washer, Wave	Г	1		Γ	1	-				1	1	1	
-15	631818	Lever, Throttle Control		1	İ	Ì	1	1			i	1	1	1	
	626634	Spring	l	1			1	1				1	1	1	,
-16		Screw, Idel Adjusting	ļ	1			1	1	ļ	1 1	ı	1	1	1	
-17	639479	2) Control Assy., Complete (See Figure 46)		1			1	1					'		
-18		2) Control Assy., Complete (See Figure 46)		•			'	ľ				1	1	1	
-18	029703-0A2 (-													
10	F04007	ATTACHING PARTS Washer, Tab		3			3	3				3	3	3	
-19	501867	Screw, Special	ļ	3	ļ	ļ	3	3]		- 1	3	3	1 '	
-20	630387	Screw, Special									- [ľ	
	00000444	Link Rod Assembly		1			1	1			ŀ	1	1	1	
	629364A1			1			1	1			l.	1	1	1	
· -21	629364	Rod and Link Assembly	1	1			1	2	1		- 1	2	2	2	
-22	AN121501	Nut	l	2			2	2	-	1		2	2	2	
-23	626634	Spring, Compression	l	1			2	ı	-		- 1		1	1	
-24	629330	Rod End, Special		1			1	1			- 1	1		1	
-25	MS21044N3	Nut, Elastic Stop		1			1	1				1	1	1	
-26	629327-2	Washer, Wave		2			2	2				2	2	2	
-27	537690	Washer, Plain	1	2			2	2				2	2	2	
-28	2500	Pin, Cotter		2			2	2			- 1	2	2	2	
-29	629338	. Shroud, Assembly, Control		1			1	1	ŀ			1	1	1	
		ATTACHING PARTS													
-30	20522	. Washer, Plain		3		,	3	3				3		3	
-31	MS35338-44	. Washer, Lock	ŀ	3			3	3	-		ļ	3	3		
-32	2437	. Nut, Plain Hex		3			3	3			1	3	3	3	
¢.		* * * *		ŀ							1	ŀ			
-33	631351A10 (2) . Valve Assembly, Fuel Manifold Comp		1							1				
-33		2 . Valve Assembly, Fuel Manifold, Comp		•			1		1						
-33		2 Valve Assembly, Fuel Manifold, Comp						1			- [
-33		2 . Valve Assembly, Fuel Manifold, Comp										1	1	1	
		For Details See Fig.47/48	ļ												
-34	641701	. Bracket, Fuel Discharge Tube, 1-3-5 Side		1			1	1				1	1		
-35	628295	. Bracket, Fuel Discharge Tube, 2-4-6 Side		1		1	1	1				1	1	1	
-36	635158-10.00	. Hose Assy., Control-to-F/P Return		1		1	1	1				1	1	1	
-37	635158-18.00	. Hose Assy., Control-to-F/P Outlet		1			1	1							
-37	635158-12.00	. Hose Assy., Control-to-F/P Outlet	ĺ									1	1	1	
-38	635158-32.00	. Hose Assy., Control-to-Manifold Valve		1			1	1				1	1	1	
-39		3. Nozzle Assy., Fuel Injection		6		1	6	6		1					
-39		3. Nozzle Assy., Fuel Injection										6	6	6	
-40	628154	. Tube Assy., Fuel Discharge Cyl. 1 & 6		2			2			1 1					
	628154-1	. Tube Assy., Fuel Discharge Cyl. 1 & 6						2	-				ł		
	636037-1	. Tube Assy., Fuel Discharge Cyl. 1 & 6						ŀ	İ			2	2	2	
	628153	. Tube Assy., Fuel Discharge Cyl. 2 & 5		2			2	ŀ		1 1					
	628153-1	. Tube Assy., Fuel Discharge Cyl. 2 & 5						2		1 1					
	636036-1	. Tube Assy., Fuel Discharge Cyl. 2 & 5	ĺ						1			2	2	2	
	628152	. Tube Assy., Fuel Discharge Cyt. 3 & 4	ì	2			2								
	628152-1	. Tube Assy., Fuel Discharge Cyl. 3 & 4	i					2							
	636035-1	. Tube Assy., Fuel Discharge Cyl. 3 & 4		}								2	2	2	
-41	626577-2	. Clamp, Fuel Discharge Tube		6			6	6				$\bar{\epsilon}$		6	
NOTE:		uel pump and its associated parts. See Figure 44.													
,															
2	For detail parts, so Form X-30091.	ee Fuel Injection Systems Overhaul Manual and Parts Catalog,													
3	Order nozzle size	e identified on hex of nozzle bady.	I			1					1			1	




FIGURE 37. FUEL INJECTION SYSTEM, TSIO-520-D

	FIG.	PART				Ql	JA	NT			PER 10-5			EM	BL	Y	
1	NDEX	NUMBER	12345 DESCRIPTION	В	С	D	E	G	Н	J	κ	L	М	N	P	R	T
٠	, 						_						П		1		
	37- 1 -2	630763 S	Gasket, Fuel Pump	}		1											
	-2	635968A4	Fuel Injection Assembly, Complete			1											
			D . Fuel Pump Assy. (See Fig. 44)			1										- {	
	-3		D. Throttle and Control Assembly			1											
	-4	633444	. Rod and Link Assembly			1]]						
_	-5	626634	Spring, Compression			1											,
	-6	632557	Rod End, Special			1									Ì	-	i
	-7	MS21044N3	Nut, Self-Locking	1		1								.	}		
	-8	625327-2	Washer, Wave	ŀ		2								ŀ			İ
	-9	537690	Washer, Plain	ŀ		2											
ر	-10	2500	Pin Cotter			2											
		632555-7	Lever Assembly, Throttle	ļ		1	ļ									ļ	
	-11	632554-1	Bushing			1											
	-13	626813	Pin, Tubular	Ì		2	İ										
	-14	632555-12	Lever Assembly, Throttle Control			1											
	-15	632554-1	Bushing			1									Ì		
	-16	MS21044N5	Nut, Self-Locking			1		}									
	-17	639495	Tee, Fuel Inlet	ŀ		1											
	-18	628438	Fitting, Fuel Outlet			1									Ì		
	-19	AN932-2	Plug, Pipe, 1/8 - 27 NPTF			1										ı	
	-20	AN842-8D	Elbow, 90 Degree, 1/8 NPTF to 1/2 Hose	-		1											
	-21	633790	. Fitting, 90 Degree, Coupling			1											
	-22		2). Valve Assy., Fuel Manifold Complete (See Figure 40).	ļ		!											
	-22	_	Valve Assembly, Fuel Manifold			Opt		}									
	-23	631246	Bracket, Fuel Discharge Tube, 1-3-5 Side			1											
	-24	626486	Bracket, Fuel Discharge Tube, 2-4-6 Side			1											
	-25 -26	635158-14.00 635158-22.00	. Hose Assy., Control Assyto-Fuel Fump			1											
	-26 -27	628555-2	Hose, Fuel Pump-to-Throttle Body			1										١	
	-27	53638850	. Clamp			2	ļ										
	-29		1) Nozzle Assembly, Fuel Injection			6			1			ļ				İ	
	-30	636037	. Tube Assy., Fuel Discharge Cyl. 1 & 6			2		Ì							Ì	- }	
		636036	Tube Assy., Fuel Discharge Cyl. 2 & 5			2	•									ŀ	
		636035	. Tube Assy., Fuel Discharge Cyl. 3 & 4			2				1							
	-31	626577-2	. Clamp			6											
	-		· · · · · · · · · · · · · · · · · · ·														
																-	
							1										
			ļ														
ر ر									-								
	NOTE @	For detail parts	see Fuel Injection Systems Overhaul Manual and Parts Catalog,				-										
	NOTE ①	Form X-30091.	see i dei mjection dystems Overhau manual and i arts datalog,														
	2	Use with new	style crankcase (backbone width 1.00 inch).														
	©		- ,														
	3	Use with old	style crankcase (backbone width .76 inch).														
_																	
	4	Order nozzle siz	e identified on hex of nozzle body.														
			I			1	ł	I	ı	Ī	i	I	1	1		ı	ı




FIGURE 38. FUEL INJECTION SYSTEM, TSIO-520-J,N.

FIG.	PART				Q	UA	NT	TITY.		PEF			EΛ	/IBI	LY		
INDEX	NUMBER	12345 DESCRIPTION	В	С	D	E	G	Н	J	κ	L	М	N	Р	R		
38- 1	630763	\$ Gasket, Fuel Pump							1				1				П
-2	631263	Coupling, Crankshaft Gear-to-F/P	l	İ					1				1			Ì	
	636134A5	Fuel Injection Assy., Complete						Ì	1				ĺ			İ	
	636134A4	Fuel Injection Assy., Complete			ĺ							ĺ	1			ĺ	
	632818-2A2	① . Fuel Pump Assembly			Ì				1				1				
	636143A3	. Throttle and Control Assembly	ļ						1								
	636143A2	. Throttle and Control Assembly											1				ı
-3	635915A2	Throttle Assembly	l						1				1			- 1	
-4	630455	Bushing			-				3			i	3			ł	7
-5	MS122160	Insert, Helical Coil		l					12		Ì		12				ŀ
-6	635950	Shaft, Throttle			}				1				1				-
-7	632931	Plate, Throttle							1				1				1
		ATTACHING PARTS															
-8	539942	Screw							2				2				
		* * *	1														1
-9	626634	Spring							1				1				
-10	636805	Screw, Idle Adjusting	}			}	}		1				1				- }
-11	639497	Lever, Throttle, Idle Control	Ì			Ì	ľ		1				1			-	
-12	AN565E8H8	Set Screw					1		1				1			Ì	
-13	632555-15	Lever Assembly							1				1				
-14	632554-2	Bushing							1				1				T
-15	632555-14	Lever Assembly			ļ				1				1				
-16	632554-2	Bushing							1	ļ	-		1				

FIG.	PART				QI	UA	NT			ER 0-5	ASS 20	EM	IBL	Υ.	
NDEX	NUMBER	1 2 3 4 5 DESCRIPTION	B	c	ם	F	G		_		L M	N	Р	R	
38 - 17	626813	Pin, Lever-to-Shaft	+	۲	-	厂	+		3			3		_	
-18	625457	Washer, Plain, 0.030 Thick	1					1 1	ar			ar			
-19	625457-1	Washer, Plain, 0.015 Thick							ar			ar			
-20	625327-1	Washer, Wave						1 1	ar			ar			
-21) Control Assy., Complete (See Figure 46)							1			1			
	00201011111	ATTACHING PARTS	İ	ŀ											
-22	501867	Washer, Tab					1		3			3			
-23	537629	Screw, 1/4 - 20 x 11/16 Inch Long	•						3			3			
-25	337023	* * * *	-		}						-			Ì	}
	633381-4A1	Link Rod Assembly							1	i	1	1			
-24	633381-4	Rod and Link Assembly		1					1			1			
-25	AN121501	Nut							2			2			-
-26	626634	Spring, Compression							1			1			
-27	632557	Rod End, Sprecial							1			1			
-28	MS21044N3	Nut, Elastic Stop							1			1			
-29	625327-2	Washer, Wave							4	1		4			
-30	537690	Washer, Plain							4		-	4			
-31	2500	Pin, Cotter							4			4			
-32		S Gasket, Controller							1			1			
-33) Controller Assembly, Complete							1						
-33		Controller Assembly, Complete										1			
		ATTACHING PARTS								.					
2.4	A NIOCO 101								4	}		4			
-34	AN960-10L	Washer, Flat			ľ				4		ľ	4			
-35	AN500A10-12	Screw, No. 10-24		ŀ					4			4			
26	632555-14	Lever Assembly							1			1			
-36 -37	632554-2	Bushing	1	ļ.					i			1			
-38	626813	Pin, Tubular							i		:	1			
-30	633381-3A1	. Link, Rod Assembly							1			1			
-39	633381-3	Rod and Link Assembly							1			1			
-39	13XX1896	Nut, No. 10-32	1	ŀ					2			2			
	632557	Rod End, Special					1		1		ļ	1			
-41 -42	626634	Spring, Compression							1			1			
-42 -43	MS21044N3	Nut, Elastic Stop							1			1			
-43 -44		3. Valve Assy., Fuel Manifold (See Figure 48)							1			1			
-44		Valve Assy., Fuel Manifold Valve Assembly, Fuel Manifold							l Opt			' Opt			
-45	626486	Bracket, Fuel Discharge Tube							2			2			
-46		3. Nozzle Assembly, Fuel Injection							6			6			
-47	636037-1	. Tube Assy., Fuel Discharge Cyl. 1 & 6							2			2			
-47	636036-1	. Tube Assy., Fuel Discharge Cyl. 2 & 5							2			2			
-47	636035-1	. Tube Assy., Fuel Discharge Cyl. 3 & 4							2			2			
-48	626577-2	. Clamp, Fuel Discharge Tube							6			6			
	642100-5	Regulator Assembly, Fuel Discharge							1			1			
				-											
NOTE:															
NOTE:			1	1				1 [ĺ	

- For detail parts, see Fuel Injection Systems Overhaul Manual and Parts Catalog, Form X-30091.
- 2 For detail parts, See Controller Overhaul Manual and Parts Catalog, Form X-30086.
- 3 Use with new style crankcase (backbone width 1.00 inch).
- 4 Use with old style crankcase (backbone width .76 inch).
- 5 Order nozzle size identified on hex of nozzle body.




FIGURE 39. FUEL INJECTION SYSTEM, TSIO-520-K

FIG.	PART				Ql	JA	NTI		PE SIC				ΕN	1BI	-Υ		
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	E	G	Н	JI	Κ	L	М	N	P	R		
39- 1	630763	\$ Gasket, Fuel Pump								1						ł	
-2	631263	Coupling, Crankshaft Gear-to-Fuel Pump							•	1						ł	1
	637736A4	Fuel Injection Assembly, Complete	Ì							1						- 1	- 1
	632818-2A2	1 . Fuel Pump Assembly (See Figure 42)							.	1							
	637735A3	. Throttle and Control Assembly							•	1							ĭ
-3	635915A2	Air Throttle Assembly								1							
-4	630455	Bushing				ļ			3	3						ļ	
-5	MS122160	Insert, Helical Coil							1	2							
-6	635950	Shaft, Throttle								1							ļ
-7	632931	Plate, Throttle							1	1						ŀ	
		ATTACHING PARTS														Ì	T
-8	539942	Screw							2	2						-	
		* * * *	I	1			ΙÍ			- 1						- I	

ſ						Q	UA	NT	IT'	ΥI	PE	R	AS	SEI	ME	3L'	7	
- 1	FIG.	PART		ļ						TS	10	-52	0					
,	NDEX	NUMBER	12345 DESCRIPTION	В	С	D	E	G	Н	J	K	L	N	IN	F	2 1	₹	
_	ــــــــــــــــــــــــــــــــــــ	626634	Spring								1							
	-10	636805	Screw, Idle Adjusting			1					1							
	-11	639497	Lever, Throttle, Idle Control								1	-	1				Ì	
	-12	AN565E8H8	Set Screw								1							
	-13	632555-15	Lever Assembly	100		Ì				1	1	-						
	-14	632554-2	Bushing			ļ					1							
_	-15	632555-14	Lever Assembly	-							1			1				
	-16	632554-2	Bushing			1					1							İ
	-17	632813	Pin, Lever to Shaft	ì							3			1				Ì
	-18	625457	Washer, Plain, 0.030 Thick								aı	r					- [
	-19	625457-1	Washer, Plain, 0.015 Thick			1				-	aı	r		ļ				
	-20	625327-1	Washer, Wave					1			aı	r		-				
	-21		n Control Assy., Complete (See Figure 46)								1							
	-21	032910-11A2 (ATTACHING PARTS															
	-22	501867	Washer, Tab								3	3						
	-22	537629	Screw, 1/4 - 20 x 11/16 Inch Long								3	- 1				1		
	-23	557029	* * * *							Ì				1	l		1	1
		633381-4A1	Link Rod Assembly	1							1	İ			-			
	24	633381-4	Rod and Link Assembly								1							
	-24	AN121501	Nut								2	2			1			
	-25	626634	Spring, Compression			1	1				1	- 1						ĺ
	-26	632557	Rod End, Special								1				1			
	-27	=	Nut, Elastic Stop								1						- 1	
	-28	MS21044N3	Washer, Wave								2	.		-	-			
	-29	625327-2	Washer, Plain								1						- 1	
<u> </u>	-30	537690	Pin, Cotter							1	2	1						
	-31	2500	\$ O-Ring					-			1							
	-32		Valve Assembly, Pressure Relief				- }				1		ł					ł
	-33	637583-17								ľ								
	24	4 NIOSO 101	ATTACHING PARTS Washer, Flat								2	,						
	-34	AN960-10L	. Washer, Lock				1	-			2	1		-				
	-35	20654	Screw, No. 10-24								2		-					
	-36	AN500A10-12	Screw, No. 10-24									`						
	-37	634326-6A2 ①	②. Valve Assy., Fuel Manifold (See Fig. 48)								1	ı						
	-37	634326-6A1 (Ì	1					ļ	pt					, 1	
	-38	626486	Bracket, Fuel Discharge Tube				-				2	2	-				ιl	
	-39		4. Nozzle Assembly, Fuel Injector		ŀ		l				(3	- [ŀ				}
	-40	636037-1	. Tube Assy., Fuel Discharge Cyl. 1 & 6								2	2		-				
	-40	636036-1	. Tube Assy., Fuel Discharge, Cyl. 2 & 5									2		i				
		636035-1	. Tube Assy., Fuel Discharge, Cyl. 3 & 4								1	2						
	-41	632577-2	. Clamp, Fuel Discharge Tube	ı	1						(3						
		642100-5	Regulator Assembly, Fuel Pressure				Ì				ŀ	1						
			-			1												
	NOTE:	For detail parts, see	Fuel Injection Systems Manual and Parts Catalog, Form X-30091.															
			le crankcase (backbone width 1.00 inch).											}				
			e crankcase (backbone width .76 inch).				}				}	}						
	_													ļ				
,	4	Order nozzle size ide	entified on hex of nozzle body.															
_																		




FIGURE 40. FUEL INJECTION SYSTEM, TSIO-520-L

		,				QL	JAI	ITV						EN	ΙB	LY	
	FIG.	PART							_			520		,	, –		
	i i	NUMBER	12345 DESCRIPTION	В	С	D	Ε	G	н	j	K	L	М	N	P	R	
	INDEX			ऻ	-				7								
,•	40- 1	630763	\$ Gasket, Fuel Pump									1					
	-2	631263	Coupling, Crankshaft Gear-to-Fuel Pump									1		1			
	_	640792A7	Fuel Injection Assembly, Complete			ļ						1					
	_	640791A2	. Throttle and Control Assembly				1		- [1	1		ł		1
	-3		. Clamp, Hose	1								2	ĺ	1			
	-4	53638850										1	l l				
	-5	628555-14	. Hose, Air Throttle-to-Fuel Pump	1	ł							1					
	-6	641100S4S41.	00. Hose Assy., Metering Unit-to-Divider	ŀ	İ							1	Ì		ļ		
	-7	640643-1A2	. Fuel Pump Assembly, Complete	ł		ŀ						1	l				
			ATTACHING PARTS			l											
	0	F0F047	. Washer, Holding		Ì						Ì	2			l		
	-8	535847										2					
	-9	MS35338-45	. Washer, Lock	1	1							2			İ		
	-10	2439	. Nut									12					
			* * *									_				1	
	-11	641889	Elbow, 90 Degree, Inlet and Outlet	1							1	2					
	-12	632115	Elbow, 45 Degree	1							ł	1					
	-13	629125	Elbow, 90 Degree				1					1				1	
	. •	640668A2	. Manifold and Bracket Assembly, Fuel	1								1					
	-14	640668	. Flow Divider	1		}						1					1
			① Bracket									1		ļ			
	-15	-			1		ĺ				l	4					
	-16	640665	Spacer, Bracket to Flow Divider	İ								4		1	-		1 1
	-17	MS35338-43	Washer, Lock							ŀ		1.					1
	-18	AN500A10-16										4		1			1
	-19	636037-1	. Tube Assy., Fuel, Cylinder 1 & 6									2					
	-19	636036-1	. Tube Assy., Fuel, Cylinder 2 & 5			1					1	2					
	_	641015	. Tube Assy., Fuel, Cylinder 4							l		1	İ				
	-19					1					ļ	1					
	-19	641018	. Tube Assy., Fuel, Cylinder 3									6	-		İ	ŀ	
	-20	632748-14	② . Nozzle Assembly									2					
	-21	631246	Bracket, Fuel Discharge Tube		Ì	l						1					
	-22	626577-2	Clamp, Fuel Tube to Bracket									6				1	
						1	1										
				Į												-	
				İ													
				1													
				ŀ	1												
				1	İ												
						1											
					1	l	1						ĺ		İ		
					ł	ŀ						ļ					1 1
,											1	ł		İ			
				1			-										
				İ		1					}						
														+	1		
							}										
					}				1								
												1					
,				1													
				-													
										1						1	1
							1	}	-								
													}	1			
										-							
	NOTE ①		cket 642095 is for the newer configuration crankcases. Older	Ì										-	-		
_	-	models used a 64	0663 bracket.													}	
	NOTE ②	Order nozzle size	identified on hex of nozzle body.	1													
				- 1	1	-	ı	1	1	- 1	1	1	- 1	- 1	- 1	- 1	, 1




FIGURE 41. THROTTLE AND CONTROL ASSEMBLY, TSIO-520-L

	516	PART				Ql	JAI	NT				R A 520		EM	BL	Υ	
	FIG.	NUMBER	12345 DESCRIPTION	В	С	D	E	G	Н	J	K	L	М	N	Р	R	
`!	INDEX			 	Т							1					
	41-	640791A2	Throttle and Control Assembly	ļ								1					
	-1	640667	Fuel Injection Assembly		ŀ		ŀ					1				Ì	
	-2	633409	Gasket, Controller				ŀ					1			1		}
	-3	640655A1	. Controller and Link Rod Assembly									'			- {		
			ATTACHING PARTS			İ											
	-4	AN960-10L	Washer, Flat									4					ì
	-5	AN500A10-12	Screw									4					
	_		Lever	١								1	}				
	-6	632553-2		}		1					ł	1	1		}		
	-7	626813	Pin, Tubular									2					
	-8	2500	Pin, Cotter					}				4		1			
	-9	537690	Washer, Flat									2	ļ			- [
	-10	625327-2	. Washer, Wave	1		İ						1					
	-11	MS21044N3	. Nut, Self Locking	i						1		2					
	-12	632557	. , Rod End									1			!		
	-13	626634	. , Spring				1	ì	ļ			1					
	-14	633381-8	Rod	l			İ				l	1	ı				ļ
	-15	MS29512-06	O-Ring									1					
	-16	AN924-6	. Nut	Ì				l				1					1
	-17	AN833-6	Elbow, 90 Degree									1	}				
	-18	MS28882-6	. Valve, Check									1					
	-19	640690	. Adapter			1		1				1					
	-20	640692	. Junction Box Assembly							-		1					
	-21	MS29513-138	. O-Ring									1		1			
	-22	639319-9	. Valve, Fuel Pressure Relief	1						-		'					
			ATTACHING PARTS														
	-23	AN960-10L	. Washer, Flat									4	1		ì		
	-24	AN500A10-12	. Screw									4					
			* * *					1									
	-25	640644	. Bracket								-	1					
			ATTACHING PARTS														
	-26	534471	. Washer, Flat	l	ı				Ì	1		4					
	-27	MS9089-10	. Bolt	1			-					4					
	-21	11100000 10		1	Ì		-										
					1								1		İ		
				١						ı				1	1		
										1							
							1		1					-			
										-							
					١								-				
				1			1										
	-																
		2														1	1
																1	
					- 1						-						
					١				1	-							
					,	- 1		- 1						- 1	- 1		




FIGURE 42. FUEL PUMP ASSEMBLY, TSIO-520-B,E,J,K,N.

FIG.	PART					Ql	JA	NT		Y F			ASS D	EN	/IBI	-Y		
INDEX	NUMBER	12345	DESCRIPTION	 В	С	D	Ε	G	Н	J	Κ	L	М	N	Р	R		_
42- 1	632818-1A1	Fuel Pump &	k Pressure Compensator Assembly	 1														
-1	632818-2A1	Fuel Pump &	Resoure Compensator Assembly				1											
-1	632818-2A2	Fuel Pump &	Pressure Compensator Assembly							1	1			1				
			ATTACHING PARTS															
-2	535847	Washer, Hold	ding	 2			2	ŀ	ŀ	2	2			2				ļ
-3	MS35338-45	Washer, Lock	<	 2		ı	2			2	2			2				!
-4	2439	Nut, Plain He	ex	 2		ŀ	2			2	2			2				į
			* * *						ŀ									
-5	632017	. Elbow, 90	Degree, 1/4 NPTF	 1		1	1			1	1			1				i
-6	631308	. Connector,	, 1/4 NPTF-to-1/2 Tube	 1			1			1	1			1				
-7	628437	. Elbow, 90	Degree, 1/8 NPTF-to-1/4 Tube	 1			1											1
-7	628436	. Elbow, 45	Degree, 1/8 NPTF-to-1/4 Tube	 		1				1	1			1				
-8	628476	. Elbow, 45	Degree, 1/8 NPTF-to-1/8 Tube	 1			1											
-8	628437	. Elbow, 90	Degree, 1/8 NPTF-to-1/4 Tube	 ł						1	1			1				ļ
-9	627119	. Elbow, 90	Degree, 1/8 NPTF	 1			1											
-9	631293	. Elbow, 90 l	Degree, 1/8 NPTF-to-3/8 Tube			1			ŀ	1	1			1				
-10	631307	. Connector,	1/8 NPTF-to-3/8 Tube	 1			1											
-11	628436	•	Degree, 1/8 NPTF-to-1/4 Tube	1			1			1	1			1				
-12	X5146	. Elbow, 90 l	Degree, 1/8 NPTF-to-1/4 Tube	 1			1											,
-12	636350		y., Tee, 1/8 NPTF-to-1/2 Tube-to1/2 1							1	1			1				
-13	633036		sembly, Fuel Pump	1			1											
-14	633650	. Shroud, Fu	iel Pump	 1			1											
			ATTACHING PARTS	ŀ														
-15	AN515-8R5	. Screw, Mac	ching	 2			2	1			1		}	}	1		}	i
-16	MS21044N08		ocking				2											
-17	626879-1	\$. Grommet .		 3			3								İ			




FIGURE 43. Fuel Pump Assembly, TSIO-520-C,G,H,M,P,R. (NEW STYLE)

43- 1 63	PART NUMBER 32818-5A2	1 2 3 4 5 DESCRIPTION	0													
	32818-5A2		В	С	D	E	G	Н	J	K	L	M	N	Р	R	
-1 63		Fuel Pump Assembly, Complete	ŀ	1			1	1	i							
	32818-7A2	Fuel Pump Assembly, Complete										1		1	1	1
		ATTACHING PARTS														
-2 24	473	Washer, Plain		4			4	4				4		4	4	
-3 M	1S35338-45	Washer, Lock		4			4	4				4		4	4	
-4 24	439	Nut, Plain, Hex		4			4	4		}		4		4	4	
		* * *	l	•												
-5 62	27119	. Elbow, 90 Degree		1		•	1	1				1		1	1	
	28438	. Fitting, Connector		1			1	1				1	1	1	1	
	27119	. Elbow, 90 Degree		1			1	1				1		1	1	
	28476	. Elbow, 45 Degree		1			1	1				1	ļ	1	1	.]
•	26900	. Fitting, Extension										1		1	1	
	28438	Fitting, Connector		1			1	1			ļ	1		1	1	
	31882	Elbow, 90 Degree		1			1	1								
	37286	Elbow, 45 Degree										1	ļ	1	1	
	33121	. Elbow, 45 Degree								Ì		1		1	1	
	01753	. Plug		1			1	1								
-13 62	28437	. Elbow, 90 Degree										1		1	1	
-14 X	5146	. Elbow, 90 Degree		1		Ì	1	1				1		1	1	
-15 62	28437	. Elbow, 90 Degree		1			1	1								




FIGURE 44. FUEL PUMP ASSEMBLY, TSIO-520-C,G,H.(OLD STYLE)

7518 1956 4059-1	12345 DESCRIPTION Gear Assembly, Fuel Pump Plug, Expansion Gasket, Fuel Pump to Crankcase Adapter Assembly, Fuel Pump Seal, Oil Gasket, Adapter to Fuel Pump Insulator, Fuel Pump Theel Pump and Vapor Separator Assembly, Complete ATTACHING PARTS Washer, Plain Washer, Lock Nut, Plain, Hex		1 1 1 1 1 1 1 1 1 4 4		E	G			O-!			N	P	R	
995 634 941 9518 956 4059-1 6839 0751-3A1	Gear Assembly, Fuel Pump Plug, Expansion Gasket, Fuel Pump to Crankcase Adapter Assembly, Fuel Pump Seal, Oil Gasket, Adapter to Fuel Pump Insulator, Fuel Pump Fuel Pump and Vapor Separator Assembly, Complete ATTACHING PARTS Washer, Plain Washer, Lock		1 1 1 1 1 1 4												
941 5 941 5 956 4059-1 5 8839 0751-3A1 9	Plug, Expansion Gasket, Fuel Pump to Crankcase Adapter Assembly, Fuel Pump Seal, Oil Gasket, Adapter to Fuel Pump Insulator, Fuel Pump Fuel Pump and Vapor Separator Assembly, Complete ATTACHING PARTS Washer, Plain Washer, Lock		1 1 1 1 1												
941 5 9518 956 4059-1 6839 0751-3A1 9	\$ Gasket, Fuel Pump to Crankcase Adapter Assembly, Fuel Pump \$. Seal, Oil \$ Gasket, Adapter to Fuel Pump Insulator, Fuel Pump \$ Fuel Pump and Vapor Separator Assembly, Complete ATTACHING PARTS Washer, Plain Washer, Lock		1 1 1 1 4												
2518 1956 4059-1 6839 0751-3A1 1936A516	Adapter Assembly, Fuel Pump Seal, Oil Gasket, Adapter to Fuel Pump Insulator, Fuel Pump Fuel Pump and Vapor Separator Assembly, Complete ATTACHING PARTS Washer, Plain Washer, Lock		1 1 1 4												
1956 4059-1 5839 0751-3A1 1936A516	\$. Seal, Oil		1 1 1												
4059-1 6839 0751-3A1 (3181 1936A516	\$ Gasket, Adapter to Fuel Pump Insulator, Fuel Pump Tuel Pump and Vapor Separator Assembly, Complete ATTACHING PARTS Washer, Plain Washer Lock		1 1 4												
6839 0751-3A1 8181 1936A516	Insulator, Fuel Pump Fuel Pump and Vapor Separator Assembly, Complete ATTACHING PARTS Washer, Plain Washer Lock		1												
)751-3A1 (3181 1936A516	Tuel Pump and Vapor Separator Assembly, Complete		4												
3181 1936A516	ATTACHING PARTS Washer, Plain									-	i	1	1		1 1
1936A516	Washer, Plain	ı		. }		1	1			ŀ	-				
1936A516	Washer, Lock	ı				1	- 1								
	Nut, Plain, Hex												1	1	
39	Nut, Plain, Hex	- 1	4	1							-	1			
								l							
	. Elbow, 90 Degree, 1/8 NPTF to 1/4 Tube		1							Ì					
146	Elbow, 90 Degree, 1/4 NPTF to 1/4 Tube		1							-					
1882	Elbow, 90 Degree, 1/4 NPTF		.	1	1							-			
7119	Elbow, 45 Degree, 1/8 NPTF to 1/4 Tube	.		1	1				ł						
8476	Elbow, 90 Degree, 1/8 NPTF	.		1	Ì							ļ	l		
7119 8438	Connector, 1/8 NPTF to 1/4 Tube	.	}	1	-				1	-					
	Filhow 45 Degree, 1/4 NPTF to 1/4 Tube	.		1										-	
	Connector, 1/8 NPTF to 1/4 Tube	٠	- 1									1		-	
	. Shroud Assembly, Fuel Pump	.		1	-				ĺ				İ	1	
	ATTACHING PARTS	١	- 1	-		Ì						Į	-		
N526-1024	1-4 Screw, Sheet Metal					Ì			1					1	
	. Nut, Tinnerman, Type J	.	.	4											
	* * * *	١			}	}									-
26879-1	S . Grommet			3											1
20075	· ·			Ì											
23	9267 8438 3158 N526-1024 4337	S438 Connector, 1/8 NPTF to 1/4 Tube	S438 Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube	8438 . Connector, 1/8 NPTF to 1/4 Tube




FIGURE 45. FUEL PUMP ASSEMBLY, TSIO-520-D

	FIG.	PART				Q	UA	NT		Y F				ΕN	IBL	Υ	
	INDEX	NUMBER	12345 DESCRIPTION	В	С	D	E	G	Н	J	κ	L	М	N	Р	R	
	45- 1	639508-5A1	Fuel Pump Assembly, Complete			1											
			ATTACHING PARTS														
	-2	535847	Washer, Hold			2						i					
	-3	MS35338-45	Washer, Lock			2										ŀ	
	-4	2439	Nut, Plain			2											}
			* * * *												ŀ	1	İ
	-5	633789	. Elbow		ĺ	1											Ì
	-6	628437	. Elbow, 90 Degree, 1/8 NPTF to 1/4 Tube			1					ŀ						İ
\smile	-7	628437	. Elbow, 90 Degree, 1/8 NPTF to 1/4 Tube			1									ľ	- 1	-
	-8	632017	. Elbow, 90 Degree			1											
	-9	634536	. Elbow, 45 Degree, 1/4 NPTF to 3/8 Tube		}	1		}							.		}
	-10	632115	. Elbow, 45 Degree, 1/8 NPTF to 1/4 Tube			1											
	-11	631764	. Shroud Assembly, Fuel Pump			1	1										
	-12	626879-1	\$. Grommet		İ	3			l				,		ŀ		
															ŀ		
						:											




FIGURE 46. Fuel Pump Assembly, TSIO-520-L

FIG.	l i						Q	UA	NT			PEI		ASS D	EΝ	1BL	Υ.	
INDEX	NUMBER	12345	DESCRIPTION		В	С	D	E	G	Н	J	К	L	М	N	Р	R	
46- 1	640643-1A2	Fuel Pump A	Assembly										1					
			ATTACHING PARTS															
-2	535847	Washer, Hold	ding						1				2	1				.
-3	MS35338-45	Washer, Lock	k								İ		2					
-4	2439	Nut, Plain, H	łex										2					
-5	641889	. Elbow, 90	Degree										1					
-6	632616	. Elbow, 90	Degree										1					}
-7	632115	. Elbow, 45	Degree										1				ŀ	
-8	629125	. Elbow, 90	Degree										1					
																}		\




FIGURE 47. FUEL INJECTION CONTROL ASSEMBLY, TS10-520-B,C,E,G,H,J,K,M,N,P,R.

FIG.	PART						QI	JA	NT			PER O-9		SSI	ΕN	IBL	Υ.		
INDEX		12345	DESCRIPTION		В	С	D	E	G	Н	J	к	L	М	N	P	R		
47- 1	632916-8A1	Control Asse	embly, Complete		1			1											
-1	632916-11A1	Control Asse	embly, Complete			ł					1				1				
-1	632916-11A2	Control Asse	embly, Complete									1						Ì	
-1	629703-8A1	Control Asse	embly, Complete			1			1	1									
-1	629703-11A1	Control Asse	embly, Complete		l		1							1		1	1	ļ	
-2	628436	. Elbow, 45	Degree, 1/2 NPTF-to-1/4 Tube		1			1			İ							ļ	١
-3	AN932-2	. Plug, Pipe,	1/8 - 27 NPTF					1											
-4	628438	. Connector,	, 1/8 NPTF-to-1/4 Tube		2		-	2										-	
-5	628437		Degree, 1/8 NPTF-to-1/4 Tube					1	1									}	-
-6	628476	. Elbow, 45	Degree, 1/8 NPTF-to-1/4 Tube			1			1	1									
-7	628438		, 1/8 NPTF-to-1/4 Tube			1	Ì		1	1				1		1	1	Ì	١
-8	AN932-2	. Plug, Pipe,	1/8 - 27 NPTF		l	2			2	2				2		2	2		
-9	628478	. Elbow, 90	Degree, 1/8 NPTF-to-1/4 Tube		l	1			1	1	ļ			1		1	1		
-10	636349	. Tee, 1/8 N	IPTF-to-1/4 Tubes								1	1			1				
-11	628436	. Elbow, 45	Degree, 1/8 NPTF-to-1/4 Tube		1						1	1			1				
-12	AN932-2	. Plug, Pipe,	1/8 - 27 NPTF	,							2	2			2				
-13	636758	. Tee, 1/8 N	PTF-to-1/4 Tubes								1	1			1			1	
-14	628437	. Elbow, 90	Degree, 1/8 NPTF-to-1/4 Tube											1		1	1		
							1												




FIGURE 48. FUEL MANIFOLD VALVE ASSEMBLY, TSIO-520-B,C,D,E,G,H

FIG.	PART					Q	UA	NT		Y P Tsi				ΕN	IBL	Υ		
INDEX	NUMBER	12345	DESCRIPTION	E	3 C	D	E	G	Н	J	K	Г	М	N	P	R		
48 - 1	631351-9A3	① Valve Assy.,	Fuel Manifold Complete		1													I
-1	631351-7A3	① Valve Assy.,	Fuel Manifold Complete				1									۱ ا		
-1	631351A10	Valve Assy.,	Fuel Manifold Complete		1											1		
-1	631351A14		Fuel Manifold Complete			1								ľ				
-1	631351A12	Valve Assy.,	Fuel Manifold Complete					1										ľ
-1	631351A11	Valve Assy.,	Fuel Manifold Complete						1							Ì		
-2	642064 (12. Bracket, Fu	uel Manifold	[^	1	1	1											
-2	634011	. Bracket, Fu	uel Manifold		1			1	1			ĺ						
			ATTACHING PARTS															
-3	MS35338-43	. Washer, Lo	ck		2 2	2	2	2	2								ì	l
-4	AN500-10-5				2 2		2		ı									
			* * *			_											Î	
-5	628437	. Elbow, 90	Degree, 1/8 NPTF-to-1/4 Tube	1	1 1	1	1	1	1								1	
-6	AN780-2		ion				2	2	2									
-7	627331		Degree, 1/8 NPTF-to-5/16 -32					4	4									
-8	631720		Degree, 1/8 NPTF-to-1/8 Tube		1		1										ļ	
-8	631658		Degree, 1/8 NPTF-to-1/4 Tube	1		1								. [
-8	637430	. Elbow, 90 i	Degree, 1/8 NPTF-to-3/16 Tube					1	1					.				
-9	631330	. Seal		1	1	1	1	1	1				ł		ł		ļ	
-10	626557	. Screen		1	1	1	1	1	1								-	
-11	630184	. Spring, Cor	npression	1	1	1	1	1	1								-	1
-12	626553	. Cover		1	1	1	1	1	1							Í		İ
			ATTACHING PARTS	}													1	
-13 re	AN500A8-10	. Screw		4	4	4	4	4	4									ļ

² For old style case, use bracket 634011.

refer to the appropriate Fuel Injection System Figure for your engine.




FIGURE 49. FUEL MANIFOLD VALVE ASSEMBLY, TSIO-520-J,K,L,M,N,P,R.

FIG.	PART					QI	JA	NT		Y F				ΕN	IBL	Υ	
INDEX	NUMBER	12345	DESCRIPTION	В	С	D	Ε	G	Н	J	K	L	М	N	Р	R	
49- 1	634326-4A7	① Valve Assy., Fu	iel Manifold Complete							1				1			
-1	634326-6A2	① Valve Assy., Fu	el Manifold Complete								1						
-1	634326-4A6	🛈 Valve Assy., Fu	iel Manifold Complete					Ì				1					
-1	634326-4A4	Valve Assy., Fu	iel Manifold Complete			ŀ							1		1	1	
2	642064 (1	②. Bracket, Fuel	Manifold							1	1	1		1			
-2	634011	. Bracket, Fuel	Manifold					ļ					1		1	1	
			ATTACHING PARTS														
-3	MS35338-43	. Washer, Lock				ļ				2	2	2	2	2	2	2	ļ
-4	AN500-10-5									2	2	2	2	2	2	2	ļ
			* * *														l
-5	631720	. Elbow, 90 De	egree, 1/8 NPTF-to-1/8 Tube							1	1			1			
-5	2024	. Plug, Pipe	- 									1					
-5	637430	. Elbow											1		1	1	İ
-6	AN780-2	. Nipple Union								2	2	2	2	2	2	2	
-7	627331	. Elbow, 45 De	gree, 1/8 NPTF-to-1/8 Tube		Ì					4	4	4		4			
-7	MS20823-2	. Elbow, 45 De	gree			ļ							4		4	4	
-8	628437	. Elbow, 90 De	gree, 1/8 NPTF-to-1/4 Tube							1	1		1	1	1	1	
-8	628436	. Elbow, 45 De	gree, 1/8 NPTF-to-1/4 Tube						•	ļ ·	٠.,	1					
-9	628436	. Elbow, 45 De	gree, 1/8 NPTF-to-1/4 Tube			-				1	1	1		1			
-9	642070	. Nipple			Ì							1					
-9	MS20823-2	. Elbow, 45 De	gree		-								1		1	1	
-10	631330	. Seal								1	1	1	1 -	1	1	1	
-11	626557	. Screen								1	1	1	1	1	1	1	
-12	630184	. Spring, Comp	ression							1	1	1	1	1	1	1	
-13	634325	. Cover								1	1	1	1	1	1	1	-
			* * *														
-14	AN500A8-10	. Screw						-		4	4	4	4	4	4	4	

NOTE This manifold valve assembly is used with the new style crankcase, (backbone width 1.00 inch). To order manifold valve for old style crankcase, (backbone width .76 inch) refer to the appropriate Fuel Injection System Figure for your engine.

² For old style case, use bracket 634011.




FIGURE 50. IGNITION SYSTEM, TSIO-520-B,E

FIG.	PART				Q	UΑ	NT				R .		SEN	ИΒΙ	LΥ	
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	В	С	D	Ε	G	Н	J	K	L	М	N	Р	R	
50- 1	534750	\$ Gasket, Magneto-to-CC	2		Π	2				Γ						
-2	628472	Magneto Assembly, Left Hand	1	İ		1										
-2	628473	Magneto Assembly, Right Hand	1			1							1			
		ATTACHING PARTS	ľ													
-3	535847	Washer, Magneto Holding	4			4										
-4	MS35338-45	Washer, Lock				4										
-5	2439	Nut, Plain, Hex	4			4										
		* * *														
-6	634675	Spark Plug, Champion No. RHB32E	12		1	12	2				l					
	636953	Harness Assembly, Ingnition	1			1										
		ATTACHING PARTS				-										
-7	MS35338-43	Washer, Lock	8			8										
-8	AN501-10-10	Screw				8										
		* * *														

ſ									Qι	JAN	JTI			ER 0-5:		SSE	ME	3L\	,
	FIG.	PART				}	_								_			T.	
	INDEX	NUMBER	12345	DESCRIP	TION		В	С	D	E	G	Н	J	ΚĮI	-	M	1	r F	1
_ '	50 -9	637409-48	① . Lead Assy.,	No 1 Lower 3	5.81 In.La.		1			1	j				Ì				
	50 -9 -10				5.31 In.Lg		1			1	}	-							
	-10 -10				5.31 In.Lg		1			1							Ì		
	-10 -11				9.31 In.Lg		1			1									
	-11 -12	637409-48	Lead Assy.	No. 2 Upper. 2	2.31 In. Lg		1			1								1	
	-12	637409-48	Lead Assy.	No. 3 Lower, 4	0.81 In. Lg		1			1									
	-13 -14	637409-48	① Lead Assy.	No. 3 Upper. 20	0.31 In.Lg		1			1									
	-15	637409-48	① Lead Assv.	No. 4 Lower, 3	5.81 In.Lg		1			1									}
	-16	637409-48	① Lead Assv.	No. 4 Upper, 18	3.81 In.Lg		1			1				}			1	1	1 1
	-17	637409-48	① . Lead Assy.	No. 5 Lower, 4	7.81 In.Lg		1			1									1 1
	-18	637409-48	① . Lead Assy.	, No. 5 Upper, 2	3.31 In.Lg		1			1									
	-19	637409-48	① Lead Assy.	, No. 6 Lower, 4	2.31 In.Lg		1			1									
	-20	637409-48			6.81 In.Lg				-	1									1 1
	-21	629506	② . Spring, S	park Plug Termii	nal		1			1									
	-22	629505	② Sleeve, S	park Plug Termir	nal		1			1									
	-23	629504	② Spring				1			1									
	-24	629502	② . Nut, Spar	rk Plug End			1			1									
	-25	633009	, Plate, Cable	e Outlet			2			2									
	-26	629498	. Ferrule, Ca	ble			12			12									
	-27	629496	. Grommet				2			2									
	-28	629495	. Eyelet				12			12									1
	-29	632106	. Clamp				13			13							}		
	-30	631737-2	. Clamp				2			2									
	-31	629494	. Strap				9			9									
,	-32	635363								1									
	-33	635360								1									
	-34	631739	. Clamp			• • • • •	2			2									
	-35	632105	. Screw				2	1		2							-		
	-36	629837	. Nut				2			2								l	
	-37	628739			agneto			1		1									
	-38	629010						1		1								1	
	-39	629009					1			1									
	-40	629008					11			1:							-		
	-41	629007								1									
	-42	628740			to					2			ļ						
	-43	629010						1		1									
	-44	629009						- 1		1			-						
	-45	629008	, Bushing, S	houldered					}	1									
_	-46	629011	. Nut, Coup	ling, 7/16 - 28 .			'			'		1							
										}									
_	NOTE ①	terminated. 637409-48	Cut to length sp	ecified in descrip inches in length a	ly, with magneto end tion column. (Part N nd Part Number 63740	umber													
	NOTE ②		ru 24 applicable to																
_	NOTE ③			•	Tool, No. WT-217.														
	CAUTION	: Each lead re a cable asse		629497 ferrule and	d 628495 eyelet to com	nplete													




FIGURE 51. IGNITION SYSTEM, TSIO-520-C,G,H,M,P,R.

ļ	FIG.	PART				QU.	ANT				R -52		SEN	/BL	Υ	
•	NDEX	NUMBER	12345 DESCRIPTION	В	С	DI	G	Н	J	ŀ	(L	М	N	Р	R	
\smile	51- 1 -2	534750 625765	\$ Gasket, Magneto-to-Crankcase		2		2	2				2 2		2 2	2 2	
			ATTACHING PARTS					١,				4		4	4	
	-3 -4	535847 MS35338-45	Washer, Magneto Holding		4		4	4	Į.			4	1	4	4	
<u> </u>	- 4 -5	2439	Nut, Plain, Hex	i	4		4					4		4	4	
	-6	630533 633311	Spark Plug, A.C. No. 27		12 1		12	1:	}			12	2	12 1	12	
	-7		① Lead Assy., No. I Lower, 38.00 In.Lg.	ŀ	1		1	1				1		1	1	
	-8		① . Lead Assy., No. 1 Upper, 19.00 In.Lg		1		1	1				1		1	1	
	· -9		① . Lead Assy., No. 2 Lower, 43.00 In.Lg		1		1	1				1		1	1	
	-10		① . Lead Assy., No. 2 Upper, 21.00 In.Lg		1		1	1				1		1	1	
	-11		① . Lead Assy., No. 3 Lower, 42.00 In.Lg		1		1	1		ļ		1		1	1	
	-12		① . Lead Assy., No. 3 Upper, 21.00 In.Lg		1		1	1		ļ		1		1	1	
	-13		① . Lead Assy., No. 4 Lower, 39.00 In.Lg		1		1	1		ŀ		1		1	1	
	-14	633580	① . Lead Assy., No. 4 Upper, 18.00 In.Lg		1		1	1				1		1	1	
	-15	633579	① . Lead Assy., No. 5 Lower, 50.00 In.Lg		1		1	1	ł	1		1	ŀ	1	1	1 1
	-16	633580	① Lead Assy., No.5 Upper, 28.00 In. Lg		1		1	1				1		1	1	
	-17	633579	① . Lead Assy., No. 6 Lower, 42.00 In.Lg	Ì	1		1	1				1		1	1	
	-18	633580	① . Lead Assy., No. 6 Upper, 25.00 In.Lg		1		1	1				1		!	!	
	-19	633585	② Screw		1		1	1				1		1	1	
	-20	633586	② Spring		1		1	1				1		1	1	
	-21	633591	② Sleeve		1		1	1				1		1	1	
	-22	633592	② Washer		1		1	1				1	1	1	1	
_	-23	633590	② Spring		1	.	1	1			ŀ	1		1	1	
	-24	633583	33 Ferrule		1	1	1	1	1		ŀ	1		1	1	
	-25	633589	②③ Ferrule		1		1	1	ŀ	Ì		1		1	1	
	-26	633593	② Nut		1		1	1				1		1	1	
	-27	636692	. Clamp Assembly		2		2	2	:		İ	2		2	2	
	-28	636921	. Screw		2		2	2		1		2		2	2	
	-29	636920	. Nut, Tinnerman		2		2	2				2		2	2	
		636922	. Clamp Assembly,		1		1	1		ļ		1		1	1	
	-30	636919	Clamp		1		1	1				1		1	1	
	-31	636687	Screw		1		1	1				1		1	1	
	-32	633927	Nut		1		1	1			-	1	}	1	1	
	-33	633926	. Ty-Rap		10		- 1) 10				10	1	i	10	
	-34	633925	. Clamp		15		15	5 1	5			115	5	15	15	
	NOTE ①	terminated. Cu	are furnished in two lengths only with magneto end not t to length specified in description column. (Part Number p to 48 inches in length and Part Number 633580 for leads up ength.)													
<u> </u>	NOTE (2)		6 applicable to each individual lead.											1		
	NOTE ③		- Use Thomas and Betts Crimping Tool, No. WT-217.													




FIGURE 52. IGNITION SYSTEM, TSIO-520-D

ſ			T	•	7		Ql	JA	NT				₹ <i>4</i>		SEN	1B	LY	
	FIG.	PART			-	T .	Τ_	Τ	T -							_	<u> </u>	П
١	INDEX	NUMBER		1 2 3 4 5 DESCRIPTION	В	C	D	E	G	Н	J	K	ᄔ	M	N	P	H	
ີ່	52- 1	534750	\$	Gasket, Magneto-to-Crankcase			2											
	-2	632958	•	Magneto Assembly, Left Hand	1		1									İ	1	
	-2	632959		Magneto Assembly, Right Hand	1		1						İ				ļ	
	_	002000		ATTACHING PARTS									1				İ	
	•	505047		Washer, Magneto Holding	×		4		}									
	-3	535847		Washer, Lock	1		4									-	İ	
$\overline{}$	-4	MS35338-45		Nut, Plain, Hex	1		4								1			
	-5	2439		* * * *													-	
	-6	634675		Spark Plug, Champion No. RHB32E	1		12	2						ļ		ļ		
	-0	636951		Harness Assembly, Ignition	1		1											
	7	637409-48	•	. Lead Assy., No. I Lower			1				ļ					ļ		1 1
	-7	637409-48	0	Lead Assy., No. 1 Upper	.]		1	1					İ			1		
	-8	637409-48	0	Lead Assy., No. 2 Lower	.		1	ļ	}									
	-9 -10	637409-48	9	Lead Assy., No. 2 Upper			1											
		637409-48	(A)	Lead Assy., No. 3 Lower	.		1											
	-11 -12	637409-48	(F)	Lead Assy., No. 3 Upper			1											
		637409-48	(A)	Lead Assy., No. 4 Lower	.		1											
	-13 -14	637409-46	(E)	Lead Assy., No. 4 Upper	.		1											
	-14 -15	637409-48	\odot	Lead Assy., No. 5 Lower	.		1											
	-15 -16	637409-48	\odot	Lead Assy., No. 5 Upper	.		1											
	-16 -17	637409-48	⊕ ⊕	Lead Assy., No. 6 Lower	.		1											
	-17 -18	637409-48	⊕ ⊕	Lead Assy., No. 6 Upper	.		1											
	-18 -19	629506	(A)	. Spring, Spark Plug Terminal			1											1
	-19 -20	629505	(A)	Sleeve, Spark Plug Terminal			1											
		629505 629504	(E)	. Spring			1											
	-21 -22	629504	(A)	. Nut, Spark Plug End			1	- 1										
	-22 -23	638139	٤	Plate, Cable Outlet	.	-		2										
	-23 -24	629498		Ferrule, Cable	.		1	1	1							-	-	
	-24 -25	635361		Grommet	.			2						1				
	-26	629495		Eyelet	-			2										
	-20 -27	632106		. Clamp	.			3						ļ				
	-28	631737		. Clamp	.			2										
	-20	629494		. Strap	-			3					-					
	-30	635363		. Clamp	$\cdot \mid$			1										
	-30	635360		. Screw	.		- 1	1										
	-32	631739		. Clamp			- 1	2										
	-32	632105		. Screw			l.	2			-							
	-34	629837		. Nut	-			2										
	-35	635991		. Tubing, Spiral	\cdot		a	r										
_	-00	353601		.														
<u> </u>																		
	NOTE ①	tarminated (Cut or lea	furnished in two lengths only, with magneto end not to length specified in description column. (Part Number lds up to 48 inches in length and Part Number 637409-72 for hes in length.)														
	NOTE ②	Service sleeves	s - L	se Thomas and Betts Crimping Tool, No. WT-217.														
	CAUTION		uire	one (1) each 629498 ferrule and 629495 eyelet to complete										1				




FIGURE 53. IGNITION SYSTEM, TSIO-520-J,K,L.N.

			· · · · · · · · · · · · · · · · · · ·		,	,													
FIG.	PART						QI	JAI	NT	ITY		PEF			EΛ	/IBI	Υ.Υ		
INDEX	NUMBER	\perp	12345 DESCRIPTION		В	C	D	Ε	G	Н	J	K	L	M	N	P	R		
53- 1	534750	\$	Gasket, Magneto-to-Crankcase		T						2	2	2	ļ	2				\exists
-2	632958		Magneto Assembly, Left Hand			-					1	1	1		1				
-2	632959		Magneto Assembly, Right Hand								1	1	1		1			1	-
			ATTACHING PART		-													- {	İ
-3	535847		Washer, Magneto Holding								4	4	4		4				
-4	MS35338-45		Washer, Lock								4	4	4	١.	4				
-5	2439		Nut, Plain, Hex			İ					4	4	4		4				-
_			* * *		ì	1												}	1
-6	634675		Spark Plug, Champion No. RHB32E		l						12	12	12		12				-
	636603		Harness Assembly, Ignition		l						1	1	1		1				
			ATTACHING PARTS	3															1
-7	MS35338-43		Washer, Lock								8	8	8	*	8				ļ
-8	AN501-10-10		Screw								8	8	8		8				

F10	DAUT		,				Q	UA	NT				R A	SSE	ME	3L\	,
FIG.	PART	10045	DECCRIPTION		R	C	n	F	G	н	T.i	ĸ		M I	u I) F	
INDEX	NUMBER	12345	DESCRIPTION		-	_	10	-	۲	+	+	<u> </u>	+		+	+	+
			* * *														
-9	633579		lo. 1 Lower, 38.00 In.Lg				İ				1	1	1 1	1	1	İ	
-10	633580		lo. 1 Upper, 19.00 In.Lg								1	1	1 1	l l	1		
-11	633579		lo. 2 Lower, 43.00 In.Lg								1	1	1 !	- !	1		
-12	633580	① . Lead Assy., N	lo. 2 Upper, 21.00 In.Lg	•••							1	1	1 1		1	İ	
-13	633579		lo. 3 Lower, 42.00 In.Lg								1	1	1 1		1	İ	
-14	633580		lo. 3 Upper, 21.00 In.Lg								1	1	1 1		1		
-15	633579	① Lead Assy., N	lo. 4 Lower, 39.00 In.Lg								1	1			1		
-16	633580		lo. 5 Lower, 50.00 In.Lg					}		}	1	1	1 1		1		1 1
-17	633579		lo. 5 Upper, 28.00 In.Lg								1	1	1 1		1		
-18	633580		lo. 6 Lower, 42.00 In.Lg								1	1	1		1		
-19	633579 633580		lo. 6 Upper, 25.00 In.Lg								1	1			1		1 }
-20 -21	633585				ŀ						1	1	1		1		
-21 -22	633586										1	1	1		1		
-22 -23	633591										1	1	1		1		
-23 -24	633592										1	1			1		
-24	633590										1	1	1		1		
-26	633583									-	1	1	1		1		
-27	633589										1	1	1		1		
-28	633593										1	1	1 '	1 1	1	Ì	1 1
-29	635362										2	2			2	-	
-30	635699				1								12	1 1	12		
-31	635361	. Grommet			ľ		1		1		2	1		1 1	2		
-32	635700	. Eyelet		<i>. ,</i>							- 1		12	1 1	12	-	
-33	633925				Ì						9	1	,	1 1	9		
-34	633926										1			1 1	1		
	636922		bly								1	1	Į.		1		11
-35	636919				1				İ		1	1	- 1	1 1	1	ļ	
-36	633928								1		1	1		1 1	1	1	
-37	633927				İ						1	Ι.	i.	1 1	1	-	
-38	AN501-10-					Ì					1		1	1 1	1		
-39	22910		(, , , , . , . , . , , . , . , . ,								1	1.	1.		1		
-40			Stop		İ						2				2	- 1	
-41	636692							ĺ	١		2			1 1	2		
-42	636921				ŀ			-	ļ		2				2		
-43	636920	. Nut, Linnern	nan						Ì		-	-	-		-		
NOTE (1 Sarvina las	de are furnished in tw	o lengths only, with magneto end no	ot													
	terminated 633579 for	. Cut to length specific	ed in description column. (Part Number length and Part Number 633580 for lead	er													
NOTE (② Items 21 th	ru 28 applicable to each	individual lead.		ļ			-									
		eves - Use Thomas and B															




FIGURE 54. ACCESSORY DRIVE ASSEMBLY

FIG.	DEX NUMBER 1 2 3 4 5 DESCRIPTION 54- 534863 \$ Gasket, Adapter-To-Crankcase Adapter Assy., Magneto & Acc. Driv				Q	UA	N7			PEI		ASS	SEN	ИΒ	LY			
NDEX	NUMBER	Ì	12345 DESCRIPTION	Ī	3 0	: D	E	G		÷		-	M	N	Р	R		
54-	534863	\$	Gasket, Adapter-To-Crankcase		2 2	2	2	2	2	2	2	2	2	2	2	2	一	_
-2	534861A1		Adapter Assy., Magneto & Acc. Drive						1			1		1	2	1 1		
			ATTACHING PARTS													Ιİ	İ	
-3	2473		Washer, Plain	. 10	3 6	6	6	6	6	6	6	6	6	6	6	6		
-4	MS35338-45		Washer, Lock	. 6	6	6	6	6	6	6	6	6	6	6	6	6		
-5	2439		Nut, Plain, Hex	. 6	6	6	6	6	6	6	6	6		6	6	6		
-6	401507		Washer, Plain				2	2	2	2	2	2	2	2	2	2		
-7	MS35338-46		Washer, Lock	. 2	2 2	2	2	2	2	2	2	2	2	2	2	2		
-8	2441		Nut, Plain, Hex						2		2	2	1	2	2	2		
			* * *										l		İ			
-9	534742		. Bushing, Adapter			1	1	1	1	1	1	1	1	1	1	1		
-10	25102		. Seal, Oil		1	1	1	1	1	1	1	1	1	1	1	1	ĺ	
-11	401852	†	. Stud, 1/4 x 1-3/8 Inch Long	. 4	4	4	4	4	4	4	4	4	4	4	4	4		
-12	629422		Gear Assy., Magneto & Accessory Drive	. 2		2	2]	İ	2	2	2		2				1
-12	629076		Gear Assy., Magneto & Accessory Drive		2	İ		2	2				2		2	2		-
-13	629077	-	. Sleeve, Drive Gear		1 '	1	1	1	1	1	1	1	1	1	1	1		-
-14	531178		Retainer, Drive Coupling			2	2	2	2	2	2	2	2	2	2	2		- 1
-15	638172		Bushing, Drive Couplins			4	4	4	4	4	4	4	4	4	4	4	i	-
-16	MS9134-01	\$	Gasket, Adapter-To-Cover	2		2	2	2	2	2	2	2	2	2	2	2		
-17	640380		Cover, Accessory Drive	2	2	2	2	2	2	2	2	2	2	2	2	2		
			ATTACHING PARTS															
-18	2472		Washer, Plain	8	8	8	8	8	8	8	8	8	8	8	8	8		J
-19	MS35338-44		Washer, Lock			8		8	8		8			8		8		
-20	2437		Nut, Plain, Hex		8			8				8	1 1	8	1 1	8		ļ




FIGURE 55. FREON COMPRESSOR BRACKET ASSEMBLY (OPTIONAL FOR TSIO-520-L)

NUMBER	QUANTITY PER ASSEMB TSIO-520					BL	Y.							
-1 640767 Bracket -2 640820 Sheave Assembly -3 640372 Bearing, Ball -4 MS16631-1165 Ring, Retaining -5 640781 Arm, Idler Sheave -6 640363 Screw -7 640373 Spacer -8 AN101319 Bolt -9 640947 Washer, Special -10 640774 Bolt, Special -11 AN316-6R Nut -12 640777 Nut, Rectangular -13 MS20364-624C Nut -14 AN960-616 Washer, Plain -15 AN101319 Bolt -16 640517-4 Belt -17 MS90728-66 Bolt	нјк	Н	IJ	J	J	ĸ	L	M	1	N I	Р	R		\int
-2 640820 Sheave Assembly -3 640372 Bearing, Ball -4 MS16631-1165 Ring, Retaining -5 640781 Arm, Idler Sheave -6 640363 Screw -7 640373 Spacer -8 AN101319 Bolt -9 640947 Washer, Special -10 640774 Bolt, Special -11 AN316-6R Nut -12 640777 Nut, Rectangular -13 MS20364-624C Nut -14 AN960-616 Washer, Plain -15 AN101319 Bolt -16 640517-4 Belt -17 MS90728-66 Bolt							1					_		
-3 640372 . Bearing, Ball							1		1		Ì			
-4 MS16631-1165 . Ring, Retaining		- 1	1			l	1							
-5 640781						ĺ	1							1
-6 640363 Screw							1	ĺ			Í			
-7 640373 . Spacer]]						1							
-8 AN101319 Bolt			Ì			ļ	1							
-9 640947			1				1							
-10 640774 Bolt, Special	}	- 1					1			ĺ				
-11 AN316-6R Nut		1	1				1							
-12 640777 . Nut, Rectangular -13 MS20364-624C . Nut -14 AN960-616 . Washer, Plain -15 AN101319 . Bolt -16 640517-4 Belt							1			ł				
-13 MS20364-624C . Nut		Ì	ì				1	l		ľ				ł
-14 AN960-616 . Washer, Plain -15 AN101319 . Bolt -16 640517-4 Belt						İ	1							1
-15 AN101319 Bolt -16 640517-4 Belt -17 MS90728-66 Bolt						- [.	4						ĺ	
-16 640517-4 Belt						1	10							
-17 MS90728-66 Bolt	- }	}	}	- }			4	}		-	- }		}	}
					1	ļ	1		ĺ		-			-
.18 2/230 Washer						- :	2						l	
-10 24239 Washel		1				:	2						ĺ	

SECTION III OVERSIZE AND UNDERSIZE PARTS

PART NO.	NAME	DESCRIPTION	PART NO.	NAME	DESCRIPTION
35967P005	Insert	.005" OS on OD	401843P003	Stud	.003" OS on PE
35967P010	Insert	.010" OS on OD	401843P007	Stud	.007" OS on PE
35967P015	Insert	.015" OS on OD	401843P012	Stud	.012" OS on PD
35967P020	Insert	.020" OS on OD			
35967P030	Insert	.030" OS on OD	401860P003	Stud	.003'' OS on PE
			401860P007	Stud	.007" OS on PD
350998P0015	Bushing - C/shaft	.0015" OS on OD	401860P012	Stud	.012" OS on PC
350998P003	Bushing - C/shaft	.003" OS on OD			
350998P005	Bushing - C/shaft	.005" OS on OD	401861P003	Stud	.003" OS on PD
			401861P007	Stud .	.007" OS on PD
352655P003	Stud	.003" OS on PD	401861P012	Stud	.012" OS on PD
352655P007	Stud	.007" OS on PD			
352655P012	Stud	.012" OS on PD	401870P003	Stud	.003" OS on PD
			401870P007	Stud	.007" OS on PD
401800P003	Stud	.003" OS on PD	401870P012	Stud	.012" OS on PD
401800P007	Stud	.007" OS on PD			
401800P012	Stud	.012" OS on PD	401873P003	Stud	.003" OS on PD
4010001012	Stud	.012 03 0111 D	401873P007	Stud	.007" OS on PD
401801P003	Stud	.003" OS on PD	401873P012	Stud	.012" OS on PD
401801P007	Stud	.007" OS on PD			
401801P012	Stud	.012" OS on PD	401881P003	Stud	.003" OS on PD
4010011 012	Stud	.012 03 01110	401881P007	Stud	.007" OS on PD
401804P003	Stud	.003'' OS on PD	401881P012	Stud	.012" OS on PD
401804P007	Stud	.007" OS on PD			
401804P012	Stud	.012" OS on PD	401885P003	Stud	.003" OS on PD
4010041012	Stud	.012 03 01110	401885P007	Stud	.007" OS on PD
401808P003	Stud	.003'' OS on PD	401885P012	Stud	.012" OS on PD
401808P007	Stud	.007" OS on PD			
401808P012	Stud	.012" OS on PD			
4010001012	Staa	.012 03 011 FD	401893P003	Stud	.003" OS on PD
401813P003	Stud	.003" OS on PD	401893P007	Stud	.007" OS on PD
401813P007	Stud	.003" OS on PD	401893P012	Stud	.012" OS on PD
401813P012	Stud	.012" OS on PD	401899P003	Stud	.003" OS on PD
4010131012	otaa		401899P007	Stud	.003 OS 01 PD
401814P003	Stud	.003" OS on PD	401899P012	Stud	.007 OS on PD
401814P007	Stud	.007" OS on PD	7010331012	Jua	.012 03 011 FD
401814P012	Stud	.012" OS on PD	401027P002	Stud	.003" OS on PD
			401927P003 401927P007	Stud	.003 ' OS on PD
401832P003	Stud	.003" OS on PD			.007 OS on PD
401832P007	Stud	.007" OS on PD	401927P012	Stud	.012 03 011 FD
401832P012	Stud	.012" OS on PD			

A01932P003 Stud .003" OS on PD .402127P007 Stud .007" OS on PD .402127P007 Stud .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402127P007 .504 .007" OS on PD .402157P007 .504 .007" OS	PART NO.	NAME	DESCRIPTION	PART NO.	NAME	DESCRIPTION
401932P007 Stud 0.07" OS on PD 40212P007 Stud 0.07" OS on PD 401932P012 Stud 0.02" OS on PD 401932P013 Stud 0.003" OS on PD 40212P012 Stud 0.03" OS on PD 401936P003 Stud 0.07" OS on PD 40212P012 Stud 0.07" OS on PD 401936P003 Stud 0.07" OS on PD 40212P012 Stud 0.07" OS on PD 401936P003 Stud 0.07" OS on PD 40212P012 Stud 0.012" OS on PD 40212P012 Stud 0.013" OS on PD 401946P012 Stud 0.07" OS on PD 40215P003 Stud 0.003" OS on PD 40215P003 Stud 0.07" OS on PD 40215P003 Stud 0.07" OS on PD 40215P003 Stud 0.07" OS on PD 40215P003 Stud 0.07" OS on PD 40215P003 Stud 0.07" OS on PD 40215P003 Stud 0.07" OS on PD 40215P007 Stud 0.07" OS on PD 40235P007 Stud 0.07" OS on PD 40235P007 Stud 0.07" OS on PD 53159P000 Stud 0.00" OS	401932P003	Stud	.003" OS on PD	402127P003	Stud	.003'' OS on PD
401932P012 Stud			.007" OS on PD			.007" OS on PD
401936P003 Stud .003" (OS on PD .002128P007 Stud .002" (OS on PD .00218P007 Stud .002" (OS on PD .00218P007 Stud .003" (OS on PD .00218P007 Stud .003" (OS on PD .00218P007 Stud .007" (OS on PD .00218P007 .00218P	401932P012		.012" OS on PD			.012" OS on PD
401936P003 Stud .007" OS on PD 402129P012 Stud .007" OS on PD 402129P012 Stud .012" OS on PD 402129P012 Stud .012" OS on PD 402151P003 Stud .007" OS on PD 402151P007 Stud .007" OS on PD 402151P007 Stud .007" OS on PD 402151P007 Stud .007" OS on PD 402151P007 Stud .007" OS on PD 402151P007 Stud .007" OS on PD 402151P007 Stud .007" OS on PD 402151P007 Stud .003" OS on PD 402151P007 Stud .007" OS on PD 402151P0	401936P003	Stud	.003" OS on PD	402129P003	Stud	.003'' OS on PD
			.007" OS on PD	402129P007 🏶	Stud	.007" OS on PD
			.012" OS on PD	402129P012	Stud	.012" OS on PD
Main Main	401945P003	Stud		402151P003	Stud	.003" OS on PD
A01962P003 Stud	401945P007	Stud		402151P007	Stud	.007'' OS on PD
A01962P007 Stud	401945P012	Stud	.012" OS on PD			.012" OS on PD
AU1962P012 Stud				402157P002	Stud	003" OS on PD
A01963P012 Stud						
401963P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P009 Stud .009" OS on PD .402158P009 Stud .009" OS on PD .402158P007 Stud .009" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402159P007 Stud .007" OS on PD .402159P007 Stud .007" OS on PD .402159P007 Stud .007" OS on PD .402159P012 Stud .012" OS on PD .402159P012 Stud .012" OS on PD .402159P012 Stud .012" OS on PD .402159P012 Stud .003" OS on PD .402159P012 Stud .003" OS on PD .402159P012 Stud .003" OS on PD .402159P012 Stud .007" OS on PD .402159P012 Stud .007" OS on PD .402159P012 Stud .007" OS on PD .402159P012 Stud .007" OS on PD .402159P012 Stud .007" OS on PD .402159P012 Stud .007" OS on PD .402359P012 Stud .007" OS on PD .402359P012 Stud .007" OS on PD .402359P012 Stud .012" OS on PD .402359P012 Stud .012" OS on PD .402359P012 Stud .012" OS on PD .402711P007 Stud .007" OS on PD .402711P007 Stud .007" OS on PD .402711P012 Stud .007" OS on PD .402711P012 Stud .007" OS on PD .402711P012 Stud .012" OS on PD .404584P007 Stud .007" OS on PD .404584P007 Stud .007" OS on PD .404584P007 Stud .007" OS on PD .404584P007 Stud .007" OS on PD .404584P007 Stud .007" OS on PD .402034P007 Stud .007" OS on PD .531590P009 Stud .006" OS on PD .402034P007 Stud .007" OS on PD .531590P009 Stud .006" OS on PD .402034P007 Stud .007" OS on PD .536583P005 Dowel .005" OS on OD .402044P003 Stud .007" OS on PD .536583P005 Dowel .005" OS on OD .402044P007 Stud .007" OS on PD .536583P005 Dowel .005" OS on OD .402044P007 Stud .007" OS on PD .536583P005 Dowel .005" OS on OD .402066P007 Stud .007" OS on PD .536563P000 .506900000000000000000000000000000000000	401962P012	Stud	.012" OS on PD			
AU1963P012 Stud .003" OS on PD .402158P007 Stud .007" OS on PD .402158P009 Stud .003" OS on PD .402158P009 Stud .003" OS on PD .402158P007 Stud .003" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402158P007 Stud .007" OS on PD .402358P007 Stud .007" OS on PD .402358P007 Stud .007" OS on PD .402358P007 Stud .007" OS on PD .402358P007 Stud .007" OS on PD .402358P007 Stud .007" OS on PD .402711P003 Stud .003" OS on PD .402711P007 Stud .007" OS on PD .402711P007 Stud .007" OS on PD .402711P007 Stud .007" OS on PD .402711P007 Stud .007" OS on PD .402711P007 Stud .007" OS on PD .402711P007 Stud .007" OS on PD .404584P003 Stud .003" OS on PD .404584P003 Stud .003" OS on PD .404584P007 Stud .007" OS on PD .404584P007 Stud .007" OS on PD .531590P009 Stud .007" OS on PD .531590P009 Stud .007" OS on PD .531590P009 Stud .006" OS on PD .531590P009 Stud .006" OS on PD .531590P009 Stud .006" OS on PD .531590P009 Stud .006" OS on PD .531590P009 Stud .006" OS on PD .536661P020 .5980M015 Spring .015" US on ID .402044P012 Stud .007" OS on PD .536661P020 .5980M015 Spring .015" US on ID .5980M015 Spring .015" US on ID .5980M015 Spring .015" US on ID .5980M010 .5980M010 .5980M010 .5980M010 .5980M010 .5980M010 .5980M010 .5980M010 .5980M010 .5980M010 .5980M010 .5980M010 .5980M010	401963P003	Stud	.003" OS on PD		_	
A01965P012 Stud .003" OS on PD .0021 SP009 Stud .009" OS on PD .003" OS on PD .0021 SP007 .003" OS on PD .0021 SP007 .0021 OS on PD .0021 SP007 .0021 OS on PD .0021 SP007 .0021 OS on PD .0021 SP007 .0021 OS on PD .0021 SP007 .0021 OS on PD .0021 SP007 .0021 OS on PD .0021 Stud .003" OS on PD .0021 SP007 .0021 Stud .003" OS on PD .0021 SP007 .0021 Stud .003" OS on PD .0023 SP007 .0023 STUD .002" OS on PD .0023 SP007 .0023 STUD .002" OS on PD .0023 SP007 .0023 STUD .002" OS on PD .0023 SP007 .002" OS on PD .0023 SP007 .002" OS on PD .0023 SP007 .002" OS on PD .0021 STUD .002" OS on PD .0020 .0020 STUD .002" OS on PD .0020 STUD .002" OS on PD .0020 STUD .0020 S	401963P007		.007" OS on PD			
401965P003 Stud	401963P012	Stud	.012" OS on PD			
Mode Mode				402158P009	Stud	.009" OS on PD
A01969F007 Stud D.012" OS on PD A02159P007 Stud D.012" OS on PD A02159P012 Stud D.012" OS on PD A02159P012 Stud D.012" OS on PD A02159P012 Stud D.012" OS on PD A01968P007 Stud D.012" OS on PD A02359P007 Stud D.007" OS on PD A02359P012 Stud D.012" OS on PD A02359P012 Stud D.012" OS on PD A02359P012 Stud D.012" OS on PD A02359P012 Stud D.012" OS on PD A02359P012 Stud D.012" OS on PD A02359P012 Stud D.012" OS on PD A02359P012 Stud D.012" OS on PD A02359P012 Stud D.012" OS on PD A02711P003 Stud D.007" OS on PD A02711P007 Stud D.012" OS on PD A02711P007 Stud D.012" OS on PD A02711P012 Stud D.012" OS on PD A02711P012 Stud D.012" OS on PD A02711P012 Stud D.012" OS on PD A04584P003 Stud D.012" OS on PD A04584P003 Stud D.003" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.012" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS on PD A04584P012 Stud D.003" OS				4021E0P003	Stud	003" OS on PD
401968P012 Stud .003" OS on PD						
Main Main	401965P012	Stud	.012" OS on PD			
Model Mode	401968P003	Stud	.003'' OS on PD	4022E0D002	Ctud	003" OS on PD
A01968P012 Stud .012" OS on PD A02359P012 Stud .012" OS on PD A01971P003 Stud .003" OS on PD A02711P003 Stud .003" OS on PD A01971P012 Stud .012" OS on PD A02711P007 Stud .007" OS on PD A02711P012 Stud .012" OS on PD A02711P012 Stud .012" OS on PD A02711P012 Stud .012" OS on PD A02711P012 Stud .012" OS on PD A02711P012 Stud .012" OS on PD A02711P012 Stud .012" OS on PD A02711P012 Stud .003" OS on PD A04584P003 Stud .003" OS on PD A04584P007 Stud .007" OS on PD A04584P012 Stud .012" OS on PD A04584P012 Stud .012" OS on PD A04584P012 Stud .012" OS on PD A04584P012 Stud .012" OS on PD A04584P012 Stud .012" OS on PD A04584P012 Stud .003" OS on PD A04584P012 Stud .003" OS on PD A04584P012 Stud .003" OS on PD A04584P012 Stud .003" OS on PD A04584P012 Stud .003" OS on PD A04584P012 Stud .003" OS on PD A04584P012 Stud .003" OS on PD A04584P012 Stud .003" OS on PD A04584P012 Stud .006" OS on PD A04584P01	401968P007	Stud	.007′′ OS on PD			
A01971P003	401968P012	Stud	.012" OS on PD	_		
A01971P012 Stud .012" OS on PD 402711P007 Stud .007" OS on PD 402711P012 Stud .012" OS on PD 402711P012 Stud .012" OS on PD 401975P003 Stud .003" OS on PD 404584P003 Stud .003" OS on PD 404584P007 Stud .007" OS on PD 404584P012 Stud .012" OS on PD 404584P012 Stud .012" OS on PD 404584P012 Stud .012" OS on PD 404584P012 Stud .012" OS on PD 404584P012 Stud .012" OS on PD 401977P003 Stud .003" OS on PD 531590P003 Stud .003" OS on PD 531590P006 Stud .006" OS on PD 401977P012 Stud .012" OS on PD 531590P009 Stud .009" OS on PD 402034P003 Stud .003" OS on PD 535661P020 Camshaft .020" OS on OD 402034P003 Stud .0012" OS on PD 53663P005 Dowel .005" OS on OD 402034P007 Stud .0012" OS on PD 539800M015 Spring .015" US on ID 402044P007 Stud .007" OS on PD 626739M010 Collar .010"US on ID 402044P0012 Stud .012" OS on PD 629680M010 Collar .010"US on ID 402060P003 Stud .003" OS on PD 629401P005 Ring - Piston .005" OS on OD 402060P0012 Stud .003" OS on PD 629401P015 Ring - Piston .015" OS on OD 402066P007 Stud .003" OS on PD 629401P015 Ring - Piston .015" OS on OD 402066P007 Stud .003" OS on PD 629401P015 Ring - Piston .015" OS on OD 402066P007 Stud .007" OS on PD 629401P015 Ring - Piston .015" OS on OD 402066P007 Stud .007" OS on PD 629401P015 Ring - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 629401P015 Ring - Piston .015" OS on OD 402066P007 Stud .007" OS on PD 629401P015 Ring - Piston .015" OS on OD 402066P007 Stud .007" OS on PD 629401P015 Ring - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 629401P015 Ring - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 629401P015 Ring - Piston .005" OS on OD .005" OS on OD .005" OS on OD .005" OS on OD .005" OS on OD .005" OS on OD .005" OS on OD .005" OS on OD .	401971P003	Stud	.003" OS on PD			
A02711P012 Stud .012" OS on PD A02711P012 Stud .012" OS on PD A01975P003 Stud .003" OS on PD A04584P007 Stud .007" OS on PD A04584P007 Stud .007" OS on PD A04584P007 Stud .007" OS on PD A04584P012 Stud .012" OS on PD A04584P012 Stud .012" OS on PD A04584P012 Stud .012" OS on PD A04584P012 Stud .003" OS on PD A01977P003 Stud .007" OS on PD S31590P003 Stud .003" OS on PD S31590P006 Stud .006" OS on PD A02034P003 Stud .002" OS on PD S31590P009 Stud .009" OS on PD A02034P003 Stud .007" OS on PD S35661P020 Camshaft .020" OS on OD A02034P012 Stud .012" OS on PD S36563P005 Dowel .005" OS on OD A02034P003 Stud .003" OS on PD S36563P005 Dowel .005" OS on OD A02034P003 Stud .007" OS on PD S38900M015 Spring .015" US on ID A02034P007 Stud .007" OS on PD 626739M010 Collar .010"US on ID A02034P012 Stud .012" OS on PD 629680M010 Collar .010"US on ID A02060P003 Stud .003" OS on PD 629401P005 Ring - Piston .005" OS on OD A02060P001 Stud .003" OS on PD 629401P015 Ring - Piston .015" OS on OD A02060P003 Stud .003" OS on PD 629401P015 Ring - Piston .015" OS on OD A02060P003 Stud .003" OS on PD 629726A3P020 Camshaft .020" OS on OD A02060P003 Stud .003" OS on PD 629726A3P020 Camshaft .020" OS on OD A02060P003 Stud .003" OS on PD 629726A3P020 Camshaft .020" OS on OD A02060P003 Stud .003" OS on PD 629726A3P020 Camshaft .020" OS on OD A02060P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD A02060P001 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD A02060P001 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD .005" OS on OD .005" OS on OD .005" OS on PD .005" OS on PD .005" OS on DD .005" OS on DD .005" OS on DD .005" OS on DD .005" OS on DD .005" OS on DD .005" OS on DD .005" OS on DD .005" OS on DD	401971P007	Stud	.007" OS on PD			_
Autoritist Aut	401971P012	Stud	.012" OS on PD			
A01975P007 Stud .007" OS on PD 404584P003 Stud .003" OS on PD A04584P007 Stud .0012" OS on PD A04584P007 Stud .0012" OS on PD A04584P007 Stud .0012" OS on PD A04584P007 Stud .0012" OS on PD A04584P012 Stud .0012" OS on PD S1590P003 Stud .003" OS on PD S1590P006 Stud .006" OS on PD S1590P006 Stud .006" OS on PD S1590P009 Stud .009" OS on PD S1590P009 Stud .009" OS on PD S1590P009 Stud .009" OS on PD S1590P009 Stud .009" OS on PD S1590P009 Stud .009" OS on PD S1590P009 Stud .009" OS on PD S1590P009 Stud .009" OS on PD S1590P009 Stud .009" OS on OD S1590P009 Stud .0012" OS on PD S1590P009 Stud .005" OS on OD S1590P009 Stud .005" OS on PD S1590P009 S15				40271119012	Stud	.012 US on PD
A01975P012 Stud .012" OS on PD				101E81B003	Stud	003" OS on PD
401977P003 Stud .003" OS on PD 531590P003 Stud .003" OS on PD 401977P012 Stud .012" OS on PD 531590P006 Stud .006" OS on PD 401977P012 Stud .012" OS on PD 531590P009 Stud .006" OS on PD 402034P003 Stud .003" OS on PD 531590P009 Stud .009" OS on PD 402034P007 Stud .007" OS on PD 536563P005 Dowel .005" OS on OD 402034P012 Stud .012" OS on PD 536563P005 Dowel .005" OS on OD 402044P003 Stud .003" OS on PD 539800M015 Spring .015" US on ID 402044P007 Stud .007" OS on PD 626739M010 Collar .010"US on ID 402044P012 Stud .012" OS on PD 629680M010 Collar .010"US on ID 402060P003 Stud .003" OS on PD 629680M010 Collar .010"US on ID 402060P003 Stud .003" OS on PD 629401P005 Ring - Piston .005" OS on OD 402060P0012 Stud .012" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P003 Stud .003" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P007 Stud .007" OS on P						
A01977P007 Stud .007" OS on PD .531590P006 Stud .006" OS on PD .012" OS on PD .531590P006 Stud .006" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on OD .009" OS o	401975P012	Stud	.012 OS on PD			
Mail	401977P003	Stud	.003" OS on PD	531590P003	Stud	.003" OS on PD
Stud .012" OS on PD 531590P009 Stud .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on PD .009" OS on OD .000" OS on PD .000" OS on OD .000" OS on OD .000" OS on OD .000" OS on OD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on OD .000" OS on PD .000" OS on OD .000" OS on	40197 7P 007	Stud	.007'' OS on PD			006" OS on PD
402034P007 Stud .007" OS on PD .005" OS on OD .	401977P012	Stud	.012" OS on PD			
402034P007 Stud .007" OS on PD 535661P020 Carishart .020" OS on OD 402034P012 Stud .012" OS on PD 536563P005 Dowel .005" OS on OD 402044P003 Stud .003" OS on PD 539800M015 Spring .015" US on ID 402044P007 Stud .007" OS on PD 626739M010 Collar .010"US on ID 402044P012 Stud .012" OS on PD 629680M010 Collar .010"US on ID 402060P003 Stud .007" OS on PD 629401P005 Ring - Piston .005" OS on OD 402060P012 Stud .002" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P012 Stud .012" OS on PD 630046P005 Pin - Piston .005" OS on OD	402034P003	Stud	.003" OS on PD	E0E004B000	Campbef+	020" OS on OD
402044P003 Stud .003" OS on PD 626739M010 Collar .010"US on ID 402044P012 Stud .007" OS on PD 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .010"US on ID 629680M010 Collar .005" OS on OD 629401P015 Ring - Piston .015" OS on OD 629401P015 Ring - Piston .015" OS on OD 629726A3P020 Camshaft .020" OS on OD 629726A3P020 Camshaft .020" OS on OD 630046P005 Pin - Piston .005" OS on OD 630046P005 Pin - Piston .005" OS on OD 630046P005 Pin - Piston .005" OS on OD			.007" OS on PD	535661P020	Camsnatt	.020 03 011 00
402044P003 Stud .003" OS on PD 626739M010 Collar .010"US on ID 402044P012 Stud .012" OS on PD 629680M010 Collar .010"US on ID 402060P003 Stud .003" OS on PD 629680M010 Collar .010"US on ID 402060P007 Stud .007" OS on PD 629401P005 Ring - Piston .005" OS on OD 402060P012 Stud .012" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P012 Stud .012" OS on PD 630046P005 Pin - Piston .005" OS on OD	402034P012	Stud	.012" OS on PD	536563P005	Dowel	.005" OS on OD
A02044P007 Stud .007" OS on PD 626739M010 Collar .010"US on ID	4000440000	Carrel	003" OS on BD	539800M015	Spring	.015" US on ID
402044P012 Stud .012" OS on PD 629680MO10 Collar .010"US on ID 402060P003 Stud .003" OS on PD 402060P007 Stud .012" OS on PD 402060P012 Stud .012" OS on PD 402066P003 Stud .003" OS on PD 402066P007 Stud .003" OS on PD 402066P007 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD				62672014040	Colleg	010"US on ID
629680MO10 Collar .010"US on ID 402060P003 Stud .003" OS on PD 402060P007 Stud .007" OS on PD 402066P003 Stud .003" OS on PD 402066P003 Stud .003" OS on PD 402066P007 Stud .007" OS on PD 402066P007 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD 402066P012 Stud .007" OS on PD				626739WUTU	Conar	.010 00 0110
402060P007 Stud .007" OS on PD 629401P005 Ring - Piston .005" OS on OD 402060P012 Stud .012" OS on PD 629401P015 Ring - Piston .015" OS on OD 402066P003 Stud .003" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P012 Stud .012" OS on PD 630046P005 Pin - Piston .005" OS on OD	1020111012	0.00		629680MO10	Collar	.010"'US on ID
402060P007 Stud .007" OS on PD 629401P015 Ring - Piston .015" OS on OD 402060P012 Stud .002" OS on PD 629726A3P020 Camshaft .020" OS on OD 402066P007 Stud .007" OS on PD 630046P005 Pin - Piston .005" OS on OD 402066P012 Stud .012" OS on PD 630046P005 Pin - Piston .005" OS on OD				629401P005	Ring - Piston	.005" OS on OD
402060P012 Stud .012" OS on PD .012" OS on PD .020" OS on OD 402066P003 Stud .003" OS on PD .020" OS on OD 402066P007 Stud .007" OS on PD .012" OS on PD 402066P012 Stud .012" OS on PD .012" OS on PD			•			
402066P003 Stud .003" OS on PD 402066P007 Stud .007" OS on PD 402066P012 Stud .012" OS on PD 630046P005 Pin - Piston .005" OS on OD	402060P012	Stud	.012" OS on PD	320 1011 010		
402066P007 Stud .007" OS on PD 402066P012 Stud .012" OS on PD 630046P005 Pin - Piston .005" OS on OD	402066P003	Stud	.003" OS on PD	629726A3P020	Camshaft	.020" OS on OD
402066P012 Stud .012" OS on PD 630046P005 Pin - Piston .005 OS on OD				00001000==	D: D: :	005" 00 05
630464M010 Bearing-C/Shaft .010" US on ID				6300462005		
				630464M010	Bearing-C/Shaft	.010" US on ID

PART NO.	NAME	DESCRIPTION	PART NO.	NAME	DESCRIPTION
630591P005	Insert	.005'' OS on OD	636242P005	Guide - valve	.005" OS on OD
630591P010	Insert	.010" OS on OD	636242P010	Guide - valve	.010" OS on OD
630591P015	Insert	.015" OS on OD	636242P015	Guide - valve	.015" OS on OD
630591P020	Insert	.020" OS on OD	636242P020	Guide - valve	.020" OS on OD
630591P030	Insert	.030" OS on OD	636242P030	Guide - valve	.030" OS on OD
				•	
630826M010	Bearing-C/Rod	.010" US on ID	640625P005	Ring-Piston	.005" OS on OD
			640625P010	Ring-Piston	.010" OS on OD
631496P005	Guide - valve	.005" OS on OD	640625P015	Ring-Piston	.015" OS on OD
631496P010	Guide - valve	.010" OS on OD		ŭ	
631496P015	Guide - valve	.015" OS on OD	640626P005	Ring-Piston	.005" OS on OD
631496P020	Guide - valve	.020" OS on OD	640626P010	Ring-Piston	.010" OS on OD
631496P030	Guide - valve	.030" OS on OD	640626P015	Ring-Piston	.015" OS on OD
632585P010	Piston	.010" OS on OD	0440000005	5: 6:	2254 22 25
632585P015	Piston	.015" OS on OD	641302P005	Ring-Piston	.005" OS on OD
332000, 010		.0.0 00 0.1 00	641302P010	Ring-Piston	.010" OS on OD
			641302P015	Ring-Piston	.015" OS on OD
635439M010	Bearing-C/Shaft	.010" US on ID			

PART NO.	NAME	DESCRIPTION	PART NO.	NAME	DESCRIPTION
630591P005	Insert	.005" OS on OD	636242P005	Guide - valve	.005" OS on OD
630591P010	Insert	.010" OS on OD	636242P010	Guide - valve	.010" OS on OD
630591P015	Insert	.015" OS on OD	636242P015	Guide - valve	.015" OS on OD
630591P020	Insert	.020" OS on OD	636242P020	Guide - valve	.020" OS on OD
630591P030	Insert	.030" OS on OD	636242P030	Guide - valve	.030" OS on OD
••••				•	
630826M010	Bearing-C/Rod	.010" US on ID	640625P005	Ring-Piston	.005" OS on OD
			640625P010	Ring-Piston	.010" OS on OD
631496P005	Guide - valve	.005" OS on OD	640625P015	Ring-Piston	.015" OS on OD
631496P010	Guide - valve	,010" OS on OD		•	
631496P015	Guide - valve	.015" OS on OD	640626P005	Ring-Piston	.005" OS on OD
631496P020	Guide - valve	.020" OS on OD	640626P010	Ring-Piston	.010" OS on OD
631496P030	Guide - valve	.030" OS on OD	640626P015	Ring-Piston	.015" OS on OD
632585P010	Piston	.010" OS on OD	0.4400000000	D. D.	
632585P015	Piston	.015" OS on OD	641302P005	Ring-Piston	.005" OS on OD
002000. 010		.0.2 00 011 00	641302P010	Ring-Piston	.010" OS on OD
			641302P015	Ring-Piston	.015" OS on OD
635439M010	Bearing-C/Shaft	.010" US on ID			

SECTION IV REPAIR PARTS SETS AND MATERIALS

PART NUMBER	DESCRIPTION	SIZE	CODE
642188	Gasket Paste	1 Oz. Tube Standard	ALL B,E,J,K,L,N
633570A2 633570A1	Gasket Set - Complete Overhaul Gasket Set - Complete Overhaul	Standard	C,G,H,M,P,R
633570A3	Gasket Set - Complete Overhaul Gasket Set - Complete Overhaul	Standard Standard	D L
633570A5 642109	Gasket Set - Top Overhaul	Standard	ALL
640625A3 640625A3P005	Ring Set - Single Cylinder Ring Set - Single Cylinder	Standard .005" OS on OD	ALL ALL
640625A3P010	Ring Set - Single Cylinder	.010" OS on OD	ALL
640625A3P015	Ring Set - Single Cylinder	.015" OS on OD Standard	ALL ALL
639742 642839A2 642839A2M010 642720A2 642720A2010 630464A1 630464A1M010 626531-1	Ring Set - Single Cylinder Bearing Set - Crankshaft Bearing Set - Crankshaft Bearing Set - Crankshaft Bearing Set - Crankshaft Bearing Set - Crankshaft Bearing Set - Crankshaft Bearing Set - Crankshaft Enamel - Gold, Engine	Standard .010" US on ID Standard .010" US on ID Standard .010" US on ID 1 Quart	B,D,E,J,K,L,N B,D,E,J,K,L,N BB,DB,EB,JB,KB,LB,NB BB,DB,EB,JB,KB,LB,NB C,G,H,M,P,R C,G,H,M,P,R ALL
626531-2 535011S	Enamel, Gold, Engine Lockwire - 0.040 in. dia. steel	1 Gallon Order by 1 Lb. Roll	ALL ALL

NOTE: 1 This set does not contain intake hoses.

② For use with chrome cylinders.

SECTION V NUMBERICAL PARTS LIST

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
AN101319	54-08	1	AN815-6	34-10	1
AN101313	54-15	4	AN816-48	21-19	1
AN121501	35-20	2	AN833-6	41-17	1
	36-22	2	AN842-8D	37-20	1
	38-25	2	AN844-8	27-43	1
	39-25	2	AN900-10	1-34	1
AN123862	3-10	2		2-29	1
	4-23	2		23-06	1
	18-29	1		23-14	1
	21-01	2		24-11	1 1
AN123866	6-17	1		25-03	1
AN123902	17-26	1		25-17	1 1
AN123962	7-29	1	ANIOOO 40	26-11 22.07	1
AN123965	8-25	1	AN900-12	23-07 25-04	1
AN316-6R	54-11	1	11000 11	15-21	1
AN316-9R	18-40	1	AN900-14	14-13	1
AN381-25-10	11-05	12	AN900-18	15-15	1
AN4-17A	23-03	1	AN900-22	14-42	1
AN5-10A	14-60	1	AN910-22 AN910-2	34-19	1
AN5-12A	2-34	1	AN911-2	34-18	1
AN5-12A	4-10	9	AN912-2	21-17	1
	4-14	1	A11312-2	34-27	1
AN5-13A	1-37	1 9	AN912-4	17-41	1
	3-24 3-28	1	711012	34-08	1
AN5-14A	3-26 4-18	2	AN924-4	34-06	1
A N I	3-33	2	AN924-6	41-16	1
AN5-15A AN500-10-5	47-04	2	AN932-2	16-32	1
AN500-10-5	48-04	2		17-33	1
AN500A10-12	38-35	4		37-19	1
AN500A10-12	39-36	4		46-03	1
	41-05	4		46-08	2
	41-24	4		46-12	2
AN500A10-16	40-18	4	AN932C2	1-30	2
AN500A10-4	6-02	2	AN960-10L	5-31	4
AN500A416-8	6-23	3		34-30	3
AN500A8-10	47-13	4		38-34	4
, (11000), (3 10	48-14	4		39-34	4
AN501-10-10	50-08	8		41-04	4
	53-08	8		41-23	4
AN501-10-8	53-38	1	AN960-516	25-09	3
AN515-8R5	42-15	2	AN960-616	54-14	10
AN565E8H8	38-12	1	AN960-616L	25-15	12
	39-12	1	AN960C916	18-38	1
AN737TW114	31-36	2	MS122121	13-08 1-05	4 1
AN737W98	27-29	2	MS122122	1-05 2-05	1
AN780-2	47-06	2	MC122160	2-05 38-05	12
	48-06	2	MS122160	30-03	12

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
MS122160	39-05	12	MS35338-44	14-59	1
MS122162	1-04	4		14-62	RF
	2-04	4		15-03	11
MS122163	1-38	2	*	15-28	1
MS16631-1165	54-04	1		15-37	1
MS20073-05-25	3-13	4	•	22-04	5
MS20074-03-03	5-32	4	-	22-12	12
	24-05	2		27-07	24
	26-05	2		28-05	24
MS20074-04-04	24-04	2		29-05	24
11000001 0010	26-04	2		29-54	1
MS20364-624C	54-13	4		30-05	24
MS20365-1032A	53-40	1		30-36	4
MS20822-8 MS20823-2	17-42 48-07	1		31-07	24
1012/08/23-2	48-07 48-09	4 1		31-45	4
MS20823-6B	46-09 21-18	1		32-06 35-30	24
W320023-0B	34-26	1		36-30 36-31	3 3
MS21042-4	8-22	1		49-19	8
MS21042-4 MS21044N08	42-16	2	MS35338-45	5-09	2
MS21044N3	35-23	1	M000000-40	5-0 <i>9</i> 5-15	4
111021044110	36-25	1		6-11	4
	37-07	1		16-03	4
	38-28	1		16-29	3
	38-43	1		16-38	4
	39-28	1		17-03	4
	41-11	1		18-03	3
MS21044N5	37-16	1		18-23	3
MS24665-302	19-13	1		19-04	4
MS28778-4	34-07	1		27-16	2
MS28778-6	34-11	1		30-14	2
MS28882-6	41-18	1		31-15	2
MS29512-06	41-15	1		40-09	2
MS29513-010	3-06	16		42-03	2
14000540 400	4-07	16		43-03	4
MS29513-138	39-32	1		44-03	2
M005000 04	41-21	1		45-03	2
MS35266-61	6-31	1		49-04	6
MS35338-43	6-33 34-31	1 3		50-04 51-04	4
	40-17	3 4		51-0 4 52-04	4 4
	40-17 47-03	2		52-0 4 53-04	4
	48-03	2	MS35338-46	14-47	3
	50-07	8	Widebood to	20-04	4
	53-07	8		21-10	4
MS35338-44	5-20	2		27-41	4
	5-25	2		34-16	2
	6-15	2		49-07	2
	6-22	3	MS35489-11S	29-33	1
	13-32	48		32-31	1
	14-03	1	MS35756-8	10-05	1
	14-23	7		16-15	1
	14-37	4		17-15	1

	FIGURE	QTY		FIGURE	QTY
PART NUMBER	& INDEX	PER ASSY	PART NUMBER	& INDEX	PER ASSY
MC25756 9	18-12	1	20522	29-04	24
MS35756-8	18-31	1		30-04	24
MS9021-038	17-50	1		31-06	24
1000021 000	18-41	1		32-05	24
MS9021-150	30-40	1	*	35-29	3
MS9021-210	5-05	1	•	36-30	3
MS9021.038	16-42	1	20654	39-35	4
MS90728-66	54-17	2	20655	14-33	4
MS9089-10	41-27	4	21007	13-21	1
MS9134-01	14-34	1	0400044	13-24 14-40	1 1
	49-16	2	21208A1	15-41	1
MS9245-62	17-49	1	00505	5-13	· 8
MS9358-15	17-48	1 1	22535	6-09	8
M535756-8	9-04 33-16	4		29-13	2
NAS1006-10A	33-16 33-14	8	2265	23-08	1
NAS1587-6	16-26	1	2203	25-05	1
NA123902	16-16	1		25-18	1
X13041	17-16	1	22661	28-37	1
	18-13	1	2274	14-46	3
X1473	14-15	1	22910	14-32	4
X1473	15-17	1		53-39	1
X5146	42-12	1	23024	14-08	2
7,01-10	43-14	1	24239	3-11	2
13XX1896	6-34	1		4-24	2
	38-40	2	·	14-55	2
13XX202B	23-12	30		21-04	2
	25-10	30		54-18	2
	26-09	30	2436	34-32	3 2
	28-18	2	2437	5-21 5-26	2
	29-14	2		6-16	2
13XX2023	24-09	32		14-04	1
13XX299	18-39	1		14-24	7
20202	3-03 20-09	4 1		14-38	4
2024	48-05	1		15-04	11
	1-32	1		15-29	1
2025	2-24	4		15-38	1
0000	22-08	1		22-05	5
2026	3-17	10		28-39	2
20522	5-19	2		29-24	1
	13-31	48		35-31	3
	14-02	1		36-32	3
	14-22	7		49-20	8
	15-02	10	2439	3-26	12
	15-27	1		3-30 3-37	1 2
	15-36	1		3-37 4-12	2 11
	22-03	5 12		4-12 4-16	1
	22-11 23-04	12 1		4-70	2
	23-04 24-03	2		5-16	4
	26-03	2		6-12	4
	27-06	24		14-63	RF
	28-04	24		16-04	4

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
2420	16-30	3	2473	17-38	4
2439	16-39	4		18-02	3
	17-04	4		18-22	3
	17-29	3		19-03	4
	17-39	4		23-11	30
	18-05	2	\ 	24-08	30
	19-05	4	•	25-08	27
	40-10	2		26-08	30
	42-02	2		43-02	4
	43-04	4		49-03	6
	44-04	2	2474	5-03	12
	45-04	2	277.1	20-03	4
	49-05	6		21-09	4
	50-05	4	24764	5-28	6
	51-05	4	21701	6-39	6
	52-05	4	24767	30-35	4
	53-05	4	2	31-44	4
2441	3-12	2	24802	13-18	4
2771	4-25	1	24835	27-08	24
	5-04	12	21000	28-06	24
	6-06	16		29-06	24
	14-48	3		30-06	24
	16-45	2		31-08	24
	17-53	2		32-07	24
	18-44	2	24878	3-16	5
	20-05	4	2500	35-26	2
	21-05	2	2300	36-28	2
	21-11	4		37-10	2
	25-16	12		38-31	4
	49-08	2		39-31	4
2471	6-32	1		41-08	2
2.,,	14-31	4	25102	49-10	1
2472	14-36	4	25164	29-23	1
	49-18	8	25171	4-03	12
2473	2-33	1	25328	4-27	1
	3-14	8	23320	6-36	1
	3-19	2	350998	7-02	8
	3-22	3	330390	8-02	8
	3-29	3	352655	17-06	1
	3-34	1	332033	17-32	1
1 4	4-11	10	35967	13-10	1
	4-15	1	35971	13-16	1
	4-19	3	36151L	27-10	8
	4-29	4	001012	28-09	8
	5-08	2		29-08	8
	5-14	4		30-08	8
	6-10	4	y.	31-10	8
	13-27	12	36151R	6-28	2
	14-61	RF	400573-8	34-05	4
	16-02	4	401507	3-11	2
	16-28	3		16-44	2
	16-37	4		17-52	2
	17-02	4		27-40	4

	•				
	FIGURE	QTY		FIGURE	QTY
PART NUMBER	&	PER	PART NUMBER	&	PER
	INDEX	ASSY		INDEX	ASSY
401507	34-15	2	401977	1-23	4
	49-06	2	402034	1-24	1
401752	1-29	3	402044	1-12	1
401732	17-40	1		2-13	1
	28-21	1	402060	2-10	2
401753	43-13	1	402066	2-09	14
401800	15-06	1	402127	1-08	2
401801	14-06	2		16-08	2
401804	1-06	2		17-08	2
401808	2-06	5		18-07	2
401813	16-31	4	402129	2-15	2
401013	17-30	2	402151	1-25	2
401814	1-07	4		2-08	4
401014	16-06	1	402157	2-17	3
	16-09	1	402158	2-18	2
	17-09	1	402159	2-19	2
401832	15-07	1	402359	1-16	1
401843	29-17	1	402711	14-27	1
401852	49-11	4		36-06	2
401860	1-08	2	402941	1-31	4
401000	25-13	12	404584	1-09	1
401861	1-08	2	477290	34-03	2
401870	2-11	2	477291	34-04	2
401873	1-19	7	501867	16-21	1
4010/3	1-20	1	*	17-21	1
401881	16-07	2		18-18	1
401001	17-07	2		35-17	3
401885	1-10	2		36-19	3
401000	1-11	11		38-22	3
	1-12	1		39-22	3
	2-12	11	501868	18-33	1
401893	2-14	1	00.002	32-14	1
401693	7-25	2	502020	17-44	1
	8-21	2	502287	16-17	1
	13-07	4		17-17	1
	14-26	4		18-14	1
401000	2-07	4	502293	17-25	1
401899	17-31	1	520112-3	13-04	2
401007	1-13	3	521649	16-25	1
401927	1-15	1	530346	23-13	30
401932	1-17	4		24-10	32
401936	1-18	1		26-10	30
40104E	1-21	2		28-19	2
401945 401962	1-14	1	530658	11-02	1
401963	1-22	2	531001	3-04	4
UUU UUU	15-30	1		4-04	12
401965	1-21	2		13-02	36
TU 1000	1-26	2	531178	49-14	2
	2-16	2	531378	14-25	1
401968	1-18	1	531548	2-03	2
401971	16-10	1	531590	2-20	1
-101071	17-10	1	532432	1-33	1
401975	1-10	2		2-28	1
101070					

PART NUMBER	FIGURE &	QTY PER		PART NUMBER	FIGURE &	QTY PER
	INDEX	ASSY	L		INDEX	ASSY
532432	23-15	1		53633875	31-23	2
	24-12	1		536379	7-19	6
	26-12	1			8-18	6
534471	41-26	4		53638850	37-28	2
534609 534610	13-37 13-38	48 24		*	40-04	2 4
534610 534655	10-06	1		53638862	30-20 31-21	4
534685	16-24	1		53638875	27-35	2
004000	18-26	1		55056675	29-42	2
534715	18-27	1			30-21	2
534728	6-14	1			30-21	2
534740	5-23	1			31-38	2
	6-13	1			32-34	2
534741	8-28	1		536413	27-01	6
534742	49-09	1			28-01	6
534743	23-09	1			29-01	6
	24-06	1			30-01	6
	25-06	1			31-01	6
	26-06	1			32-01	6
534750	50-01	2		536421	8-17	1
	51-01	2		536552	16-13	1
	52-01	2			17-13	1
	53-01	2			18-10	1
534757	8-27	1		536563	7-16	1
534775	18-37	1		507040	8-16	1
534857	13-29	6		537019 537 20 0	13-28	12
534861A1	49-02 18-28	2 1		537296 537299	13-36 6-35	12 1
534938 534940	24-01	1		537505	2-31	1
554940	26-01	1		537539	14-58	1
534980	18-30	1		537629	38-23	3
535008	14-19	1		007.020	39-23	3
	15-34	1		537650	23-10	1
535118	13-33	48		537690	35-25	2
535634	14-18	1			36-27	2
	15-24	1			37-09	2
535661	10-01	1			38-30	4
535662	10-03	1			39-30	4
535666	10-04	4			41-09	4
535668	22-13	12		537721	2-02	1
535847	40-08	2		537728	28-36	1
	42-02	2		537738A1	18-21	1
	44-02 45-02	2		537742 537745	18-04 18-01	1 1
	45-02 50-03	2 4		537745 537749	18-01 18-20	1
	50-03 51-03	4		537750	3-20	1
	52-03	4		22.700	18-24	1
	53-03	4			18-34	1
535885	14-29	1			25-11	29
535887	14-30	1		537961	27-17	2
535900	14-19	1			30-15	2
535908	14-28	1			31-16	2
536038	13-35	24			32-15	1

•	FIGURE	QTY	24.07.1111252	FIGURE	QTY PER
PART NUMBER	& INDEX	PER ASSY	PART NUMBER	& INDEX	ASSY
538076	10-07	1	625327-1	35-07	1
538100	29-22	4		36-14	1
538185	15-01	1		38-20	AR
538304	13-40	12		39-20	AR
538650	3-31	1	625327-2	35-24	2
	4-17	1		37-08	2
538801	6-21	1		38-29	4
538804	6-20	1		39-29	4
538944-10.50	4-02	4		41-10	2
538944-5.31	3-01	1	625393	13-15	2
538944-6.19	3-02	1	625457	35-08	2
538944-8.88	4-01	2		36-13	AR
538949	3-35	1		38-18	AR
	4-20	1		39-18	AR
538989	4-08	4	625457-1	36-10	1
538999	18-25	2		38-19	AR
	18-36	1		39-19	AR
539003	3-21	1	625601	35-10	1
	25-12	1		36-08	1
	29-15	2	625615	13-30	6
539058	6-05	16	625765	51-02	2
	18-43	2	625966	6-18	1
539374	1-36	1	626147	13-39	12
	3-25	19	626332	22-02	2 1
	3-36	1	626334	6-19	
	4-28	1	626341	22-01 22-09	1 1
539487	27-12	2	626342	35-35	2
	28-11	4	626486	35-35 37-24	1
	29-09	4		38-45	2
	30-10	2		39-38	2
	31-11	2	000507	29-12	1
	32-10	2	626527	47-12	1
539518	6-03	3	626553	47-12	1
539523	15-10	2	626557	48-11	1
539568	18-15	1	626577.2	35-39	6
539605	5-10	2	626577-2	36-41	6
539634	36-02	1		37-31	6
539740	13-26	12		38-48	6
539742	13-19	6		40-22	6
539785	18-17	1	626624	35-14	1
539800	16-19	1	626634	35-14 35-21	1
	17-19	1		36-16	1
	18-16	1		36-23	1
539805	16-12	1		38-09	1
	17-12	1 1		38-26	1
F20042	18-09 35-11	2		38-42	1
539942	36-09	2		39-09	1
	38-08	2		39-26	1
	39-08	2		41-13	1
539988	13-11	1	626739	8-19	1
625207	24-02	1	626813	35-06	2
625238	35-05	1		36-12	2
020230	33-03	•			

PART NUMBER	FIGURE &	QTY PER	PART NUMBER	FIGURE &	QTY PER	
	INDEX	ASSY	TANT NOMBEN	INDEX	ASSY	
626813	37-13	2	628438	46-07	1	_ `_
	38-17	3	628472	50-02	1	
	38-38	1	628473	50-02	1	
	41-07	1	628476	42-08	1	
626879-1	42-17	3	•	43-08	1	
	44-12	3		46-06	1	~
626889	7-24	2	628478	46-09	1	
	8-20	2	628488	9-07	12	
626890	8-26	1		10-08	12	
626891	35-32	2	628555-1	27-34	1	
626900	43-09	1		29-41	1	
627119	42-09	1	628555-13	32-33	1	_
	43-05	1	628555-14	40-05	1	
	43-07	1	628555-2	37-27	1	
627331	47-07	4	628555-3	30-28	1	
	48-07	4		31-37	1	
627433	4-26	5	628555-4	30-19	2	
627496	20-12	1		31-20	2	
	21-16	1	628555-5	30-22	1	
	22-07	1		31-22	1	
627748-14	39-39	6	628556	27-26	6	
628109	11-04	2		28-31	6	
628152	36-40	2		29-37	6	
628152-1	36-40	2		30-26	6	
628153	36-40	2	ć	31-27	6	
628153-1	36-40	2		32-24	6	_
628154	36-40	2	628572	27-37	1	
628154-1	36-40	2		29-50	1	
628257	6-03	3		30-32	1	
628260	13-34	6		31-41	1	
628295	36-35	1		34-13	1	
628372A2	25-07	1	628670	34-35	2	
628436	42-07	1	628672	34-34	2	
	42-11	1	628739	50-37	1	
	46-02	1	628740	50-42	2	
	46-11	1	628760	18-32	1	
	48-08	1	628885	15-31	1	
	48-09	1	628887	15-33	1	
628437	16-41	1	628900	15-32	1	`~
	42-07	1	629007	50-41	1	
	42-08	1	629008	50-40	1	
	43-13	1		50-45	1	
	43-15	1	629009	50-39	1	
	44-06	1		50-44	1	
	44-07	1	629010	50-38	1	٠.,
	46-05	1		50-43	1	
	46-14	1	629011	50-46	1	
	47-05	1	629076	49-12	2	
	48-08	1	629077	49-13	1	
628438	37-18	1	629084	15-26	1	
	43-06	1	629104	7-13	16	,
	43-10	1	000447	8-13	16	
	46-04	2	629117	13-17	1	

	& INDEX	PER ASSY	PART NUMBER	& INDEX	PER ASSY
	<u> </u>	7001		l	A331
629125	40-13	1	629518-1H	1-28	1
	45-08	1		2-23	1
629138	27-04	3		15-08	1
	28-02	5	*	20-07	1
	29-02	5		21-13	1
	30-02	5	•	28-15	4
	31-04	3		29-18	1
000400	32-02	3		31-30	1
629163	29-45	1	C20F10 211	32-36	2 1
629163-1	29-40	1	629518-3H	2-27	1
629201	5-18 5-17	1 1	C20F10 411	20-10	1
629202	5-17 15-09	1	629518-4H	15-43 16-40	1
629218 629263	15-09	1	020020	19-11	1
629275	27-42	4	629638		1
029275	27-42 29-55	1	629680	7-23 36-18	1
	29-55 30-37	4	629703-8A1	46-01	1
•	31-46	4	629703-8A2	36-18	1
	34-17	2	029703-8A2	46-01	1
629325	27-05	1	629726A3	9-01	1
020020	28-03	1	629747	9-06	1
	29-03	1	629748	9-05	1
	30-03	1	629837	50-36	2
	31-05	1	32337	52-34	2
	32-03	2	629847	1-35	6
629327-2	36-26	2	020017	2-32	6
629329	36-11	1	630046	12-06	1
629330	36-24	1	630055	27-02	1
629338	36-29	1		31-02	. 1
629340	11-03	2	630060	27-03	1
629353	28-33	2		31-03	1
629354	28-34	1	630063	2-26	1
629360	7-30	1	630124	35-09	1
629364	36-21	1	630184	47-11	1
629401	12-05	1		48-12	1
629422	49-12	2	630261-35	7-11	4
629436	19-01	1		8-11	4
629494	50-31	9	630261-37	7-10	2
	52-29	8		8-10	2
629495	50-28	12	630261-38	7-09	2
	52-26	12		8-09	2
629496	50-27	2	630350	28-40	1
629498	50-26	12	630387	35-18	3
	52-24	12		36-20	3
629502	50-24	1	630455	35-04	2
	52-22	1		36-05	2
629504	50-23	1		38-04	3
	52-21	1		39-04	3
629505	50-22	1	630464	8-14	10
	52-20	1	630474	28-35	1
629506	50-21	1	630533	51-06	12
000510.411	52-19	1	630591	13-09	1
629518-1H	1-20	1	630655	19-09	1

DA DT NUMBER	FIGURE &	QTY PER	PART NUMBER	FIGURE &	QTY PER
PART NUMBER	INDEX	ASSY	TAIT NOMBER	INDEX	ASSY
630680	16-23	1	631263	38-02	1
00000	17-23	1		39-02	1
630681	16-20	1		40-02	1
353531	17-20	1	631266-1	6-29	1
630691	19-12	1	631275-2 🏶	6-30	1
630693-10.44	3-09	1	631-293	42-09	1
	4-22	1	631307	42-10	1
630693-11.67	3-09	1	631308	42-06	1
630763	35-01	1	631330	47-09	1
	37-01	1		48-10	1
	38-01	1	631351-7A3	35-34	1
	39-01	1		47-01	1
	40-01	1	631351-9A3	35-34	1
630817	27-27	1		47-01	1
630817-1	31-35	1	631351A10	36-33	1
630826	11-06	12		47-01	1
630849	20-01	2	631351A11	36-33	1
0000.0	21-06	2		47-01	1
630870	5-24	1	631351A12	36-33	1
630871	5-22	1		47-01	1
630873	1-03	1	631351A14	37-22	1
630881	27-28	2		47-01	1
630892	5-06	1	631367	23-02	1
630899	1-02	1	631390	14-21	1
630916	16-01	1	631478	15-20	1
630910	17-01	1	631486	31-32	2
630963	28-22	1	631496	13-05	1
630964	28-24	1	631520	13-14	2
630965	27-23	6	631521	13-13	2
030903	28-28	6	631547	19-02	1
	29-34	6	631618	14-09	1
	30-23	6		15-11	1
	31-24	6	631638	15-19	1
	32-21	6	631646	14-50	1
63096656	25-02	2	631650	14-39	1
630966-4.00	3-23	3		15-39	1
631008	25-01	1	631653	14-11	1
631014	14-17	1		15-13	1
631016	14-07	1	631658	47-08	1
631034	14-01	1	631684	36-01	1
	14-20	1	631685	36-03	1
631056	20-02	1	631716	8-01	1
631059	21-07	2	631720	47-08	1
631075	14-17	1		48-05	1
63109944	9-03	4	631737	52-28	2
631152	5-02	2	631737-2	50-30	2
631154	5-02 5-01	2	631739	50-34	2
6312 4 6	37-23	1		52-32	2
001270	40-21	2	631764	44-11	1
631252	16-14	1	631782	14-52	1
001202	17-14	1	631783	14-53	1
	18-11	1	631784	14-54	1
631263	35-02	1	631818	36-15	1
001200	00 02	•			

	FIGURE	QTY	1	FIGURE	QTY
PART NUMBER	&	PER	PART NUMBER	&	PER
	INDEX	ASSY		INDEX	ASSY
631819	36-07	1	632555-14	38-15	1
631836	29-20	4		38-36	1
631837	29-21	2		39-15	1
631845	9-02	1	632555-15	38-13	1
	10-02	1	*	39-13	1
631882	43-11	1	632555-7	37-11	1
631915	6-27	1	632556	35-12	1
631927	2-30	1	632557	35-22	1
631928	6-26	1		37-06	1
631972	27-11	4		38-27	1
	28-10	4		38-41	1
	30-09	4		39-27	1
	32-09	16		41-12	2
631995	15-22	1	632558	35-19	1
632017	42-05	1	632577-2	39-41 12-01	6 1
000040	44-08	1	632585	19-02	1
632018	7-20 6-37	1 1	632590 632595	16-35	1
632062-16 632062-2	6-3 <i>7</i> 6-37	1	032395	17-36	1
	15-40	1	632609	15-35	1
632085 632105	50-35	2	632616	34-20	1
632105	52-33	2	002010	45-06	1
632106	50-29	13	632663	25-14	4
632100	50-29 52-27	13	632706	20-01	2
632115	40-12	1	632710	27-39	1
032115	44-10	1	3327.13	29-51	1
	45-07	1	632729-10	27-33	1
632120	3-07	4		29-46	1
632126	20-13	1	632748-14	36-39	1
002.20	21-20	1		38-46	6
632224	20-08	1		40-20	6
	21-14	1	632748-15	35-37	6
632239	14-57	1		36-39	6
632240	14-56	1		37-29	6
632266	14-43	1	632750	28-38	1
632357	6-04	1	632761	14-12	1
632379	14-51	1		15-14	1
632436	19-07	1	632762	14-16	1
632437	19-06	1		15-18	1
632443-4	3-18	5	632766	27-32	1
	7-26	2		29-48	1
	23-05	1	632767	27-31	1
632443-6	3-15	4	000775	29-47	1
632444-2	29-11	1	632770	15-05	1 DE
632553-2	41-06	1	632774-1A2	28-32 28-32	RF RF
632554-1	37-12 27-15	1	632774-1A3	28-32 2-25	1 1
622554.2	37-15 35-13	1 1	632788	2-25 27-19	1
632554-2	35-13 38-14	1	632809 632810	27-19	1
	38-14 38-16	1	632813	39-17	3
	38-37	1	632818-1A1	42-01	1
	39-14	1	632818-2A1	42-01	1
	39-16	1	632818-2A2	42-01	1
632555-12	37-14	1	632818-5A2	43-01	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
632818-7A2	43-01	1	633579	51-07	1
632840A1	36-04	1		51-09	1
632853A1	35-03	1		51-11	1
632855-1A2	27-30	1	iak-	51-13	1
632871	27-13	1	•	51-15	1
33207	30-11	1		51-17	1
	31-12	1		53-09	1
	32-11	1		53-11	1
632876	23-10	1	633579	53-15	1
632892	7-18	1		53-17	1
632893	7-17	1		53-19	1
632916-11A1	38-21	1	633580	51-08	1
	46-01	1		51-10	1
632916-11A2	39-21	1		51-12	1
	46-01	1		51-14	1
632916-8A1	35-16	1		51-16	1
	46-01	1		51-18	1
632931	38-07	1		53-10	1
	39-07	1		53-12	1
632946	23-01	1		53-14	1
632958	52-02	1		53-16	1
002000	53-02	1		53-18	1
632959	52-02	1		53-20	1
55255	53-02	1	633583	51-24	1
632964-1	5-07	1		53-26	1
632964-2	5-07	1	633585	51-18	1
632977	14-05	1		53-21	1
633009	50-25	2	633586	51-20	1
633036	42-13	1		53-22	1
633121	43-12	1	633589	51-25	1
633132	28-12	1		53- 2 7	1
633207	29-16	1	633590	51-23	1
633233-24	5-29	1		53-25	1
633233-3	5-29	1	633591	51-21	1
633233-6	5-29	1		53-23	1
633233-7	5-29	1	633592	51-22	1
633281	29-39	1	00001	53-24	1
633282	29-43	1	633593	51-26	1
633283	27-22	1	00000	53-28	1
633291	29-10	1	633615	35-27	1
633333	28-13	1	633620	7-01	1
633342	15-25	1	633622	35-28	1
633381-3	38-39	1	633650	42-14	1
633381-4	38-24	1	633704	27-20	1
	39-24	1	633718	29-29	1
633381-8	41-14	1	633719	29-26	1
633397	29-25	2		32-27	1
	32-20	2	633720-1	29-28	1
633403	11-01	6		32-29	1
633409	38-32	1	633721	29-31	1
	41-02	1		32-30	1
633412	24-07	1	633787	29-32	1
633444	37-04	1		32-32	1
000444	J, J	•			

PART NUMBER	FIGURE &	QTY PER		PART NUMBER	FIGURE &	QTY PER
, , and monitoring	INDEX	ASSY			INDEX	ASSY
633789	44-05	1	•	635050A1	18-06	1
633790	37-21	1		635134	6-25	1
633845	16-22	1		635158-10:00	36-36	1
	17-22	1		635158-12. 20	36-37	1
	18-19	1 .		635158-13.	35-33	2
633925	51-34	15		635158-14.00	37-25	1
	53-33	9		635158-18.00	36-37	1
633926	51-33	10		635158-22.00	37-26	1
	53-34	1		635158-32.00	36-38	1
633927	51-32	1		635158-36.00	35-36	1
	53-37	1		635334	16-34	1
633928	53-36	1		635360	50-33	1
633958-3	27-24	1			52-31	1
	28-27	2		635361	52-25	2
	28-29	1			53-31	2
	29-35	1		635362	53-29	2
	30-24	1		635363	50-32	1
	31-25	1			52-30	1
	32-22	1		635381-2	34-02	1
633958-5	28-23	1		635439	7-14	10
	28-25	1		635616	26-07	1
	29-27	2		635623	7-12	16
	29-30	2			8-12	16
	32-26	2		635630	30-30	1
	32-28	2			31-39	1
634011	47-02	1		635640	26-02	1
	48-02	1		635645	28-14	1
634080	7-21	4		635699	53-30	12
634150	14-10	1		635700	53-32	12
	15-12	1		635915A2	38-03	1
634209	27-14	1			39-03	1
	30-12	1		635921	30-38	1
	31-13	1		635930	30-39	2
	32-12	1		635950	38-06	1
634325	48-13	1			39-06	1
634326-4A4	36-33	1		635991	52-35	AR
	48-01	1		635996	20-06	1
634326-4A6	48-01	1		636035-1	36-40	2
634326-4A7	38-44	1		020020 1	38-47	2
004000 040	48-01	1		636036-1	35-38	2
634326-6A2	39-37	1			36-40	2
004400	48-01	1			38-47 40-19	2 2
634488	29-19 4-09	1 1		636037	35-38	2
634505	4-09 13-03	12		030037	37-30	2
634511	3-08	4		636037-1	36-40	2
034011	3-06 4-09	3		330307 .	38-47	2
634536	44-09	1			39-40	2
634592	16-43	1			40-19	2
001002	18-42	1		636062	31-34	1
634628	20-09	1		636143A2	30-27	RF
634675	50-06	12		636143A3	30-27	RF
	52-06	12		636144	12-04	1
	53-06	12		636242	13-06	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
636349	46-10	1	637409-48	52-14	1
636350	42-12	1		52-15	1
636353	30-17	1		52-16	1
	31-18	1		52-17	1
636355	30-16	1		52-18	1
	31-17	1	637430	47-08	1
636380	30-18	1		48-05	1
	31-19	1	637459	34-24	2
636465	27-36	2	637579	7-15	4
	29-49	1		8-15	4
	30-31	1	637583-17	39-33	1
	31-40	1	637632	27-15	1
636634	37-05	1		30-13	1
636687	51-31	1		31-14	1
636692	51-27	2	637634	27-18	1
	53-41	2	637678	6-01	1
636758	46-13	1	637735A3	31-28	RF
636805	38-10	1	637781	13-12	1
	39-10	1	637817	17-43	1
636900	20-06	1	637847	16-43	1
	21-12	1	000105	17-51	1
636919	51-30	1	638125	13-07	4
	53-35	1	638139	52-23	2
636920	51-29	2	638172	49-15	4
000004	53-43	2	639171	22-10	1
636921	51-28 52.42	2 2	639193	7-04 7-06	1 4
627120	53-42 28-16	1		7-08 7-08	4
637129 637244	30-34	1		8-04	4
637244	31-43	1		8-06	4
637255-4	28-17	1		8-08	4
637286	43-11	1	639195	7-07	2
637356	31-29	1	000100	8-07	2
636357	31-33	1	639196	7-03	1
637409-48	50-09 ₂	1		7-05	1
007400 40	50-10	1		8-03	1
	50-11	1		8-05	1
	50-12	1	639305	20-11	1
	50-13	1		21-15	1
	50-14	1		22-06	1
	50-15	1	639319-9	41-22	1
	50-16	1	639332	33-15	4
	50-17	1	639388	16-33	1
	50-18	1	639405	16-27	1
	50-19	1	639406	16-18	1
	50-20	1	639407	16-36	1
	52-07	1	639418-1	1-27	36
	52-08	1	000.446.5	2-22	24
	52-09	1	639418-2	2-21	12
	52-10	1	639479	35-15 26-17	1
	52-11	1	639479	36-17	1
	52-12 52-13	1	639495	37-17 20 11	1
	52-13	1	639497	38-11	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
639497	20.44		0.40005	40-16	4
	39-11	1	640665	41-01	1
639508-5A1	44-01	1	640667	40-14	1
639573	13-25	24	640668	33-02	1
639629	13-20 13-23	2 2	640677 * 640690	41-19	1
639660-11	27-09	8	640692	41-20	1
639600-11	28-07	6	640701	32-35	1
	29-07	8	640704	33-05	2
	30-07	6	640705	33-04	1
	31-09	6	640706	33-03	1
	31-31	2	640707	33-01	1
	32-08	11	640710	33-08	1
639660-12	28-08	4	640711	33-09	1
639660-13	28-07	6	640712	33-10	1
639660-6	29-44	1	640730	17-45	1
639997	5-12	1	640731	17-24	1
	6-08	1	640733	17-46	2
640056	19-14	1	640746	17-35	1
640087	14-41	1	640749	17-27	1
	15-42	1	640761	32-17	1
640094-4	34-29	1	640764	32-18	1
640095	34-28	1	640765	32-25	1
640230	12-02	1	640766A1	17-37	1
640231	12-03	1	640767	54-01	1
	21-02	1	640774	54-10	1
640327-1	33-13	RF	640777	54-12	1
	34-01	1	640781	54-05	1
640342	21-08	1	640782	5-02	4
640363	54-06	1	640791A2	40-03	1
640372	54-03	1	640793	27-38	1
640373	54-07	1		29-52	1
640380	14-35	1		30-33 31-42	1
	49-17	2		34-14	1 1
640517-4	54-16	1	640705	34-14 32-13	1
640564-1A2	29-38	1	640795	32-13 17- 4 7	1
0.4004.0	37-03	1	640801	17- 4 7 17-18	1
640612	27-25	6	640803 640808	17-16	1
	28-30 29-36	6 6	640820	54-02	1
	29-30 30-25	6	640826	21-03	1
	30-25 31-26	6	640877	33-12	1
	32-23	6	640932	19-10	1
640620-5	6-24	1	640934	19-08	1
640620-8	6-24	1	640947	54-09	1
640625	12-02	1	640971A2	34-36	1
640626	12-03	1	641015	40-19	1
640641	34-33	1	641018	40-19	1
640642	32-16	1	641066	13-01	6
640643-1A2	40-07	1	641100S4S28.00	34-09	1
	45-01	1	641100S4S41.00	40-06	1
640644	41-25	1	641100S6S10.00	34-21	1
640655A1	41-03	1	641100S6S6.00	34-23	1
640657	32-19	1	641100Y6S16.00	34-12	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
641100Y6S25.75	34-25	1	641862	10-09	1
641198	2-01	1	641888-1	27-21	1
641204	32-04	1	641888-4	27-21	1
641218	34-22	1	641888-5	28-20	1
641218	34-22	1	641889	40-11	2
641250	7-27	1	•	45-05	1
•	8-23	1	641909	7-22	2
641284	33-11	2	641930-9.81	4-06	1
641302	12-04	1	641931-10.75	3-05	8
641306	7-28	1		4-05	7
51.555	8-24	1	642004	28-26	1
641361	5-30	2	642035	2-01	1
641368	16-11	1	642064	47-02	1
3.1.000	17-11	1		48-02	1
	18-08	1	642066	33-07	1
641407	3-32	1	642067	33-06	1
641434-3	38-33	1	642070	48-09	1
641434-4	38-33	1	642085	16-05	1
641583	14-45	1	642087	17-05	1
641584	14-45	1	642093	1-01	1
641639	14-44	1	642094	1-01	1
641651	5-11	1	642095	40-15	1
	6-07	1	642096	1-01	1
641682	13-22	6	642143	14-14	1
641701	36-34	1	642224	15-16	1
641862	9-08	1			

Courtesy of Bomar Flying Service www.bomar.biz

SECTION VI

CUSTOMER SPECIFICATION

This section contains a parts listing of customer specifications of the basic engines for each model. There is a Figure and Index column which refers to an illustrated view of the parts or assembly differences. The Figures referenced in this section are located throughout Section II.

MODEL SPEC	PART NUMBER	12345 DESCRIPTION	QUANTITY	FIGURE INDEX
B-1	630817-3	Convoluted Bellows	1	27-27
B-2	633233-8 630817-4	Rod and Cap Assembly, Oil Gauge	1 1	5-29 27-27
		Hose Assembly, Control-to-F/P Outlet & Return	2	35-33
B-5	641668	Alternator	1	19-2
	634661	Solenoid	1	
B-9	No Number	Alternator (Customer Furnished)	NS	
	636415	Harness Assembly, Complete	1	
B-10	No Number	Alternator (Customer Furnished)	NS	
	637633	Riser Assembly, Intake Manifold	1	27-18
	633233-30	Rod and Cap Assembly, Oil Gauge	1	5-29
		Hose Assembly, Control-to-F/P Outlet & Return	2	35-33
	636415	Harness Assembly, Complete	1	
B-12	637633	Riser Assembly, Intake Manifold	1	27-18
	633233-30	Rod and Cap Assembly, Oil Gauge	1	5-29
	635158-14.00	Hose Assembly Control-to-F/P Outlet & Return * * * *	2	35-33
C-3	639660-13	Hose, Intake Manifold		28-7
	637430	Elbow, 90 Degree, 1/8 NPTF-to-3/16 Tube	1	47-8
D-2	641670	Alternator	1	19-2
D-3	641670	Alternator	1	19-2
	636141	Magneto	2	
	633311	Harness Assembly Complete	1	Fig. 51
E-4	641668	Alternator	1	19-2
	637633	Riser Assembly, Intake Manifold	1	27-18
	633233-30	Rod and Cap Assembly, Oil Gauge	1	5-29
	635158-14.00	Hose Assembly, Control-to-F/P Outlet & Return * * * *	2	35-33
E-5	641668	Alternator	1	19-2
E-8	No Number	Alternator (Customer Furnished)	NS	
	636415	Harness Assembly, Complete	1	
E-9	No Number	Alternator (Customer Furnished)	NS	
	637633	Riser Assembly, Intake Manifold	1	27-18
	633233-30	Rod and Cap Assembly, Oil Gauge	1	5-29
	635158-14.00	Hose Assembly, Control-to-F/P Outlet & Return * * * *	2	35-33
E-10	637633	Riser Assembly, Intake Manifold	1	27-18
	633233-30	Rod and Cap Assembly, Oil Gauge	1	5-29
	635158-14.00	Hose Assembly, Control-to-F/P Outlet & Return * * * *	2	35-33
J-2	633233-30	Rod and Cap Assembly, Oil Gauge	1	5-29
	632818-2A3	Fuel Pump Assembly, Complete	1	42-1
	631882	. Elbow, 90 Degree	1	42-6

ŀ	MODEL	PART			FIGURE
	SPEC	NUMBER	12345 DESCRIPTION	QUANTITY	INDEX
		628436	. Fitting, 45 Degree	1	42-8
$\overline{}$	J-2	631307	. Fitting, Connector	1	42-9
		628437	Elbow, 90 Degree	1	42-12
		044740	Gear, Magneto Drive	2	49-12
	J-4	641742	Rod and Cap Assembly, Oil Gauge	1	5-29
		633233-30	Fuel Pump Assembly, Complete	1	42-1
<u> </u>		632818-2A3	Elbow, 90 Degree	1	42-6
		631882 628436	Fitting, 45 Degree	1	42-8
		631307	Fitting, Connector	1	42-9
		628437	Elbow, 90 Degree	. 1	42-12
		********	Rod and Cap Assembly, Oil Gauge	1	5-29
	∠ K-2	633233-30		1	42-1
		632818-2A3	Elbow, 90 Degree	1	42-6
		631882	Fitting, 45 Degree	1	42-8
		628436	. Fitting, Connector	1	42-9
		631307		1	42-12
		628437	. Elbow, 90 Degree	•	
	M-2	634847	Starter, 24 Volt	1	18-42
		633233-30	Rod and Cap Assembly, Oil Gauge	1	5-29
	N-2	632818-2A4	·	1	42-1
		628436	. Elbow, 45 Degree	1	42-8
		631307	Fitting, Connector	1	42-9
	•	628437	Elbow, 90 Degree	1	42-12
	N. 4	641742	Gear, Magneto Drive	2	49-12
	N-4	633233-30	Rod and Cap Assembly, Oil Gauge	1	5-29
		632818-2A4		1	42-1
		628436	Elbow, 45 Degree	1	42-8
		631307	. Fitting, Connector	1	42-9
		628437	Elbow, 90 Degree	1	42-12

SECTION VII

TSIO-520-BB, DB, EB, JB, KB, LB, & NB GROUP ASSEMBLY PARTS LIST

7-1 The TSIO-520-BB,DB,EB,JB,KB,LB and NB are similar to the TSIO-520-B,D,E,J,K,L and N respectively. When specific parts are not referenced in Section VII, refer to the basic parts list in Section II.

TABLE OF CONTENTS

Crankcase Studding Assembly7-2
Crankshaft Group
Connecting Rod Assembly
Fuel Injection System, TSIO-520-BB,EB
Fuel Injection System, TSIO-520-DB
Fuel Injection System, TSIO-520-JB,NB
Fuel Injection System, TSIO-520-KB
Fuel Injection System, TSIO-520-LB
Fuel Pump Assembly, TSIO-520-BB, EB, JB, KB, NB
Fuel Pump Assembly, TSIO-520-DB7-17
Fuel Pump Assembly, TSIO-520-LB




FIGURE 7-1. STUDDING ASSEMBLY, PERMOLD CRANKCASE.

INDEX	PART	२		QUANTITY PER ASSEMBI TSIO-520							
	NUMBER	1 2 3 4 5 DESCRIPTION	ВВ	DB EB	J	JB	KBI	ъВ	NB		
7-1-1	642507	Studding Assembly, Crankcase	1	1		1	1		1	\Box	
-1	642506	Studding Assembly, Crankcase		1							
-1	642508	Studding Assembly, Crankcase					ŀ	1	1		
-2	630899	Bearing, Roller		1 1		1	1	1	1		
-3	630873	. Dowel, 3/16 x 1/2 Inch Long		1 1		1	1	1	1		
-4	MS122162	. Insert, Thread	5	5 5		5	5	5	5	Ì	
-5	MS122163	. Insert, Thread	2	2 2	1	2	2	2	2		
-6	401804	† . Stud, 1/4 x 1-1/16 Inch Long		2 2		2	2	2	2		
•7	401814	† . Stud, 5/16 x 1-7/8 Inch Long		4 4		4	4	4	4	}	
-8	401860	† . Stud, 3/8 x 1-9/16 Inch Long	1 1	2		2	2		2	İ	
-8	402127	† . Stud, 3/8 x 1-17/32 Inch Long		2							
-8	401861	† . Stud, 3/8 x 1-3/4 Inch Long	1 1					2			
-9	404584	† . Stud, 5/16 x 6-3/8 Inch Long						1			
-10	401975	† . Stud, 5/16 x 1-9/16 Inch Long	2	2		2	2	2	2		
-10	401885	† . Stud, 5/16 x 1-5/16 Inch Long		2		ļ					
-11	401885	† . Stud, 5/16 x 1-5/16 Inch Long	11	11 11		11	11	11	11		
-12	401885	† . Stud, 5/16 x 1-5/16 Inch Long		1							
-12	402044	† . Stud, 5/16 x 1-3/8 Inch Long		1		1	1	-	1		
-13	40 1927	† . Stud, 3/8 x 3-1/2 Inch Long	1 1	3 3		3	3	3	3		
-14	401962	† . Stud, 1/4 x 2-4/16 Inch Long		1 1	1	1	1		1		
-15	401932	† . Stud, 5/16 x 4-1/8 Inch Long		1 1	1	1	1		1		
-16	402359	† . Stud, 5/16 x 4-23/32 Inch Long	1	1 1		1	1	1	1		
-17	401936	† . Stud, 1/4 x 3-7/8 Inch Long		4 4		4	4	4	4		
-18	401936	† . Stud, 1/4 x 3-7/8 Inch Long	1	1		1	1	1	1		
-18	401968	† . Stud, 1/4 x 4-17/32 Inch Long		1							
-19	401873	† Stud, 3/8 x 3-7/8 Inch Long		7		7	7	7	7		
-20	401873	† . Stud, 3/8 x 3-7/8 Inch Long		1		1	1	1	1		
-20	629518-1H	Plug, Pipe, 1/8 - 27 NPTF		1							
-21	401965	† . Stud, 3/8 x 13/32 Inch Long	1 1	2 2		2	2		2		
-21	401945	† . Stud, 3/8 x 1-5/8 Inch Long						2			
-22	401963	† . Stud, 1/4 x 1 Inch Long		2 2		2	1 1	2	2		
-23	401977	† . Stud, 3/8 x 2-3/32 Inch Long		4		4	4	4	4		
-24	402034	† . Stud, 5/16 x 6 Inch Long		1		1		1	11		
-25	402151	† . Stud, 5/16 x 1-1/4 Inch Long	2	2 2		2	2		2		
-26	401965	† . Stud, 3/8 x 1-13/32 Inch Long	1 1	2 2			2	- 1	2		
-27	639418-1	. Stud, 5/16 x 2-1/16 Inch Long	36	36 36		36	36	36	36	1	
-28	629518-1H	. Plug, Pipe, 1/8 - 27 NPTF	1 ' 1	1 1		1	1	1	1		
-29	401752	. Plug, Pipe, 1/8 - 27 NPTF		4 3		3	3	4	3		
-30	AN932C2	. Plug,Pipe, 1/8-27 NPTF		2 2		2	2	1	2		
-31	402941	. Plug, Pipe, 1/16 - 27 NPTF	1 1	4 4		4	4	1 1	4		
-32	2025	Plug, Pipe		1 1		1	1	1	1		
-33	532432	. Plug, Machine Thread, 5/8-18		1 1		1	1	1	1		
-34	AN900-10	\$. Gasket, Copper		1 1		1	1		1		
25	629847	. Nozzle, Squirt	1 1	6 6	1	6	6	1 1	6		
-35	539374	. Washer, Plain		1 1		1	1		1		
-35 -36	AN5-13A	. Bolt, 5/16 x 1-3/8 Inch Long	11	1 1	1 1	1	1	i 1	1		




FIGURE 7-2. CRANKSHAFT GROUP

FIG.	PART					QI	JA	ידודא			R AS 520	SEM	BLY	,	
INDEX	NUMBER	1 2 3 4 5	DESCRIPTION		ВВ	DE	EB		JB	KB	LB	NB			
7-2-1	642396	Crankshaft ar	nd Damper Assembly		1	1	1		1	1	1	1			
-2	350998	† . Bushing, Cr	ankshaft Damper	<i></i> .	8	8	8		8	8	8	8			
-3	639196		ght Assembly, 4th Order			1	1	1	1	1	1	1			
-4	639193	Bushing,	Crankshaft Counterweight		4	4	4	<u> </u>	4	4	4	4			
-5	639196	. Counterwei	ght Assembly, 5th Order		1	1	1		1	1	11	1	- [
-6	639193	Bushing,	Crankshaft Counterweight		4	4	4		4	4	4	4	}		
-7	639195	. Counterwei	ight Assembly, 6th Order		2	2	2		2	2	2	2			
-8	639193	Bushing,	Crankshaft Counterweight		4	4	4		4	4	4	4		j	
-9	630261-38	. Pin, Dampe	r Counterweight, 4th Order		2	2	2		2	2	2	2			
-10	630261-37	. Pin, Dampe	er Counterweight, 5th Order		2	2	2		2	2	2	2	Ì		
-11	630261-40		r Counterweight, 6th Order			4	4		4	4	4	4			

7-4

						_		QL	JAN	TITY		R AS 520	SEM	BLY	,	
FIG.	PART		0045	DESCRIPT	ION		вв	DB	FB	- 1 - 1	т —	BLB	NB		Τ	T
INDEX	NUMBER		2345				-							_	\dagger	†
7-2-12 -13	635623 629104		Plate, Co Ring, Re	unterweight Pin Re	CHING PARTS caining		16 16	16 16				16	16 16			
-15	020.0.	•	.	J	* * * *											
-14	634503	\$† E	Bearing, Ci	ankshaft Main Bear	ing & Intermediate . 4 & 5 Main		6	6	6	6	-	1 1	6			
-15	642720	Φ V	Searing, Ci	anksnart main, no.			4	4	4	4		1 1	4			
-16	637579				ar			1	1	1	1	1	1			
-17 40	536563 632893							1	1	1	1	1	1		- [1
-18 -19	632892						1	1	1	1	1	1	1			
-13	032032	Ì	3001, 0101		ACHING PARTS											
-20	536379	9	Screw, Dri		8 Inch Long		6	6	6	6	6	6	6			
-21	632018							1	1	1	1	1	1			
				ATT	ACHING PARTS											
-22	634080	9	Screw, 5/1	6 - 24 x 13/32 Inch	Long		4	4	4	4	4	4	4		Ì	
-23	641909	F	Plate, Tab	Lock			2	2	2	2	2 2	2	2			
					* * * *							1				
-24	629680	† (Collar Ass	embly, Governor Oi	l Transfer		1	1	1		1	1 ' 1	1			
-25	626889				g			2	2		2 2	. -	2		ł	
-26	401893				- 			2	2		2 2		2			
-27	632443-4	•	Nut, Ma	rsden Lock, 1/4 - 28			2	2	2	:	2 2	2 2	2			
-28	641250							1	1		۱ 1	1	1			
-29	641306		Spring				1	1	1		I 1	1	1			
-30	AN123962	\$ (O-Ring, C	ankcase-to-Collar			1	1	1		1 1	1	1			
-31	629360	(Gear, Idle	۲,			11	1	1		1 1	1	1			




FIGURE 7-3. CONNECTING ROD ASSEMBLY

FIG.	PART				Qι	IANT	ITY F			SEMI	BLY	· •	
INDEX	NUMBER	12345	DESCRIPTION	 BB	DB	EB	JB	КВ	LB	NB	\perp	\perp	
7-3-1	642399		Rod Assembly, Complete		6	6	6	6	6	6			
-2	530658	. Bushing, P	iston Pin	 11	1	1	1	1	1	1			
-3	629340	. Bolt, Conn	ecting Rod, Special	 2	2	- 1	2	1 1	- 1	2			
-4	628109	. Nut, Slotte	ed, Special	 2	2	2	2	!!	_	2			
-5	AN381-25-10	Pin, Cotter		 12	12	12		12	- 1	12			
-6	642398		necting Rod		12	12	12	12	12	12			1




FIGURE 7-4. FUEL INJECTION SYSTEM, TSIO-520-BB,EB

FIG.	PART			QUANTIT	TY PER A		BLY	
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	BB	EB			$\rightarrow \downarrow \downarrow$	\dashv
7-4-1	630763 \$	Gasket, Fuel Pump	1	1 1				
-2	631263	Coupling, Crankshaft Gear-To-F/P	1	1				
	634794A3	Fuel Injection Assy., Complete	1				.	
	634798A3	Fuel Injection Assy., Complete		1 1			.	
	632818-10A1@	. Fuel Pump Assembly (See Figure 7-9)	1					11
	632818-11A2①	. Fuel Pump Assembly (See Figure 7-9)						
	632855-1A2	. Throttle and Control Assembly	1	1				
-3	632853A1	Throttle Assembly, Air	1	1				
-4	630455	Bushing	2	2				
-5	625238	Collar	1					
-6	626813	Pin	2	2				
-7	625327-1	Washer, Wave	1	1				
-8	625457	Washer, Plain	2	2				
-9	630124	Shaft, Throttle	1	1				
-10	625601	Plate, Throttle	1	1			1 1	

FIG.	PART				TS10-520	EMBL	
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION	вв	EB			\prod
INDEX	NOMBEN		-				1 1
	500040	ATTACHING PARTS	2	2			
7-4-11	539942	Screw					11
-12	632556	* * * Lever Assembly	11	1			
-12		Bushing	1	1			
- i 4		Springs	1	1 1			
-15		Screw, Adjusting	1	1			
-16	632916-8A1 ①	Control Assy, Complete (See Figure 47)	1	1			
		ATTACHING PARTS	}	} }	} } }	} } }	1
-17	501867	Washer, Tab	3	3			
-18	630387	Screw, 1/4 -20 x 2 Inch Long		3			
		* * *					
	632558A1	Rod and Link Assembly					
-19	632558	Rod and Link		2			
-20	AN121501	Nut					1 1
-21	626634	Spring, Compression					
-22	632557	Rod End, Special		1			1 1
-23	MS21044N3	. Washer, Wave		2			
-24 -25	625327-2 537690	. Washer, Plain	1	2			
-25 -26	2500	Pin, Cotter	1 1	2			
-20 -27	633615	Shroud Assembly, Bottom	1 1	1			
-28	633622	Shroud, Top		1 1			
20	00002	ATTACHING PARTS					
20	20522	. Washer, Plain	3	3			
-29 -30	MS35338-44	. Washer, Lock		3			
-31	2437	Nut, Plain, Hex, 1/4 - 28		3			
0.	2107	* * *		1 1			
-32	626891	. Bumper, Rubber	2	2			
-33	635158-13.00	. Hose Assembly, Control Assembly-					
		To-Fuel Pump, Outlet & Inlet		2		1 1	
-34		Valve Assy., Fuel Manif. Comp. (See Figure 47)					1
-34	_	. Valve Assy., Fuel Manif. Comp. (See Figure 47)	Opt	Opt			
-34	631351A2	. Manifold Valve Assembly	2	2			
-35 36	626486 635158-36.00	. Hose Assy., Control AssyTo-Manifold VIv.		1			
-36 -37	632748.15 A). Nozzle Assembly, Fuel Injection		6			
-38	636037	. Tube Assy., Fuel Discharge Cyl., 1 & 6	2				
-50	636037-1	. Tube Assy., Fuel Discharge Cyl., 1 & 6		2			
	636036	. Tube Assy., Fuel Discharge Cyl., 2 & 5					
	636036-1	. Tube Assy., Fuel Discharge Cyl., 2 & 5		2			
	636035	Tube Assy., Fuel Discharge Cyl., 3 & 4	2				
	636035-1	Tube Assy., Fuel Discharge Cyl., 3 & 4		6			
-39	626577-2	. Clamp, Fuel Discharge Tube					
NOTE ①	For detail parts, se	ee Fuel Injection Systems Overhaul Manual and Parts Catalog,					
2	Order nozzle size i	identified on hex of nozzle body.					
~		·		1 1 1	1 1 1 1	1 1	1




FIGURE 7-5. FUEL INJECTION SYSTEM, TSIO-520-DB.

FIC	DART		QUANTITY PER ASSEMBLY TSIO-520						
FIG.	PART	12345 DESCRIPTION	DB						
INDEX	NUMBER		+ + + + +						
7-5-1		Gasket, Fuel Pump							
-2	631263	Coupling, Crankshaft-to-Fuel Pump	1 1 1 1						
	635968A5	Fuel Injection Assembly, Complete							
	639508-8A1 ①	Fuel Pump Assy. (See Figure 7-10)							
-3	_	. Throttle and Control Assembly							
-4	633444	Rod and Link Assembly							
-5	626634	Spring, Compression							
-6	632557	. Rod End, Special							
-7	MS21044N3	. Nut, Self-Locking	2						
-8	625327-2	Washer, Wave	2						
-9	537690	Pin Cotter	2						
-10	2500	Lever Assembly, Throttle	1 1						
	632555-7	· ·	1 1						
-11	632554-1	Bushing	2						
-13	626813	Pin, Tubular	1 2						
-14	632555-12	Lever Assembly, Throttle Control							
-15	632554-1	Bushing							
-16	MS21044N5	Nut, Self-Locking							
-17	639495	Tee, Fuel Inlet							
-18	628438	Fitting, Fuel Outlet							
-19	AN932-2	Elbow, 90 Degree, 1/8 NPTF to 1/2 Hose	1						
-20	AN842-8D	Fitting, 90 Degree, Coupling	1 1						
-21	633790) Valve Assy., Fuel Manifold Complete (See Figure 40)							
-22	631351A14 ① 631351A8	. Valve Assembly, Fuel Manifold	Opt						
-22		Bracket, Fuel Discharge Tube, 1-3-5 Side	1 1						
-23	631246 626486	Bracket, Fuel Discharge Tube, 2-4-6 Side	1 1						
-24 -25	635158-14.00	. Hose Assy., Control Assyto-Fuel Pump	1						
-25 -26	635158-22.00	. Hose Assy., Control Assy-to-Manifold Valve	1						
-20	628555-2	. Hose, Fuel Pump-to-Throttle Body	1 1						
-28	536388-50	. Clamp	2						
-29	632748-15 1 0	Nozzle Assembly, Fuel Injection	6						
-30	636037	. Tube Assy., Fuel Discharge Cyl. 1 & 6	2						
	636036	. Tube Assy., Fuel Discharge Cyl. 2 & 5	2						
	636035	Tube Assy., Fuel Discharge Cyl. 3 & 4	2						
-31	626577-2	. Clamp	6						
_		First Injuries Systems Overhaud Manual and Parts Catalon							
NOTE ①	Form X-30091.	see Fuel Injection Systems Overhaul Manual and Parts Catalog,							
2	Order nozzle siz	e identified on hex of nozzle body.							




FIGURE 7-6. FUEL INJECTION SYSTEM, TSIO-520-JB,NB.

FIG.	PART		QI		PER ASSEM IO-520	BLY	1
INDEX	NUMBER	12345 DESCRIPTION		JE	NB NB		
7-6-1	630763 \$	Gasket, Fuel Pump		1	1		
-2	631263	Coupling, Crankshaft Gear-to-F/P		1	1		
	636134A7	Fuel Injection Assy., Complete		1			ĺ
	636134A6	Fuel Injection Assy., Complete			1		
	632818-11A1 ①	. Fuel Pump Assembly (See Figure 7-9)		1	1		
	636143A3	. Throttle and Control Assembly		1			1
	636143A2	. Throttle and Control Assembly		1	1		
-3	635915A2	Throttle Assembly		1	1		ı
-4	630455	Bushing		3	3		1
-5	MS122160	Insert, Helical Coil		1 12	2 12		
-6	635950	Shaft, Throttle		1	1		1
-7	632931	Plate, Throttle			1		-
		ATTACHING PARTS					
-8	539942	Screw		2	2		
		* * *	1 1				
-9	626634	Spring		1	1		
-10	636805	Screw, Idle Adjusting		1	1		ļ
-11	639497	Lever, Throttle, Idle Control		1	1		
-12	AN565E8H8	Set Screw		1	1		
-13	6325 55-15	Lever Assembly		1			-
-14	632554-2	Bushing		1	1		-
-15	632555-14	Lever Assembly		1			1
-16	632554-2	Bushing		1	1		-

FIG.	PART		QL	QUANTITY PER ASSEMBLY TSIO-520				
NDEX	NUMBER	1 2 3 4 5 DESCRIPTION		ЈВ	NB			
6-17	626813	Pin, Lever-to-Shaft		3	3	+		
-18	625457	Washer, Plain, 0.030 Thick		ar	ar			
-19	625457-1	Washer, Plain, 0.015 Thick		ar	ar			
-20	625327-1	Washer, Wave		ar	ar			
-21) Control Assy., Complete (See Figure 47)				ì		
-21	0025/10 11771	ATTACHING PARTS						
-22	501867	Washer, Tab		3	3	-		
-23	537629	Screw, 1/4 - 20 x 11/16 Inch Long			3			
20	507020	* * * *	1					
	633381-4A1	Link Rod Assembly		1 1 1	1			
-24	633381-4	Rod and Link Assembly		1 1	1 1			
-25	AN121501	Nut			2	İ		
-26	626634	Spring, Compression	1	1	1			
-27	632557	Rod End, Sprecial			1			
-28	MS21044N3	Nut, Elastic Stop	1		1			
-29	625327-2	Washer, Wave		4	4			
-30	537690	. Washer, Plain	1 1 1 1	4	4			
-31	2500	. Pin, Cotter	1 1 1	4	4			
-32		S Gasket, Controller	1 1 1		1			
-33		Controller Assembly, Complete	1 1 1					
-33		Controller Assembly, Complete	1 1 1		1			
00		ATTACHING PARTS						
-34	AN960-10L	Washer, Flat		4	4			
-35	AN500A10-12	Screw, No. 10-24		4	4			
00	////000///0/12	* * * *				İ		
-36	632555-14	Lever Assembly		1 1 1	1			
.37	632554-2	Bushing	1	1	1 1			
-38	626813	Pin, Tubular	1 1	1	1 1 1			
	633381-3A1	. Link, Rod Assembly		1 1	1 1 1	1		
-39	633381-3	Rod and Link Assembly			1			
-40	13XX1896	Nut, No. 10-32	1 1 1	2	2			
-41	632557	Rod End, Special	1 1 1 .		1 1 1			
-42	626634	Spring, Compression	1 1 1	1				
-43	MS21044N3	Nut, Elastic Stop	i l l		1			
-44) . Valve Assy., Fuel Manifold (See Figure 48)	4 1 1		1			
-44	634326-4A1	Valve Assembly, Fuel Manifold		Opt	Opt	1		
45	626486	. Bracket, Fuel Discharge Tube		2	2	-		
-46		3. Nozzle Assembly, Fuel Injection		6	6			
-47	636037-1	. Tube Assy., Fuel Discharge Cyl. 1 & 6		2	2			
-47	636036-1	. Tube Assy., Fuel Discharge Cyl. 2 & 5		2	2	1		
-47	636035-1	Tube Assy., Fuel Discharge Cyl. 3 & 4		2	2			
-48	626577-2	. Clamp, Fuel Discharge Tube		6	6			
	642100-5	Regulator Assembly, Fuel Discharge		1 1	1			

① For detail parts, see Fuel Injection Systems Overhaul Manual and Parts Catalog, Form X-30091.

② For detail parts, See Controller Overhaul Manual and Parts Catalog, Form X-30086.

³ Order nozzle size identified on hex of nozzle body.




FIGURE 7-7. FUEL INJECTION SYSTEM, TSIO-520-KB

FIG.	PART		QUA	NTITY PER ASSEM TSIO-520	MBLY
INDEX	NUMBER	1 2 3 4 5 DESCRIPTION		KB	
7-7-1	642238 \$	Gasket, Fuel Pump		1	
-2	631263	Coupling, Crankshaft Gear-to-Fuel Pump			
	637736A5	Fuel Injection Assembly, Complete			
	632818-11A1 _①	. Fuel Pump Assembly (See Figure 7-9)		1	
	637735A3	. Throttle and Control Assembly		1	
-3	635915A2	Air Throttle Assembly		1	
-4	630455	Bushing		3	
-5	MS122160	Insert, Helical Coil		12	
-6	635950	Shaft, Throttle		1	
-7	632931	Plate, Throttle			
		ATTACHING PARTS			
-8	539942	Screw		2	
		* * * *			

FIG. PART			QUA	QUANTITY PER ASSEMBILY TSIO-520				
INDEX	NUMBER	12345 DESCRIPTION			КВ			
7-7-9	626634	Spring			11	11	1 1	
-10	636805	Screw, Idle Adjusting			1			
-10	639497	Lever, Throttle, Idle Control	1					
							1 1	
-12	AN565E8H8	Set Screw						
-13	632555-15	Lever Assembly					1	
-14	632554-2	Bushing			11			
-15	632555-14	Lever Assembly] []			11	
-16	632554-2	Bushing			1			
-17	632813	Pin, Lever to Shaft			3		1 1	
-18	625457	Washer, Plain, 0.030 Thick			ar			
-19	625457-1	Washer, Plain, 0.015 Thick			ar			
-20	625327-1	Washer, Wave			ar			
-21	632916-11A2 () Control Assy., Complete (See Figure 46)			1			
		-						
00	E01007	ATTACHING PARTS						
-22	501867	Washer, Tab			3			
-23	537629	Screw, 1/4 - 20 x 11/16 Inch Long			3			
		* * * *						
	633381-4A1	Link Rod Assembly			1			
-24	633381-4	Rod and Link Assembly			1			
-25	AN121501	Nut			2			
-26	626634	Spring, Compression			1			
-27	632557	Rod End, Special			1			
-28	MS21044N3	Nut, Elastic Stop			1			
-29	625327-2	. Washer, Wave			4			
-30	537690	. Washer, Plain			4			
-31	2500	. Pin, Cotter			4			
					1			
-32		\$ O-Ring			1			
-33	637583-17	Valve Assembly, Pressure Relief						
		ATTACHING PARTS						
-34	AN960-10L	Washer, Flat			4			
-35	20654	Washer, Lock			4			
-36	AN500A10-12	Screw, No. 10-24	.		4			
		* * * *		 				
-37	634326-6A2	①. Valve Assy., Fuel Manifold (See Fig. 48)		1 1	1			
		Valve Assembly, Fuel Manifold			Opt			
-37	634326-6A1				1 1			
-38	626486	Bracket, Fuel Discharge Tube			2			
-39		2. Nozzle Assembly, Fuel Injector			6			
-40	636037-1	. Tube Assy., Fuel Discharge Cyl. 1 & 6			2			
	641516	. Tube Assy., Fuel Discharge, Cyl. 2			1			
	636036-1	. Tube Assy., Fuel Discharge, Cyl. 5			1			
	636035-1	. Tube Assy., Fuel Discharge, Cyl. 3 & 4			2			
-41	632577-2	. Clamp, Fuel Discharge Tube			6			
	642100-5	Regulator Assembly, Fuel Pressure]1		İ	
NOTE:								
① F	or detail parts, see f	uel Injection Systems Manual and Parts Catalog, Form X-30091.						
മം	rder nozzle size ide	ntified on hex of nozzle body.					{	
4	alsa 186				-		1	
							1	
			1	111	111			
			. , 1 1		' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		•	
			1 1		MAROLLA	070	720	
			, F = 3		MARCH 1	9/9	7-13	
				<i>.</i>	ŧ			




FIGURE 7-8. FUEL INJECTION SYSTEM, TSIO-520-LB.

FIG.	PART	-			QU		PER ASSE SIO-520	MBLY
INDEX	NUMBER	12345	DESCRIPTION				LB	
7-8-1	630763	\$ Gasket, Fuel Po	ump	. ,]	11	
-2	631263	Coupling, Cran	kshaft Gear-to-Fuel Pump			1 1 1	1	
	640792A11	Fuel Injection	Assembly, Complete		\ \	} } }	1'	1 1 1
-3	640791A2	. Throttle and	Control Assembly				1	1
4	53638850	. Clamp, Hose					2	
5	628555-14	. Hose, Air Th	rottle-to-Fuel Pump				1	
-6	641100\$4\$41.0	00 : Hose Assy., I	Metering Unit-to-Divider				1	
-7	640643-3A1	, Fuel Pump A	ssembly, (See Figure 7-11)				1	

FIG.	BART		QUAN	TITY PER ASSEMBLY	′
FIG.	PART	1 2 3 4 5 DESCRIPTION		LB	\top
INDEX	NUMBER				++1
		ATTACHING PARTS			
7-8-8	535847	. Washer, Holding			
-9	MS35338-45	. Washer, Lock			1 1 1
-10	2439	. Nut			1 1
-11	641889	Elbow, 90 Degree, Inlet and Outlet		2	
-12	632115	Elbow, 45 Degree			
-13	629125	Elbow, 90 Degree		1	
10	640668A2	. Manifold and Bracket Assembly, Fuel			
-14	640668	Flow Divider		1	
-15	642095	Bracket			
-16	640665	Spacer, Bracket to Flow Divider		4	
-17	MS35338-43	Washer, Lock			
-18	AN500A10-16	Bolt			
-19	636037-1	. Tube Assy., Fuel, Cylinder 1 & 6		2	
-19	636036-1	. Tube Assy., Fuel, Cylinder 2 & 5		2	
-19	641015	. Tube Assy., Fuel, Cylinder 4			
-19	641018	. Tube Assy., Fuel, Cylinder 3			
-20		Nozzle Assembly			
	631246	Bracket, Fuel Discharge Tube			
-21 -22	626577-2	Clamp, Fuel Tube to Bracket		6	
NOTE ①	Order nozzle size	e identified on hex of nozzle body.			




FIGURE 7-9. FUEL PUMP ASSEMBLY, TSIO-520-BB,EB,JB,KB,NB

FIG.	PART	'ART	QUANTITY PER ASSEMBLY TSIO-520							
	NUMBER	12345	12345 DESCRIPTION	BB	EB	JB	КВ	NB		
7-9-1	632818-10A1	Fuel Pump &	Pressure Compensator Assembly	1						
-1	632818-11A2	Fuel Pump &	Pressure Compensator Assembly		1					
-1	632818-11A1	Fuel Pump &	Pressure Compensator Assembly			1	1	1		
			ATTACHING PARTS							
-2	535847	Washer, Holdi	ing	2	2	2	2	2		
-3	MS35338-45			1	2	2	2	2		
-4	2439		x	1	2	2	2	2		
		•	* * *							
-5	632017	. Elbow, 90 [Degree, 1/4 NPTF	1	1	1	1	1		
-6	631308	. Connector,	1/4 NPTF-to-1/2 Tube	1	1	1	1	1 1		
-7	628437	. Elbow, 90 [Degree, 1/8 NPTF-to-1/4 Tube	1	1					
-7	628436	. Elbow, 45 [Degree, 1/8 NPTF-to-1/4 Tube			1	1	1		
-8	628476	. Elbow, 45 [Degree, 1/8 NPTF-to-1/8 Tube	11	1					
-8	628437	. Elbow, 90 [Degree, 1/8 NPTF-to-1/4 Tube			1	1	1 1		
9	627119	. Elbow, 90 [Degree, 1/8 NPTF	1	1				1	
-9	631293	. Elbow, 90 [Degree, 1/8 NPTF-to-3/8 Tube			1	1	1		
-10	631307	. Connector,	1/8 NPTF-to-3/8 Tube	1	1 1					
-11	628436	. Elbow, 45 [Degree, 1/8 NPTF-to-1/4 Tube	1	1	1	1	11		
-12	X5146	. Elbow, 90 🛭	Degree, 1/8 NPTF-to-1/4 Tube	11	1					
-12	636350		v., Tee, 1/8 NPTF-to-1/2 Tube-to1/2 Tube			1	1	1		
-13	633036		embly, Fuel Pump	1 1	1					
-14	633650	. Shroud, Fue	el Pump	1	1					
-			ATTACHING PARTS							
-15	AN515-8R5	. Screw, Macl	ning	2	2		} }			
-16	MS21044N08	•	ocking	3	2					
-17	626879-1	. Grommet .		3	3					




FIGURE 7-10. FUEL PUMP ASSEMBLY, TSIO-520-DB.

FIG. PART	PART			QUA	ANTI		PER 10-5	ASS 20	EM	BL'	Y	
INDEX	NUMBER	12345 DESCRIPTION		DB								
7-10-1	639508-8A1	Fuel Pump Assembly, Complete		1			11					
		ATTACHING PARTS										
-2	535847	Washer, Hold		2				ļ				1
-3	MS35338-45	Washer, Lock		2				l				
-4	2439	Nut, Plain		2								
		* * * *										1
-5	633789	. Elbow		1	1 1							1
-6	628437	. Elbow, 90 Degree, 1/8 NPTF to 1/4 Tube		1	11		1 1					
-7	628437	. Elbow, 90 Degree, 1/8 NPTF to 1/4 Tube	1	1			1 1				Ī	
-8	632017	. Elbow, 90 Degree		1								
-9	634536	. Elbow, 45 Degree, 1/4 NPTF to 3/8 Tube		1								. ~
-10	632115	. Elbow, 45 Degree, 1/8 NPTF to 1/4 Tube		1		ļ					1	
-11	631764	. Shroud Assembly, Fuel Pump		11	11	Ì	1	, k s	1	-		
-12	626879-1	\$. Grommet		3						1		




FIGURE 7-11. FUEL PUMP ASSEMBLY, TSIO-520-LB.

FIG.	PART	The second secon	QUANTITY PER ASSEMBL TSIO-520								
NDEX	NUMBER	12345 DESCRIPTION					LB				
7-11-1	640643-3A1	Fuel Pump Assembly					1				
		ATTACHING PARTS									
-2	535847	Washer, Holding					2				
-3	MS35338-45						2				
-4	2439	Nut, Plain, Hex			1 1		2				
	•	* * *									
-5	641889	. Elbow, 90 Degree					1				
-6	632616	. Elbow, 90 Degree					1				
-7	632115	. Elbow, 45 Degree					1				
-8	629125	. Elbow, 90 Degree					1				
`. .∞	week	1	1	1	1 1		1 1	1 1			
3 00		<u>,</u>									
<i>y</i>	7.7									}	
								1 1			